



en.morettispa.com



Mobility products

Electric wheelchairs, scooters and Tiboda front engine **EN**

Fauteuils roulants électriques, scooters et appareil de traction Tiboda pour fauteuils roulants **F**

Sillas de ruedas eléctricas, scooters y propulsor delantero Tiboda para sillas de ruedas **ES**

Cadeiras de rodas elétricas, scooters e propulsor elétrico Tiboda para cadeiras de rodas **P**



- EN** Folding and demountable power scooter
F Scooter électrique pliant et démontable
ES Scooter eléctrico plegable y desmontable
P Scooter elétrico dobrável y desmontável

ARDEA Mobility 200

Cod. **CN200R** Red


Cod. **CN200B** White



Armrest width regulation



Swivel seat and foldable backrest



Steering wheel inclination regulation



Power socket



270W
Motor



6 KM/H
Max.
speed



>11 KM
Autonomy



113 KG
Max.
loading
weight



12V 2x12Ah
Battery

Technical features

Seat		L 38 cm - With removable cushion									
PERFORMANCES						SPECIFICATIONS					
Turning radius		123 cm				Battery charger type		1,8Amp,Off Board, 220V, 50HZ			
Max. climb rated slope superable*		12°/21%				Controller type		PG S-45A			
Curb obstacle		5 cm				Brake		Electromechanical No parking brake			
WEIGHT AND DIMENSION											
Measures cm											
CN200	41	35	10	44	29,5	76	106	52	80	19,5x5 PU, solid	included

* The rated slope is defined in EN12184:2014

- EN** Demountable power scooter
- F** Scooter électrique démontable
- ES** Scooter eléctrico desmontable
- P** Scooter elétrico desmontável

ARDEA Mobility **210**

Cod. **CN210A** Orange


Cod. **CN210B** White




Armrest width regulation



Swivel and foldable seat



Front and rear suspensions



Rear-view mirrors



Steering wheel inclination regulation



Power socket and usb port



Front LED lights kit



350W
Motor



6 KM/H
Max. speed



>21 KM
Autonomy



149 KG
Max. loading weight



12V 2x22Ah
Battery



USB
port

Technical features

Seat		L 43 cm									
PERFORMANCES						PERFORMANCES					
Turning radius	127 cm					Battery charger type	3Amp, Off Board, 220V, 50HZ				
Max. climb rated slope superable*	12°/21%					Controller type	PG S-70A				
Curb obstacle	8 cm					Brake	Electromechanical No parking brake				
WEIGHT AND DIMENSION											
Measures cm											
CN210	45	42	10,5	44	39	83	111	58	93	22x7,5 PU, solid	included

* The rated slope is defined in EN12184:2014

EN Power scooter
F Scooter électrique
ES Scooter eléctrico
P Scooter elétrico

MOBILITY 220

Cod. **CN220**



Armrests
inclination
regulation



Back LED
lights kit with
turn signals



Swivel, foldable
and depth
adjustable
seat



Front and rear
suspensions



Dashboard
and Rear-view
mirrors (not
illustrated)



Steering wheel
inclination
regulation



Armrest width
regulation



Drive mode
selector, power
socket,
usb port



Front LED light
kit with turn
signals



600W*
Motor



10 KM/H
Max.
speed



>34 KM
Autonomy



158 KG
Max.
loading
weight



12V 2x50Ah
Battery



USB
port

Technical features

Seat		L 46 x P 41 cm										
PERFORMANCES						PERFORMANCES						
Turning radius	140 cm					Battery charger type	5Amp, Off Board, 220V, 50HZ					
Max. climb rated slope superable**	12°/21%					Controller type	PG S-90A					
Curb obstacle	10 cm					Brake	Electromechanical No parking brake					
WEIGHT AND DIMENSION												
Measures cm												
CN220	47	45	13	48	69,5-76	95	140	62	129,5-134	26,5x8,5 pneumatic	included	

* 4-pole ** The rated slope is defined in EN12184:2014

EN Power scooter
F Scooter électrique
ES Scooter eléctrico
P Scooter elétrico

MOBILITY 230

Cod. **CN230**



Armrests
inclination
regulation




Back LED
lights kit with
turn signals



Swivel, foldable
and depth
adjustable
seat



Front and rear
suspensions



Rear-view
mirrors and
dashboard



Steering wheel
inclination
regulation



Drive mode
selector, power
socket, usb port



Armrest width
regulation



Front LED light
kit with turn
signals



800W*
Motor



13 KM/H
Max.
speed



>36 KM
Autonomy



158 KG
Max.
loading
weight



12V 2x50AH
Battery



USB
port

Technical features

Seat					L 46 x P 41 cm							
PERFORMANCES					PERFORMANCES							
Turning radius		149 cm			Battery charger type		8Amp, Off Board, 220V, 50HZ					
Max. climb rated slope superable**		12°/21%			Controller type		PG S-120A					
Curb obstacle		12 cm			Brake		Electromechanical and parking brake					
WEIGHT AND DIMENSION												
Measures cm												
CN230		47	44	13	47	70-75	96	129,5	62,5	131-136,5	30x9,5 pneumatic	included

* 4-pole ** The rated slope is defined in EN12184:2014

EN Power scooter
F Scooter électrique
ES Scooter eléctrico
P Scooter elétrico

MObility 240

Cod. **CN240**




Armrests
inclination
regulation



Back LED
lights kit with
turn signals



Swivel, foldable
and depth
adjustable seat



Front and rear
suspensions



Rear-view
mirrors



Steering wheel
inclination
regulation



Armrest width
regulation



Drive mode
selector, power
socket, usb port



Front LED light
kit with turn
signals



1100W*
Motor



15 KM/H
Max.
speed



>49 KM
Autonomy



180 KG
Max.
loading
weight



12V 2x75Ah
Battery



USB
port

Technical features

Seat					L 46 x P 46 cm						
PERFORMANCES					PERFORMANCES						
Turning radius		140 cm			Battery charger type		8Amp, Off Board, 220V, 50HZ				
Max. climb rated slope superable**		12°/21%			Controller type		PG S-140A				
Curb obstacle		12 cm			Brake		Electromechanical and parking brake				
WEIGHT AND DIMENSION											
Measures cm											
CN240		49	48	19	52	71-76	104	147	70	141,5-147	33x10 pneumatic

* 4-pole ** The rated slope is defined in EN12184:2014

EN Power scooter
F Scooter électrique
ES Scooter eléctrico
P Scooter elétrico

ARDEA Mobility **250**

Cod. **CN250**



Armrests
inclination
regulation



Back LED
lights kit with
turn signals



Swivel, foldable
and depth
adjustable seat



Front and rear
suspensions



Steering wheel
inclination
regulation



Handlebar
inclination
regulation



Armrest width
regulation



Drive mode
selector, power
socket,
usb port



Front LED light
kit with turn
signals



Dashboard with
LCD display
and Rear-view
mirrors (not
illustrated)



1650W*
Motor



15 KM/H
Max.
speed



>45 KM
Autonomy



203 KG
Max.
loading
weight



12V 2x100AH
Battery



USB
port

Technical features

Seat		L 46 x P 46 cm									
PERFORMANCES						PERFORMANCES					
Turning radius		175 cm				Battery charger type		8Amp, Off Board, 220V, 50HZ			
Max. climb rated slope superable**		12°/21%				Controller type		PG S-200A			
Curb obstacle		12 cm				Brake		Electromechanical and parking brake			
WEIGHT AND DIMENSION											
Measures cm											
CN250	49	48.5	13.5	48,5	72-76,5	105	146	70	135-141	35x10 pneumatic	33x9 pneumatic

* 4-pole ** The rated slope is defined in EN12184:2014

EN Power scooter
F Scooter électrique
ES Scooter eléctrico
P Scooter elétrico

MOBILITY 260

Cod. **CN260**




Armrests
inclination
regulation



Back LED
lights kit with
turn signals



Swivel, foldable
and depth
adjustable seat



Front and rear
suspensions



Steering wheel
inclination
regulation



Handlebar
inclination
regulation



Armrest width
regulation



Power socket,
usb port



Equipped with
removable
canopy



Front LED light
kit with turn
signals



Dashboard with
LCD display,
drive mode
selector and
Rear-view
mirrors



1650W*
Motor



15 KM/H
Max.
speed



>54 KM
Autonomy



203 KG
Max.
loading
weight



12V 2x120Ah
Battery



USB
port

Technical features

Seat		L 46 x P 46 cm									
PERFORMANCES					PERFORMANCES						
Turning radius	166 cm				Battery charger type	8Amp, Off Board, 220V, 50HZ					
Max. climb rated slope superable**	12°/21%				Controller type	PG S-200A					
Curb obstacle	12 cm				Brake	Electromechanical and parking brake					
WEIGHT AND DIMENSION											
Measures cm											
CN260	49	48,5	15	47,5	71,5-76,5	113	160	82	138,5-144	35x10 pneumatic	

* 4 poli ** Il termine pendenza stimata (rated slope) è definito nella norma EN 12184:2014

EN Scooter - Spare parts
 F Scooter - Pièces de rechange
 ES Scooter - Repuestos
 P Scooter - Peças de reposição



Cod. **CNR440** Front wheel (CN200)
 Cod. **CNR441** Rear wheel (CN200)



Cod. **CNR480** Front wheel (CN210)
 Cod. **CNR481** Rear wheel (CN210)



Cod. **CNR522** Rear wheel (CN220)



Cod. **CNR580** Front wheel (CN230)



Cod. **CNR583D** Right/Rear
 Cod. **CNR583S** Left/Rear wheel 12" (CN230)



Cod. **CNR641D** Right/Rear Complete wheel 13" (CN240)
 Cod. **CNR641S** Left/Rear Complete 13" wheel with magnetic sensor (CN240)



Cod. **CNR640** Front wheel (CN240)



Cod. **CNR116** Front
 Cod. **CNR106** Rear wheel (CN250)
 Cod. **CNR711D** Right/Rear Complete wheel 14" (CN250)
 Cod. **CNR711S** Left/Rear Complete 14" wheel with magnetic sensor (CN250)



Cod. **CNR741D** Right/Rear Complete wheel 14" (CN260)
 Cod. **CNR741S** Left/Rear Complete wheel 14" (CN260)



Cod. **CNR436** Front wheel (CN260)



Cod. **CNR212**
 Mirrors kit (left/right) (CN210-CN220)



Cod. **CNR213**
 Mirrors kit (left/right) (CN230-CN240-CN250-CN260)



Cod. **CNR410**
 Padded seat (CN200)



Cod. **CNR411**
 Padded seat (CN210)



Cod. **CNR412**
 Padded seat (CN220-CN230)



Cod. **CNR413**
 Padded seat (CN240-CN250-CN260)



Cod. **CNR253** Front basket (CN200)



Cod. **CNR249** Rear basket (CN210-CN220-CN230-CN240-CN250)



Cod. **CNR401** Front basket (CN260)



Cod. **CNR400**
 Windscreen/Canopy (CN260)



Cod. **CNR611D** Right Glass holder (CN240-CN130-CN140)
 Cod. **CNR611S** Left Glass holder (CN240-CN130-CN140)

- EN Scooter - Optional accessories
 F Scooter - Accessoires optionnels
 ES Scooter - Accesorios opcionales
 P Scooter - Acessórios opcionais



Cod. **CSR145**
 Bag (excluding CN200 and CN210)



Cod. **CNA100**
 Rear plastic basket (for CN2xx)



Cod. **CNA102**
 Rear case (for CN2xx)



Cod. **CNA106**
 Storage basket
 (for CN220-CN230-CN240-CN250-CN260)



Cod. **CNA107**
 Storage basket XL
 (for CN220-CN230-CN240-CN250-CN260)



Cod. **CNA122**
 Walker holder (for CN2xx)



Cod. **CNA105**
 Rear bag with stick/crutch holder (CN2xx)



Cod. **CNA116**
 Stick holder (CN2xx)



Cod. **CNA117**
 Double stick holder (for CN2xx)



Cod. **CNA118**
 Crutch holder (for CN2xx)




Cod. **CNA110**
 Oxygen bottle holder (for CN2xx)



Cod. **CNA145**
 Multiple attachments for accessories (for CN2xx)

- EN** Scooter - Optional accessories
- F** Scooter - Accessoires optionnels
- ES** Scooter - Accesorios opcionales
- P** Scooter - Acessórios opcionais



Cod. **CSR120**
Stick holder (CS930)



Cod. **CNA230**
Windscreen/Canopy(for CN240)



Cod. **CNA231**
Windscreen/Canopy(for CN250)



Cod. **CNA150**
Sun cover for large scooters
(for CN220-CN230-CN240-CN250)



Cod. **CNA140**
Cover for scooter-smal (for CN200-CN210)



Cod. **CNA141**
Cover for scooter-large
(for CN220-CN230-CN240-CN250)



Cod. **RP245**
Car type seat belt for scooters (for CN2xx)

ATTENTION! IN CASE OF A SCOOTER EQUIPPED WITH A ROOF/HOOD
THE ACCESSORIES PREVENT THE SEAT FROM ROTATING

- EN Portable ramps
- F Rampes portatives
- ES Rampas portátiles
- P Rampas portáteis


RAMPY

Telescopic - pair

Series **CR500**



Transport bag included



Anti-rust aluminium frame with anti-slip surface




Fixed ramps - pair

Series **CR507**



Transport bag included



Anti-rust aluminium frame with anti-slip surface



Technical features

Products codes	CR500-1	CR500-2	CR507-1	CR507-2
SPECIFICATIONS				
Frame	Aluminium with anti-slip surface			
WEIGHT AND DIMENSION				
 W:	83.5÷152 cm	120÷213 cm	61 cm	183 cm
 D:	19 cm		18,9 cm	
 Kg	5,75 Kg	8 Kg	1,33 Kg	6,5 Kg
	272 Kg			

EN Portable ramps
F Rampes portatives
ES Rampas portátiles
P Rampas portáteis

RAMPY

Fixed length


Series CR503



Folded frame




Handle for transport



Stainless steel hinges

Anti-rust and anti-slip aluminium frame



Technical features


SPECIFICATIONS				
Frame		Aluminium		
WEIGHT AND DIMENSIONS				
Products codes	 W:	 D:	 Kg	
CR503-1	61 cm	73 cm total - 36 cm each single ramp	5 Kg	272 Kg
CR503-2	213 cm		17,5 kg	

Fixed platform ramp

Series CR509



Handle for transport



Anti-rust aluminium frame with anti-slip surface



Technical feature

SPECIFICATIONS				
Frame		Aluminium with anti-slip surface		
WEIGHT AND DIMENSIONS				
Products codes	 W:	 D:	 Kg	
CR509-1	61 cm	73 cm	4,8 Kg	272 Kg
CR509-2	91 cm		7 Kg	
CR509-3	122 cm		10 Kg	

- EN** Folding electric wheelchair
- F** Fauteuil roulant électrique pliant
- ES** Silla de ruedas eléctrica plegable
- P** Cadeira de rodas elétrica dobrável

ARDEA **Mobility 840**

Aluminium frame with lithium batteries

Cod. **CM840**



Technical features

Seat		W 44 x D 45 cm	
Front and rear wheels		Solid PU	
PERFORMANCE		SPECIFICATIONS	
Max speed	6 km/h	Battery specification	2 da 24V 6AH lithium
Turning radius	800 mm	Battery charger type	5A
Safe grade climb slope	8°/14%	Controller type	Brushless-24V/30A
Max. climb slope	40 mm	Motor	2 da 180W brushless
Autonomy	20 km	Brake	Magnetic
Charging time	6h	Traction	2 motors on rear wheels
WEIGHT AND DIMENSION			
Measures cm			
CM840	91	97	44
	97	72	56 front 52 behind
	44	45	48
	60	27	29,5
	20	18	-
	120		

- EN** Folding electric wheelchair
- F** Fauteuil roulant électrique pliant
- ES** Silla de ruedas eléctrica plegable
- P** Cadeira de rodas elétrica dobrável

ARDEA **Mobility850**

Aluminium frame with lithium batteries

Cod. **CM850**



Technical features

Seat		W 44 x D 45 cm	
Front and rear wheels		Solid PU	
PERFORMANCE		SPECIFICATIONS	
Max speed	6 km/h	Battery specification	2 da 24V 6AH lithium
Turning radius	800 mm	Battery charger type	5A
Safe grade climb slope	8°/14%	Controller type	Brushless-24V/30A
Max. climb slope	40 mm	Motor	2 da 250W brushless
Autonomy	20 km	Brake	Magnetic
Charging time	6h	Traction	2 motors on rear wheels
WEIGHT AND DIMENSION			
Measures cm			
CM850	100	80	44
	97	72	54 front 50 behind
	46	45	57
	65	28,5 kg	31 kg
		Without batteries	With batteries
		32	18
		-	150

- EN** Folding electric wheelchair
- F** Fauteuil roulant électrique pliant
- ES** Silla de ruedas eléctrica plegable
- P** Cadeira de rodas elétrica dobrável

ARDEA **Mobility860**

Aluminium frame with lithium batteries

Cod. **CM860**

Back pocket

Flip up armrest

Safety belt

Mudguard

Safety wheels

Brushless engine and
electromagnetic brake

Shock absorber

Depth adjustable
joystick and left/right
positionable

Fabric storage pocket



Max. flow
rate
180 Kg

Padded and adjustable
backrest with gas piston

Padded cushion 6
cm h included

Removable lithium
battery with charge indicator

Depth adjustable,
removable and folding
footrest with ABS



Folded
W60 x D34 x H81

Technical features

Seat		W 44 x D 45 cm															
Front and rear wheels		Solid															
PERFORMANCE							SPECIFICATIONS										
Max speed	6 km/h						Battery specification				2 da 24V 6AH lithium						
Turning radius	800 mm						Battery charger type				5A						
Safe grade climb slope	8°/14%						Controller type				Brushless-24V/30A						
Max. climb slope	40 mm						Motor				2 da 250W brushless						
Autonomy	20 km						Brake				Magnetic						
Charging time	6h						Traction				2 motors on rear wheels						
WEIGHT AND DIMENSION																	
Measures cm																	
CM860	113-123	82	44	99	76	55 front 52 behind	51-58	45	50	60	30kg	37,5kg	32	18	6	180	

EN Folding electric wheelchair - Optional accessories
F Fauteuil roulant électrique pliant - Accessoires optionnels
ES Silla de ruedas eléctrica plegable - Accesorios opcionales
P Cadeira de rodas elétrica dobrável - Acessórios opcionais



Cod. **CMA870**
Bottle holder



Cod. **CMA873**
Padded seat h 10 cm



Cod. **CMA880**
Back control support with adjustable/fixed angle



Cod. **CMA881**
Back control support with adjustable/fixed angle



Cod. **CMA885**
Headrest with adjustable angle




Cod. **CMA886 PAIO**
Elevating footrest



Cod. **CMA887**
Cellphone holder



Cod. **CMA872 PAIO**
Safety wheels (CM850)



Cod. **CMA875 (CM840)**
Cod. **CMA876 (CM850)**
Armrest width extension set

EN Folding electric wheelchair - Spare parts
F Fauteuil roulant électrique pliant - Pièces de rechange
ES Silla de ruedas eléctrica plegable - Repuestos
P Cadeira de rodas elétrica dobrável - Peças de reposição

Cod. **CMR820**
Charger

Cod. **CMR834 SING.**
Padded armrest

Cod. **CMR837 SING.**
Front wheel 20 cm

Cod. **CMR840**
Joystick

Cod. **CMR821**
Charger lithium 6Ah
(CM840)

Cod. **CMR822D right**
Cod. **CMR822R left**
Charger lithium 6Ah
(CM850)

Cod. **CMR823**
Charger lithium 6Ah
(CM860)

Cod. **CMR828D DX**
Cod. **CMR828R SX**
Wheel with engine
180W (CM840)

Cod. **CMR829D DX**
Cod. **CMR829R SX**
Wheel with engine
250W
(CM850-CM860)

Cod. **CMR848 PAIO**
Mudguard right
and left (CM850-
CM860)

Cod. **CMR837**
Front wheel 18cm

- EN** Power wheelchairs, ESCAPE DX
F Fauteuils roulants électriques, ESCAPE DX
ES Sillas de ruedas eléctricas, ESCAPE DX
P Cadeiras de rodas elétricas, ESCAPE DX

Light weight folding, easy to transport

Cod. **CM900L-41**

Cod. **CM900L-46**

With
lights

Cod. **CM900-41**

Cod. **CM900-46**

Without
lights



Backrest fixing bar



Flip up and
extractable armrests,
with adjustable
height



Anti-tipper
wheels

Height adjustable footrest,
swing away, heel stopper

With front and rear lights, turn
signals, emergency lights



Depth adjustable joystick
and left/right positionable



Padded cushion 5 cm h included



Folded

Technical features

Product codes	CM900-41 Without lights					CM900-46 Without lights					CM900L-41 With lights			CM900L-46 With lights		
Seat	41 cm					46 cm					41 cm			46 cm		
PERFORMANCE						SPECIFICATIONS										
Max speed	6 km/h					Battery specification					12V 36Ah x 2pcs					
Turning radius	86,5 cm					Battery charger type					5Amp, external					
Safe grade climb slope	8°					Controller type					VRII 50Amp					
Max. climb slope	10°					Motor					2x200W, 3900 rpm/mn					
Curb obstacle	5 cm					Brake					Electromechanical					
Autonomy	32 km															
WEIGHT AND DIMENSION																
Measures cm												 Without battery				 Max load weight
CM900-41																
CM900L-41	115	78	40	93	71	50	44	41		41	58		32x6	20x5	4	135
CM900-46																
CM900L-46																

- EN** Power wheelchair TAURUS
- F** Fauteuil roulant électrique TAURUS
- ES** Silla de ruedas eléctrica TAURUS
- P** Cadeira de rodas elétrica TAURUS

Reclining and width adjustable seat and backrest

Cod. **CS810**



Reclining backrest
98°-118°

Depth adjustable joystick
and left/right positionable



Armrest with
adjustable
height, length
and depth

Length adjustable footrest
with front-rear rotation,
detachable, feet stopper



Backrest adjustable
in width from 41 to 52
cm (each 2,5 cm), in
height from 41 to 51 cm -
tensionable



Seat
adjustable in
width from
37 to 52 cm,
depth from
37 to 42 cm
(each
2,5 cm)

Technical features

Seat				37÷52 cm													
Wheels				Pneumatic													
PERFORMANCE				SPECIFICATIONS													
Max speed		8 km/h		Battery specification		2x12V - 36Ah											
Turning radius		92 cm		Battery charger type		5A											
Safe grade climb slope		8°		Controller type		Dynamic											
Max. climb slope		8°/14%		Motor		2x420W- 4600 rpm/mn											
Curb obstacle		30 mm		Brake		Electromechanical											
Autonomy		16 km		Traction		2 motors on rear wheels											
WEIGHT AND DIMENSION																	
Measures cm																	
CS810		106	72	37	91	73	49	44	37	41	58	-	75	32	20	4	136

EN	Power wheelchairs, ESCAPE LX
F	Fauteuils roulants électriques, ESCAPE LX
ES	Sillas de ruedas eléctricas, ESCAPE LX
P	Cadeiras de rodas elétricas, ESCAPE LX

Padded reclining backrest from 90° to 110°

Cod. **CS910-46** *Without lights*

Cod. **CS910L-46** *With lights*



Technical features

CM910-46 Without lights							CM910L-46 With lights												
Product codes																			
Seat							46 cm												
PERFORMANCE							SPECIFICATIONS												
Max speed		6 km/h					Battery specification				12V 36Ah x 2pz								
Turning radius		86,5 cm					Battery charger type				5Amp, external								
Safe grade climb slope		8°					Controller type				VRII 50Amp								
Max. climb slope		10°					Motor				2x200W, 3900 rpm/mn								
Curb obstacle		50 mm					Brake				Electromechanical								
Autonomy		32 km																	
WEIGHT AND DIMENSION																			
Measures cm																			
		Without battery																	
CM910-46		128	78	40	110	71	81	50	45	57	46	65	63	-	42	32x6	20x5	4	135
CM910L-46																			

- EN** Power wheelchair ARIES
- F** Fauteuil roulant électrique ARIES
- ES** Silla de ruedas eléctrica ARIES
- P** Cadeira de rodas elétrica ARIES

Manual reclining seat and backrest

Cod. **CS900BL** With lights



Technical features

Seat		45 cm														
Wheels		Pneumatic														
PERFORMANCE							SPECIFICATIONS									
Max speed	8 km/h		Battery specification					2x75Ah (12V)								
Turning radius	92 cm		Battery charger type					8A								
Safe grade climb slope	8°		Controller type					Dynamic Shark								
Max. climb slope	8°/14%		Motor					2x420W- 4600 rpm/mn								
Curb obstacle	20 mm		Brake					Electromechanical								
Autonomy	48 km		Traction					2 motors on rear wheels								
WEIGHT AND DIMENSION																
Measures cm																
CS900BL	114	79	50	103	78 84	54	45 61	45	51	67	-	116	36	23	-	162

- EN Power wheelchair ARIES TILTING
- F Fauteuil roulant électrique ARIES TILTING
- ES Silla de ruedas eléctrica ARIES TILTING
- P Cadeira de rodas elétrica ARIES TILTING

Multifunction - Electric reclining seat

Cod. **CS910BL**



Technical features

Seat		45 cm	
Wheels		Pneumatic	
PERFORMANCE		SPECIFICATIONS	
Max speed	8 km/h	Battery specification	2x75Ah (12V)
Turning radius	92 cm	Battery charger type	8A
Safe grade climb slope	8°	Controller type	Dynamic Shark
Max. climb slope	8°/14%	Motor	2x420W- 4600 rpm/mn
Curb obstacle	20 mm	Brake	Electromechanical
Autonomy	48 km	Traction	2 motors on rear wheels
WEIGHT AND DIMENSION			
Measures cm			
CS910BL	121	79	40
	121	78	84
	54	45	61
	45	55	67
	-	118	36
	36	23	-
	-	162	

- EN Power wheelchair ARIES PRO
- F Fauteuil roulant électrique ARIES PRO
- ES Silla de ruedas eléctrica ARIES PRO
- P Cadeira de rodas elétrica ARIES PRO

Electric reclining backrest and seat - Bed type

Cod. **CS920BL** With lights



Technical features

Seat				45 cm													
Wheels				Pneumatic													
PERFORMANCE				SPECIFICATIONS													
Max speed		8 km/h		Battery specification				2x75Ah (12V)									
Turning radius		110 cm		Battery charger type				8A									
Safe grade climb slope		8°		Controller type				Dynamic Shark									
Max. climb slope		8°/14%		Motor				2x420W- 4600 rpm/mn									
Curb obstacle		20 mm		Brake				Electromechanical									
Autonomy		48 km		Traction				2 motors on central wheels									
WEIGHT AND DIMENSION																	
Measures cm																	
CS920BL		121,5	79	40	121 143	78 84	54 73	48 61	45	55	67	-	147	36	23	-	136 Max load. weight

- EN Power wheelchair VIRGO
- F Fauteuil roulant électrique VIRGO
- ES Silla de ruedas eléctrica VIRGO
- P Cadeira de rodas elétrica VIRGO

6 wheels

Cod. **CS930**

Headrest with adjustable height

Flip up armrests, with adjustable width from 60 to 70 cm

New version joystick (image for illustration purpose only)

6 wheels that offer a reduced rotation angle thanks to the central-wheel drive



Front reclining backrest and 360° rotating seat



Front and rear independent suspension to assure stability on bad ground



Height adjustable and foldable footrest



Side

Technical features

Seat		50 cm														
Wheels		Back and front solid wheels -Central wheel pneumatic														
PERFORMANCE							SPECIFICATIONS									
Max speed	6 km/h						Battery specification				2x12V - 36Ah					
Turning radius	62 cm						Battery charger type				5A					
Safe grade climb slope	6°						Controller type				Shark					
Max. climb slope	6°/12%						Motor				2x420W - 4900 rpm/mn					
Curb obstacle	40 mm						Brake				Electromechanical					
Autonomy	20 km						Traction				2 motors on central wheels					
WEIGHT AND DIMENSION																
Measures cm																
CS930	108	77	50	*108 115	78	43	45	50	*60 67	61	-	82	26	15	15	136

* Considering adjustable height of headrest

Power wheelchairs accessories



Cod. **CMA901D** Right Cod. **CMA901S** Left (**CM900**)
Manual elevating footrest. Seat 41 cm
Cod. **CMA902D** Right Cod. **CMA902S** Left (**CM900**)
Manual elevating footrest. Seat 46 cm
Cod. **CMA903D** Right Cod. **CMA903S** Left (**CM910**)
Manual elevating footrest



Cod. **CMR912**
Back control support,
not illustrated
(**CM9xx**)



Cod. **CSR712**
Curb climber (**CS810**)



Cod. **CSR711**
Lights kit (**CS810**)



Cod. **CSR713**
Cushion 46 cm
(**CS810**)



Cod. **CSR912**
Back control support,
not illustrated
(**CS8xx - CS9xx**)



Cod. **CSR510D** Right
Cod. **CSR510S** Left
Manual elevating
footrest
(**CS900BL - CS910BL**)



Cod. **CSR535D** Right
Cod. **CSR535S** Left
Elevating footrest
(**CS930**)



Cod. **CNA106**
Basket (**CS930**)



Cod. **CNA110**
Oxygen bottle holder
(**CS930**)



Cod. **CNA116**
Crutch holder
(**CS930**)



Cod. **CPA606**
Polyester Oxygen bottle
holder Ø Max 120 mm
(**escluso CS930**)



Cod. **CSR145**
Bag (**CS930**)

Power wheelchairs spare parts




Cod. **CSR521D** Right
Cod. **CSR521S** Left
Lateral footrest
(**CS810**)



Cod. **CSR518D** Right
Cod. **CSR518S** Left
Flip up, height adjustable
armrest
(**CS900BL - CS910BL**)



Cod. **CSR519D** Right
Cod. **CSR519S** Left
Elevating flip up
armrest (**CS920**)



Cod. **CSR522D** Right
Cod. **CSR522S** Left
Width adjustable
armrests 60-70 cm
(**CS930**)



Cod. **CSR914**
Joystick Linx
DLX-REM050-A
CS810, CS900BL,
CS930 (for production
LOT no. subsequent to
Nov. 1st 2021)



Cod. **CSR920**
Joystick Linx
CS910BL CS920BL
(for production LOT
no. subsequent to Nov.
1st 2021)



Cod. **CMR907D**
Cod. **CMR907S**
Height adjustable,
foldable and removable
armrest, only for
(**CM900 - CM900L**)



Cod. **CMR902**
Joystick (**CM900 -**
CM910)
Cod. **CMR903**
Joystick with light
control (**CM900L -**
CM910L)



Cod. **CMR904D** Cod. **CMR904S** Left (**CM900**)
Swing away, height adjustable footrest Seat 41 cm
Cod. **CMR905D** Right Cod. **CMR905S** Left
(**CM900**)
Swing away, height adjustable footrest Seat 46 cm
Cod. **CMR906D** Right Cod. **CMR906S** Left
(**CM910**)
Swing away, height adjustable footrest



Cod. **CMR912-41**
Cod. **CMR912-46**
Padded cushion h 5 cm
(**CM900 - CM910**)



- EN** TIBODA® - Front wheelchairs drive unit
F TIBODA® - Dispositif de traction électrique adaptable au fauteuil roulants
ES TIBODA® - Propulsor eléctrico delantero para silla de ruedas
P TIBODA® - Kit eléctrico anterior para cadeiras de rodas

Engine 300W and 400w

Series **TB030** Motor 300W - 36V 10,4Ah

Series **TB040** Motor 400W - 48V 10,4Ah



ASK FOR THE **ORDER FORM**
TO CUSTOMIZE YOUR TIBODA®!

Automatic steering
system return

Accelerator and battery
level indicator

Cruise control

Ultra fast patented
hooking system

Parking kickstands
with wheels Ø 40 mm

160 mm disk brake

16" wheel, with
regenerative brake
(EBS)

Tiboda® by Ardea Mobility is a front wheelchairs electric drive unit, equipped with ultra fast attack (patent filed). It is handy, fast and easy to handle also in small spaces, it will allow you to easily overcome any difficulty of the ground.

Technical features

Product codes	TB030B	TB040B	TB030N	TB040N	TB030P	TB040P
Colours	☐ White		☐ Black		☐ Customized	

- EN** TIBODA® - Front wheelchairs drive unit
F TIBODA® - Dispositif de traction électrique adaptable au fauteuil roulants
ES TIBODA® - Propulsor eléctrico delantero para silla de ruedas
P TIBODA® - Kit eléctrico anterior para cadeiras de rodas

Engine 750W and 1000w

Series **TB075** Motor 750W - 36V 13Ah

Series **TB100** Motor 1000W - 48V 11,6Ah



ASK FOR THE **ORDER FORM**
TO CUSTOMIZE YOUR TIBODA®!

Automatic steering
system return

Accelerator and battery
level indicator

Cruise control

Ultra fast patented
hooking system

Parking kickstands
with wheels Ø 40 mm

160 mm disk brake

16" wheel, with
regenerative brake
(EBS)

Tiboda® by Ardea Mobility is a front wheelchairs electric drive unit, equipped with ultra fast attack (patent filed). It is handy, fast and easy to handle also in small spaces, it will allow you to easily overcome any difficulty of the ground.

Technical features

Product codes	TB075B	TB100B	TB075N	TB100N	TB075P	TB100P
Colours	☐ White		☒ Black		☐ Customized	

Hooking Tiboda®



Approach Tiboda® to your wheelchair (A)



Push down (B) and hook Tiboda® through the ultra fast hooking system (C)



Bring your body back (D) and push the handlebars ahead (E). HOOKED!

Release Tiboda®



Put the safety levers of Tiboda® down (F)



Bring your body back (G) and push the handlebars ahead (H)



Push down and remove Tiboda® (I). RELEASED!



Accessories



Cod. **TBA101**
Revolving parking
kickstands - PAIR



Cod. **TBA102**
LCD display




Cod. **TBA030**
Tetra accelerator
throttle



Cod. **TBA031**
Tetra brake handle



Cod. **TBA136**
8 cm extension tube for
handlebars



Cod. **TBA110D**
Rear-view mirror -
RIGHT



Cod. **TBA110S**
Rear-view mirror -
LEFT



Cod. **TBA125**
LED front light-
rechargeable with USB



Cod. **TBA122***
LED front light
with acoustic signal
36V/48V




Cod. **TBA129**
LED battery-powered
light kit
Cod. **TBA127**
LED rear battery-
powered light



Cod. **TBA130**
Accelerator grip 36V
Cod. **TBA131**
Accelerator grip 48V




Cod. **TBA200**
Battery 10.4Ah for
TB030x



Cod. **TBA201**
Battery 10.4Ah for
TB040x




Cod. **TBA202**
Battery 11.6Ah for
TB100x



Cod. **TBA203**
Battery 11.6Ah for
TB100X



Cod. **TBA204**
Airplane battery 7.8Ah
for TB030X



Cod. **TBA205**
Airplane battery 5.2Ah
for TB040X



Cod. **TBA206**
Airplane battery 5.8Ah
for ATB075X



Cod. **TBA207**
Airplane battery 5.8Ah
for TB100X

Cod. **TBA161****
Control unit cable for
PC (not illustrated)

Technical features

Product codes	TB030x	TB040x	TB075x	TB100x
SPECIFICATIONS				
Motor	300W 36V 10,4Ah	400W 48V 10,4Ah	750W 36V 13Ah	1000W 48V 11,6Ah
Tiboda® weight	13,2 kg		15,2 kg	
Hooking system weight	2,45 kg			
Batteries specifications	Lithium-ion batteries 18650, weight from 2,5 to 3,2 kg			
USB socket	Placed on the battery			
Charging time	4/5 hours			
Battery charger	Included			
Wheel	16" reinforced aluminium wheel with pneumatic tyre			
Brake	Engine brake with regenerative system to charge the battery; 160 mm mechanical disk brake			
Sterring	Automatic steering system return; single speed; reverse gear			
Hooking system	Ultra fast patented hooking system realized in stainless steel, easy to use also for quadriplegic people			
Frame	Aluminium alloy powder painted			
Certificates	CE certificate; according to EN60601-1 and EN60601-2			
PERFORMANCE				
Autonomy	50/55 km***			
Speed	Adjustable speed with accelerator lever quad style (accelerator grip scooter type optional)			
Max speed	According to law			

* it can be ordered in connection to the rear mirror only

** it can be ordered only from technician specialized on Tiboda® installation

*** indicative value - Mixed terrain, 15% slope - Tested with a 70 kg. patient and 48V 11,6Ah battery



Mobility products

Light and ultralight wheelchairs **EN**

Fauteuils roulants légers et ultralégers **F**

Sillas de ruedas ligeras y ultraligeras **ES**

Cadeiras de rodas leves e ultraleves **P**

ARDEA

EN Ultralight foldable wheelchair
F Fauteuil roulant ultra léger pliable
ES Silla de ruedas ultraligera plegable
P Cadeira de rodas ultra leve dobrável



High resistance single cross in light alloy

Cod. **CL200R**



Atmos

100%
Compatible
TIBODA

12,4 Kg
Wheelchair weight

Cod. **CL200B**



Cod. **CL200N**



Technical features

SPECIFICATIONS													
Front wheels	Black, in PU ø 12 cm												
Rear wheels	Black, pneumatic												
Upholstery	Padded Nylon – Fire reaction tested, according to EN1021-1/2												
WEIGHT AND DIMENSION													
Measures in cm			 Front	 Back									 MAX loading weight
CL200*-38		40÷50			38		56						
CL200*-40		40÷50			40		58						
CL200*-42	85	40÷50	50÷55	44÷49	42	31÷41	60	35	12,4	60	12	optional	120
CL200*-44		40÷50			44		62						
CL200*-46		40÷50			46		64						

* Frame colours available: **B** - White; **N** - Black; **R** - Red; **P** - Personalized

Optional accessories ultra-light wheelchair



Cod. **CLA210**
Flip up armrest – PAIR



Cod. **CLA211-xx**
Separate footrest – PAIR
(specify the seat)



Cod. **CLA212-xx**
Extended flip up footboard
(specify the seat)



Cod. **CLA215**
Unpierceable front wheels Ø 10 cm – PAIR



Cod. **CLA216**
Unpierceable front wheels Ø 15 cm – PAIR



Cod. **CLA217**
Unpierceable front wheels Ø 17,5 cm – PAIR



Cod. **CLA220**
Safety wheels – PAIR




Cod. **CLA231**
24" rear pneumatic wheel – 24 radius - PAIO



Cod. **CLA230**
Unpierceable rear wheels 24" - PAIR



Cod. **CLA232**
Self-propelling rings with supergrip – PAIR



Cod. **CLA233**
One hand drive kit left/right



Cod. **CLA240**
Height adjustable handles – PAIR



Cod. **CLA250P**
24" pneumatic wheels kit with external rim and fork of the same colour



Restraining system line **KOALA (MOPEDIA)**



Cod. **CLA242-xx**
Kit to modify seat depth +4/+6 cm
Cod. **CLA246-xx**
Kit to modify seat depth +8/+10 cm




Cod. **CLA243**
Soft padded headrest kit



Cod. **CLA244-xx**
Backrest extension kit (specify the seat)



Cod. **CLA245-xx**
Feet/heels fixing belts – PAIR



Cod. **CPA100-xx**
Foam cushion 5 cm h

Cod. **CLA300**
Service for accessory assembling- to be required in the order (not illustrated)

Cod. **CLA235**
Backrest inclination kit (not illustrated)

Optional with additional charge



Frame and cross colour customizable

Spare parts ultra-light wheelchair



Cod. **CLR100-xx**
Seat tissue (specify the dimension 38-40-42-44-46)



Cod. **CLA241** PAIR
Standard brakes



Cod. **CLR120-x**
Backrest tissue 36 -38 (CLR120-1) 40 -42 (CLR120-2) 44 -46 (CLR120-3)



Cod. **CLR121-x**
Upper band for tension adjustable backrest 36 -38 (CLR121-1) 40 -42 (CLR121-2) 44 -46 (CLR121-3)



Cod. **CLR123**
PU front wheel Ø 12 cm



Cod. **CLR124**
Cover for pneumatic wheel 24"



Cod. **CLR125**
Air chamber for 24" wheel



Cod. **CLR127-x**
Tensionable bands 36 -38 (CLR127-1) 40 -42 (CLR127-2) 44 -46 (CLR127-3)



Cod. **CLR129**
Calfrest band



Cod. **CLR132**
Side wheelcover



Cod. **CLR135**
Armrest padding



Cod. **CLR137**
24" rear pneumatic wheel – 36 radius

- EN** Folding transit light wheelchair
F Fauteuil roulant léger pliant de transit
ES Silla de ruedas ligera plegable de tránsito
P Cadeira de roda leve dobrável de trânsito

Single cross painted aluminium frame

Series **CP762**

Helios
Go!2



Optional accessories



Cod. **CPA501**
Linear table
55x32 cm



Cod. **CPA506**
Table for wheelchair
58x38 cm



Cod. **CPA120V**
Elevating platform
painted steel - PAIR

Spare parts

Cod. **CPR352 PAIR**
Detachable footrest

Cod. **CPA170**
Heel stopper

Cod. **CPR241 SINGLE**
Only plastic footrest

Cod. **CPR354**
PVC armrest padding
only

Cod. **CPR350 SINGLE**
Front PVC wheel Ø 20
x 2,5 cm

Cod. **CPR353D SINGLE**
Right operator brake
with cable

Cod. **CPR351 PAIR**
Back PU wheel Ø 30 cm

Cod. **CPR353S SINGLE**
Left operator brake
with cable

Technical features

SPECIFICATIONS																
Front wheels	PVC, black, steel fork															
Rear wheels	With polypropylene spokes, black PU tires (tubeless)															
Upholstery	Padded Nylon – Fire reaction tested, according to EN1021-1/2															
WEIGHT AND DIMENSION																
Measures in cm																
CP762-43							43		56							
CP762-46	93	62	41	100	73	49	41÷51	46	46	59	25	12	30	20	-	130
CP762-48								48		62						

- EN** Folding light wheelchair
F Fauteuil roulant léger pliant
ES Silla de ruedas ligera plegable
P Cadeira de roda leve dobrável

Single cross painted aluminium frame

Series **CP765** Narrow spaces

*Helios
skinny*



Removable armrests
PU padding

Steel self-propelling ring

Back pocket

Swing away, detachable footrests,
length adjustable

Heel stopper

Black plastic footrest

Optional accessories



Cod. **CPA501**
Linear table
55x32 cm



Cod. **CPA506**
Table for wheelchair
58x38 cm



Cod. **CPA120V**
Elevating platform
painted steel - PAIR

Spare parts

Cod. **CPR352** PAIR
Detachable footrest

Cod. **CPR620** SINGLE
Front PVC wheel Ø 18
x 2,5 cm

Cod. **CPR360** PAIR
Complete armrest

Cod. **CPR241** SINGLE
Only plastic footrest

Cod. **CPA170**
Heel stopper

Cod. **CPR211D** SINGLE
Right brake

Cod. **CPR261** PAIR
Back PU wheel Ø 50 cm

Cod. **CPR629**
PU armrest padding
only

Cod. **CPR211S** SINGLE
Left Brake

Technical features

SPECIFICATIONS																
Front wheels	PVC, black, steel fork															
Rear wheels	Spoked aluminum, black PU tires (tubeless) with aluminum brake															
Upholstery	Padded Nylon – Fire reaction tested, according to EN1021-1/2															
WEIGHT AND DIMENSION																
Measures in cm																
CP765-40	100	73	41	92	80	53	45÷57	40	37	51	26	14,5	50	18	-	120
CP765-43								43		54						

EN
F
ES
P

Light foldable wheelchair
Fauteuil roulant léger pliant
Silla de ruedas ligera plegable
Cadeira de rodas leve dobrável

Single cross painted aluminium frame

Series **CP770**

Helios
smart



Steel self-propelling ring

Quick release wheel

Aluminium parking brake

Back pocket

Flip up, detachable, desk type soft armrest in PU

Swing away, detachable footrests, length adjustable

Heel fixing belt

Separate footrest in black nylon

Optional accessories



Cod. **CPA775**
Height adjustable armrest (height from ground 73-81 cm)
- PAIR



Cod. **CPA771**
Aluminium height adjustable footrests



Cod. **CPA501-2**
Linear table
55x32 cm
(except size 50)

Cod. **CPA504**
Linear table for lifting armrest



Cod. **CPA506-2**
Table for wheelchair
58x38 cm
(except size 50)

Cod. **CPA510**
Shaped table for CPA775 lifting armrest
58x38 cm
(except 50 cm size)



Cod. **CPA520**
Table for wheelchair
68x57 cm
(only size 50)



Cod. **CPA777**
Safety wheels



Cod. **CPA772**
Narrow passages/lift wheels

Spare parts

Cod. **CPR774** PAIR
Complete armrest

Cod. **CPR780** PAIR
Detachable footrest

Cod. **CPR241** SINGLE
Plastic footrest only

Cod. **CPR769** PAIR
PU Back wheel Ø 60 cm

Cod. **CPR772** SINGLE
PVC front wheel - ø 20 x 2,5 cm

Cod. **CPR778** PAIR
Brake

Cod. **CPR106** PAIR
Only PU armrest padding

Technical features

SPECIFICATIONS																	
Front wheels		PVC, black, steel fork															
Rear wheels		Aluminium radius, PU black wheels, aluminium brake															
Upholstery		Padded Nylon – Fire reaction tested, according to EN1021-1/2															
WEIGHT AND DIMENSION																	
Measures in cm																	
CP770-40								40			59						
CP770-43								43			62						
CP770-46	106	81	41	90,5	73	51	40÷52	46	44	64	32	15,3	60	20	optional	optional	120
CP770-48								48		67							
CP770-50								50		69							

- EN** Folding transit light wheelchair
F Fauteuil roulant léger pliant de transit
ES Silla de ruedas ligera plegable de tránsito
P Cadeira de roda leve dobrável de trânsito

Single cross painted aluminium frame

Series **CP775**

Helios
Smart Go!



Flip up, detachable, desk type soft armrest in PU

Back pocket

Swing away, detachable footrests, length adjustable

Heel fixing belt

Aluminium parking brake

Footrests in black nylon

Optional accessories



Cod. **CPA775**
Height adjustable armrest (height from ground 73-81 cm)
- PAIR



Cod. **CPA771**
Aluminium height adjustable footrests



Cod. **CPA501-2**
Linear table
55x32 cm
(except size 50)
Cod. **CPA504**
Linear table for lifting armrest



Cod. **CPA506-2**
Table for wheelchair
58x38 cm
(except size 50)
Cod. **CPA510**
Shaped table for CPA775 lifting armrest
58x38 cm
(except 50 cm size)



Cod. **CPA520**
Table for wheelchair
68x57 cm
(only size 50)



Cod. **CPA777**
Safety wheels

Spare parts

Cod. **CPR774 PAIR**
Complete armrest

Cod. **CPR780 PAIR**
Detachable footrest

Cod. **CPR771 PAIR**
PU Back wheel Ø 30 cm

Cod. **CPR772 SINGLE**
Front PVC wheel Ø 20x2,5 cm

Cod. **CPR778 PAIR**
Brake

Cod. **CPR241 SINGLE**
Only plastic footrest

Cod. **CPR106 PAIR**
Only PU armrest padding

Technical features

SPECIFICATIONS																	
Front wheels		PVC, black, steel fork															
Rear wheels		Plastic radius, PU black wheels, aluminium brake															
Upholstery		Padded Nylon – Fire reaction tested, according to EN1021-1/2															
WEIGHT AND DIMENSION																	
Measures in cm																	 Max load weight
CP775-40								40		55							
CP775-43								43		58							
CP775-46	101	76	41	87	71	51	40÷52	46	44	60	29	13	24	20	optional	-	120
CP775-48								48		63							
CP775-50								50		65							

- EN** Folding light wheelchair
F Fauteuil roulant léger pliant
ES Silla de ruedas ligera plegable
P Cadeira de roda leve dobrável

Single cross painted aluminium frame

Series **CP780**

Helios
Act



Optional accessories



Cod. **CPA776**
Height adjustable armrest



Cod. **CPA501-2**
Linear table
55x32 cm
(except size 50)



Cod. **CPA506-2**
Table for wheelchair
58x38 cm
(except size 50)



Cod. **CPA519**
Table for wheelchair
68x57 cm
(only size 50)




Cod. **CPA781 PAIR**
Elevating aluminium footrest CP78X - 46-50cm
Cod. **CPA782 PAIR**
Elevating aluminium footrest CP78X - 40-43cm



Cod. **CPA777**
Safety wheels



Cod. **CPA504**
Linear table for lifting armrest



Cod. **CPA510**
Shaped table for CPA776 lifting armrest
58x38 cm
(except 50 cm size)

Spare parts

Cod. **CPR775 PAIR**
Complete armrest

Cod. **CPR781 PAIR**
Detachable footrest

Cod. **CPR769 PAIR**
PU Back wheel Ø 60 cm

Cod. **CPR773 PAIR**
Front PU wheel Ø 20x3,2 cm

Cod. **CPR745 PAIR**
Narrow passages/lift wheel Ø 7 cm

Cod. **CPR778 PAIR**
Brake

Cod. **CPR757 PAIR**
Only plastic footrest

Cod. **CPR106 PAIR**
Only PU armrest padding

Cod. **CPR783 PAIR**
Detachable footrest 40-43cm

Technical features

SPECIFICATIONS																	
Front wheels		PU, black, aluminium fork on the frame and inclination adjustable															
Rear wheels		Aluminium radius, PU black wheels, aluminium brake															
Upholstery		Padded Nylon – Fire reaction tested, according to EN1021-1/2															
WEIGHT AND DIMENSION																	
Measures in cm																	
CP780-40								40		61							
CP780-43								43		64							
CP780-46	104	80	41	90,5	71	51	40÷50	46	44	66	30	15,6	60	20	optional	7	120
CP780-48								48		69							
CP780-50								50		71							

- EN** Folding light wheelchair
F Fauteuil roulant léger pliant
ES Silla de ruedas ligera plegable
P Cadeira de roda leve dobrável

Double cross painted aluminium frame

Series **CP785**

Helios
Dyne



Optional accessories




Cod. **CPA504**
Linear table for lifting armrest



Cod. **CPA510**
Shaped table
58x38 cm
(except 50 cm size)



Cod. **CPA519**
Table for wheelchair
68x57cm
(only size 50)



Cod. **CPA781** PAIR
Elevating aluminium footrest CP78X - 46-50cm

Cod. **CPA782** PAIR
Elevating aluminium footrest CP78X - 40-43cm



Cod. **CPA777**
Safety wheels

Spare parts

Cod. **CPR770** PAIR
PU Back wheel Ø 60 cm

Cod. **CPR773** PAIR
PU front wheel
Ø 20 x 3,2 cm

Cod. **CPR757** SINGLE
Only plastic footrest

Cod. **CPR765** PAIR
Only PU armrest padding

Cod. **CPR776** PAIR
Complete armrest

Cod. **CPR828** PAIR
Narrow passages/Lift wheels Ø 7 cm

Cod. **CPR781** PAIR
Detachable footrest
46-50 cm

Cod. **CPR779** PAIR
Brake

Cod. **CPR783** PAIR
Detachable footrest
40-43cm

Technical features

SPECIFICATIONS																		
Front wheels		PU, black, aluminium fork on the frame and inclination adjustable																
Rear wheels		Aluminium radius, PU black wheels, aluminium brake																
Upholstery		Padded Nylon – Fire reaction tested, according to EN1021-1/2																
WEIGHT AND DIMENSION																		
Measures in cm																		Max load weight
CP785-40								40			61							
CP785-43								43			64							
CP785-46	106	80	41	94,5	73÷80	51,5	40÷52	46	44	67	33	16	60	20	optional	7		130
CP785-48								48		70								
CP785-50								50		73								

- EN** Folding transit light wheelchair
F Fauteuil roulant léger pliant de transit
ES Silla de ruedas ligera plegable de tránsito
P Cadeira de roda leve dobrável de trânsito

Double cross painted aluminium frame

Series **CP787**

Helios
Dyne Go!



Optional accessories



Cod. **CPA777**
Safety wheels




Cod. **CPA504**
Linear table for lifting
armrest



Cod. **CPA510**
Shaped table
58x38 cm
(except 50 cm size)



Cod. **CPA519**
Table for wheelchair
68x57 cm
(only size 50)



Cod. **CPA781** PAIR
Elevating aluminium
footrest CP78X - 46-
50cm
Cod. **CPA782** PAIR
Elevating aluminium
footrest CP78X - 40-
43cm

Spare parts

Cod. **CPR771** PAIR
PU Rear wheel Ø 30 cm

Cod. **CPR773** PAIR
PU front wheel - Ø 20
x 3,2 cm

Cod. **CPR757** PAIR
Only plastic footrest

Cod. **CPR776** PAIR
Complete armrest

Cod. **CPR778** PAIR
Brake

Cod. **CPR781** PAIR
Detachable footrest

Cod. **CPR828** PAIR
Narrow passages/Lift
wheels Ø 7 cm

Cod. **CPR765** PAIR
Only PU armrest
padding

Cod. **CPR783** PAIR
Detachable footrest
40-43cm

Technical features

SPECIFICATIONS																	
Front wheels		PU, black, aluminium fork															
Rear wheels		Plastic radius, PU black wheels															
Upholstery		Padded Nylon – Fire reaction tested, according to EN1021-1/2															
WEIGHT AND DIMENSION																	
Measures in cm																	 Max load weight
CP787-40								40		57							
CP787-43								43		60							
CP787-46	101	75	41	91	71÷79	51,5	40÷52	46	44	63	30	13,7	24	20	-	-	130
CP787-48								48		66							
CP787-50								50		69							

- EN** Folding light wheelchair
F Fauteuil roulant léger pliant
ES Silla de ruedas ligera plegable
P Cadeira de roda leve dobrável

Double cross painted aluminium frame

Series **CP790**

Helios
pro



Optional accessories



Cod. **CPA777**
Safety wheels



Cod. **CPA503**
Linear table for lifting armrest



Cod. **CPA509**
Shaped table
58x38 cm
(except 50 cm size)



Cod. **CPA518**
Table for wheelchair
68x57cm
(only size 50)



Cod. **CPA788** PAIR
Elevating aluminium footrest CP790 - 46-50cm
Cod. **CPA789** PAIR
Elevating aluminium footrest CP790 - 40-43cm

Spare parts

Cod. **CPR770** PAIR
PU Back wheel Ø 60 cm

Cod. **CPR779** PAIR
Brake

Cod. **CPR785**
Backrest cushion

Cod. **CPR757** SINGLE
Only plastic footrest

Cod. **CPR766** PAIR
Only PU armrest padding

Cod. **CPR784** PAIR
Detachable footrest 40-43cm

Cod. **CPR777** PAIR
Complete armrest

Cod. **CPR782** PAIR
Detachable footrest

Cod. **CPR828** PAIR
Narrow passages/Lift wheels Ø 7 cm

Cod. **CPR773** PAIR
PU front wheel - Ø 20 x 3,2 cm

Technical features


SPECIFICATIONS

Front wheels	PU, aluminium fork on the frame and inclination adjustable														
Rear wheels	Aluminium radius, PU black wheels, aluminium brake														
Upholstery	Padded Nylon - Fire reaction tested, according to EN1021-1/2														

WEIGHT AND DIMENSION

Measures in cm																	
CP790-40																	
CP790-43																	
CP790-46	103	78	41 ÷ 47	97÷102	73÷81	51,5	43÷54	46	46 ÷ 51	67,5	32	16	60	20	optional	7	130
CP790-48								48		70,5							
CP790-50								50		73,5							

EN Accessories for light wheelchairs
 F Accessoires pour fauteuils roulants légers
 ES Accesorios para sillas de ruedas ligeras
 P Acessórios para cadeiras de rodas leves



Cod. **CPA100-40**,
CPA100-43, **CPA100-45**,
CPA100-50
 Foam cushion h 5 cm



Cod. **CAR900**
 Headrest



Cod. **RP245**
 Safety belt
 (series CP770-CP775-
 CP780)

Cod. **RP246**
 Safety belt
 (series CP785-CP787-
 CP790)



Cod. **RP247**
 Safety belt
 (series CP770-CP775-
 CP780)

Cod. **RP248**
 Safety belt
 (series CP785-CP787-
 CP790)



Cod. **CAR605**
 Antitheft bar
 (series CP770-CP775-
 CP780)



Cod. **CPA606**
 Polyester
 Oxygen bottle
 holder Ø Max
 120 mm



Cod. **CPA600**
 Adjustable
 IV pole
 holder



Cod. **CPA501-2**
 Linear table for
 wheelchair - 55x32 cm
 (series CP770-CP775-
 CP780 except size 50)



Cod. **CPA504**
 Linear table for height
 adjustable armrest
 CPA775 55x32 cm
 (series CP770-CP775-
 CP780-CP785-CP787)



Cod. **CPA503**
 Linear table for
 wheelchair - 55x32 cm
 (series CP790)



Cod. **CPA506-2**
 Table for wheelchair
 58x38 (series CP770-
 CP775-CP780 except
 size 50)



Cod. **CPA510**
 Table for height adjustable
 armrest CPA775 58x38
 cm (except size 50)
 (series CP770-CP775-
 CP780-CP785-CP787)



Cod. **CPA509**
 Table for wheelchair
 58x38 (except size 50)
 (series CP790)



Cod. **CPA519**
 Table for wheelchair
 68x57 cm (series
 CP785-CP787-CP780)



Cod. **CPA520**
 Table for wheelchair
 68x57cm (series
 CP770-CP775)



Cod. **CPA518**
 Table for wheelchair
 68x57cm (series
 CP790)



Cod. **CPA775**
 Height adjustable
 armrest (series CP770-
 CP775)



Cod. **CPA776**
 Height adjustable
 armrest (series CP780)



Cod. **CPA251-1**
 One hand drive kit
 (sizes 40-43 cm series
 CP770-CP775-CP780)
 Cod. **CPA251-2**
 One hand drive kit
 (sizes 46-50 cm series
 CP770-CP78x-CP790)



Cod. **CPA735**
 Quick release pneumatic
 wheels Ø 60 cm (series
 CP770-CP780-CP785-
 CP790)



Cod. **CPA739**
 Front wheel 3,2 cm thick
 (series CP770-CP775)



Cod. **CPA740**
 Front wheel 5 cm thick
 (series CP780-CP785-
 CP787-CP790)



Cod. **CPA772**
 Narrow passages/lift
 wheels (series CP770)




Cod. **CPA777**
 Safety wheels - PAIR
 (CP770-CP775-
 CP780)



Cod. **CPA771**
 Aluminium height
 adjustable footrests
 (series CP770-CP775)



Cod. **CPA781 PAIR**
 Elevating aluminium footrest
 (series CP78x) - 46-50cm
 Cod. **CPA782 PAIR**
 Elevating aluminium footrest
 (series CP78x) - 40-43cm



Cod. **CPA788 PAIR**
 Elevating aluminium footrest
 (series CP790) - 46-50cm
 Cod. **CPA789 PAIR**
 Elevating aluminium footrest
 (series CP790) - 40-43cm



Cod. **CPA170**
 Heel stopper

EN Spare parts for light wheelchairs
F Pièces de rechange pour fauteuils roulants légers
ES Repuestos para sillas de ruedas ligeras
P Peças de reposição para cadeiras de rodas leves



Cod. CPR780
 Detachable footrest - PAIR
 (series CP77x)



Cod. CPR781
 Detachable footrest - PAIR
 (series CP78x) - 46-50cm
Cod. CPR783
 Detachable footrest - PAIR
 (series CP78x) - 40-43cm



Cod. CPR782
 Detachable footrest - PAIR
 (series CP79x) - 46-50cm
Cod. CPR784
 Detachable footrest - PAIR
 (series CP79x) - 40-43cm



Cod. CPR769
 PU rear wheel - PAIR
 (series CP770-CP780)



Cod. CPR770
 PU rear wheel - PAIR
 (series CP785-CP790)



Cod. CPR771
 PU rear wheel (series
 CP775-CP787)



Cod. CPR772
 PVC front wheel - PAIR
 (series CP770-CP775)



Cod. CPR773
 PU front wheel - PAIR
 (series CP780-CP785-
 CP787-CP790)



Cod. CPR745
 PU front wheel - PAIR
 (series CP780)



Cod. CPR828
 Narrow passages/lift
 wheels - PAIR (series
 CP785-CP790)



Cod. CPR774
 Complete armrest
 - PAIR (series CP770-
 CP775)



Cod. CPR775
 Complete armrest -
 PAIR (series CP780)



Cod. CPR776
 Complete armrest
 - PAIR (series CP785-
 CP787)



Cod. CPR777
 Complete armrest -
 PAIR (series CP790)



Cod. CPR778
 Brake - PAIR (series
 CP770-CP775-CP780)



Cod. CPR779
 Brake - PAIR
 (series CP785-CP790)



Cod. CPR785-xx
 Backrest cushion -
 specify the size
 40/43/46/48/50
 (series CP790)





Mobility products

Standard wheelchairs and multifunctional armchairs **EN**

Fauteuils roulants standards et fauteuils multifonctionnels **F**

Sillas de ruedas estándar y sillones multifuncionales **ES**

Cadeiras de rodas padrão e poltronas multifuncionais **P**



ARDEA

- EN** Folding wheelchair in painted steel
F Fauteuil roulant pliant en acier vernis
ES Silla de ruedas plegable en acero pintado
P Cadeira de rodas dobrável em aço pintado

Start

Single cross frame

Series **CP100B**



Optional accessories



Cod. **CPA120V**
 Cod. **CPA121V**
 Cod. **CPA122V** (only for 38 size)
 Painted elevating footrests -PAIR



Cod. **CPA120C**
 Cod. **CPA121C**
 Chrome-plated elevating footrests - PAIR



Cod. **CPA501**

Linear table for wheelchair - 55x32 cm



Cod. **CPA506**
 Table for wheelchair 58x38 cm



Cod. **CPA246**
 PU Rear wheel Ø 60 cm - PAIR



Cod. **CPA161N** PAIR
 Long painted armrest



Cod. **CPA150** PAIR
 Elevating armrest (adjustable height 77÷85 cm from floor)

Spare parts

Cod. **CPR400B** PAIR
 Complete armrest

Cod. **CPR402** PAIR
 Only armrest padding

Cod. **CPR410** SINGLE
 PVC front wheel Ø 20x2,5 cm

Cod. **CPR413** PAIR
 PU Rear wheel Ø 60 cm






Cod. **CPR415B** PAIR
 Swing away lateral footrest

Cod. **CPR241** SINGLE
 Plastic footrest

Technical features

SPECIFICATIONS																
Front wheels		PVC, black, steel fork														
Rear wheels		Aluminium with radius, PU, black														
Upholstery		Padded nylon - Fire reaction tested, according to EN1021-1/2														
WEIGHT AND DIMENSION																
Measures in cm																
CP100B-38								38		56						
CP100B-40								40		58						
CP100B-43								43		60,5						
CP100B-45	103	85	43	91	75	50	42÷56	45	43	63	26	17,5	60	20	-	120
CP100B-46								46		64						
CP100B-48								48		65						

Start

Series **CP100R**

Spare parts

Cod. **CPR400M** PAIR
Complete armrest

Cod. **CPR402** PAIR
Only armrest padding

Cod. **CPR410** SINGLE
PVC front wheel
Ø 20 x 2,5 cm

Cod. **CPR413** PAIR
Rear wheel Ø 60 cm

Cod. **CPR415R** PAIR
Swing away lateral
footrest

Cod. **CPR241** SINGLE
Plastic footrest

SPECIFICATIONS																
Front wheels	PVC, black, steel fork															
Rear wheels	Aluminium with radius, PU, black															
Upholstery	Padded nylon - Fire reaction tested, according to EN1021-1/2															
WEIGHT AND DIMENSION																
Measures in cm																Max load weight
CP100R-40							40			58						
CP100R-43							43			60,5						
CP100R-45	103	85	43	91	75	50	42-56	45	43	63	26,5	17,5	60	20	-	120
CP100R-48								48		65						

- EN** Folding wheelchair in painted steel
F Fauteuil roulant pliant en acier vernis
ES Silla de ruedas plegable en acero pintado
P Cadeira de rodas dobrável em aço pintado

Start1

Single cross frame - Quick release

Series **CP102**



Optional accessories



Cod. **CPA150** PAIR
Elevating armrest
(adjustable height
74÷82 cm from floor)



Cod. **CPA120V**
Cod. **CPA122V** (only
for 38 size)
Painted elevating
footrests -PAIR



Cod. **CPA120C**
Chrome-plated
elevating footrests
- PAIR



Cod. **CPA501-2**
Linear table
for wheelchair -
55x32 cm



Cod. **CPA506-2**
Table for wheelchair
58x38 cm
(except size 50)
Cod. **CPA519**
(except size 50)

Spare parts

Cod. **CPR100** PAIR
Complete armrest

Cod. **CPA242** PAIR
PU Rear wheel Ø 60 cm

Cod. **CPR111** PAIR
Swing away lateral
footrest

Cod. **CPR140** SINGLE
PVC front wheel Ø
20x2,5 cm

Cod. **CPR135** PAIR
PAIR Swing away lateral
footrest (size 38 only)

Cod. **CPR241** SINGLE
Plastic footrest

Cod. **CPR105**
Only armrest padding

Technical features

SPECIFICATIONS																	
Front wheels		PVC, black, steel fork															
Rear wheels		Aluminium with radius, PU, black															
Upholstery		Padded nylon- Fire reaction tested, according to EN1021-1/2															
WEIGHT AND DIMENSION																	
Measures in cm																 Max load weight	
CP100B-38								38		56							
CP100B-40								40		58							
CP100B-43								43		60,5							
CP100B-45	103	85	43	91	75	50	42÷56	45	43	63	26	17,5	60	20	-		120
CP100B-46								46		64							
CP100B-48								48		65							

- EN** Folding wheelchair in painted steel
F Fauteuil roulant pliant en acier vernis
ES Silla de ruedas plegable en acero pintado
P Cadeira de rodas dobrável em aço pintado

Start 2

Double cross frame - Quick release

Series **CP103R**



Optional accessories



Cod. **CPA121C**
Chrome-plated
elevating footrests
- PAIR



Cod. **CPA121V**
Painted elevating
footrests - PAIR



Cod. **CPA501**
Linear table
for wheelchair -
55x32 cm



Cod. **CPA506**
Table for wheelchair
58x38 cm



Cod. **CPA245**
PU Rear wheel Ø 60
cm - PAIR



Cod. **CPA161N** PAIR
Long painted armrest



Cod. **CPA150** PAIR
Elevating armrest
(adjustable height
77+85 cm from floor)

Spare parts

Cod. **CPR414** PAIR
Rear wheel Ø 60 cm

Cod. **CPR411** SINGLE
PVC front wheel
Ø 20 x 5 cm

Cod. **CPR403**
Only armrest padding

Cod. **CPR415R** PAIR
Swing away lateral
footrest

Cod. **CPR401** PAIR
Complete armrest

Cod. **CPR241** SINGLE
Plastic footrest

Technical features

SPECIFICATIONS																
Front wheels		PVC, black, steel fork														
Rear wheels		Aluminium with radius, PU, black														
Upholstery		Padded nylon- Fire reaction tested, according to EN1021-1/2														
WEIGHT AND DIMENSION																
Measures in cm																Max load weight
CP103R-40								40		58						
CP103R-43								43		61						
CP103R-45	103	85	40	91	75	50	42-56	45	43	63	26,5	19	60	20	-	130
CP103R-48								48		66						
CP103R-50								50		68						

- EN** Self-propelled folding wheelchair in painted steel
- F** Fauteuil roulant pliant autopropulsé en acier peint
- ES** Silla de ruedas plegable autopropulsada en acero pintado
- P** Cadeira de rodas automotora dobrável em aço pintado

Start³

Double cross frame - Convertible to Transit

Serie CP104



Optional accessories



Cod. **CPA150**
Elevating armrest
(adjustable height
73÷81 cm from floor)
- PAIR



Cod. **CPA120C**
Cod. **CPA121C**
Chrome-plated
elevating footrests
- PAIR



Cod. **CPA120V**
Cod. **CPA121V**
Painted elevating
footrests - PAIR



Cod. **CPA501**
Linear table
55x32 cm



Cod. **CPA506**
Shaped table



Cod. **CPA245**
Ø 60 cm pneumatic
wheels - PAIR



Cod. **CPA248**
Ø 30 cm wheel with
quick release pivot
included - PAIR

Spare parts

Cod. **CPR402B** PAIR
Complete armrests

Cod. **CPR417B** PAIR
Swing away lateral footrest

Cod. **CPR241** SINGLE
Plastic footrest

Cod. **CPR411** SINGLE
PU front wheel Ø 20 x 5 cm

Cod. **CPR414** PAIR
PU Rear wheel Ø 60 cm

Cod. **CPR403** SINGLE
Only armrest padding

Technical features

SPECIFICATIONS																
Front wheels							PU, black, steel fork									
Rear wheels							Aluminium with radius, PU, black (tubeless)									
Upholstery							Padded nylon - Fire reaction tested, according to EN1021-1/2									
WEIGHT AND DIMENSIONS																
Measures in cm																
CP104-40								40		58						
CP104-43								43		60,5						
CP104-46	103	80	40	91	75	50	42÷56	46	43	64	27	19	60	20	-	130
CP104-48								48		66						
CP104-50								50		68						

- EN** Folding transit wheelchair - Painted steel
F Fauteuil roulant pliant de transit - Acier verni
ES Silla de ruedas plegable de tránsito - Acero pintado
P Cadeira de rodas dobrável de trânsito - Aço pintado

Start³ go!

Double cross stabilizing frame - Convertible to self-propelling

Serie CP105



Optional accessories



Cod. **CPA150**
Elevating armrest
(adjustable height
73÷81 cm from floor)
- PAIR



Cod. **CPA120C**
Cod. **CPA121C**
Chrome-plated
elevating footrests
- PAIR



Cod. **CPA120V**
Cod. **CPA121V**
Painted elevating
footrests - PAIR



Cod. **CPA501**
Linear table
55x32 cm



Cod. **CPA506**
Shaped table



Cod. **CPA245**
Ø 60 cm pneumatic
wheels - PAIR



Cod. **CPR414**
PU Rear wheel
Ø 60 cm - PAIR

Spare parts

Cod. **CPR402B** PAIR
Complete armrests

Cod. **CPR417B** PAIR
Swing away lateral footrest

Cod. **CPR241** SINGLE
Plastic footrest

Cod. **CPR411** SINGLE
PU front wheel Ø 20 x 5 cm

Cod. **CPR412** SINGLE
PU rear wheel Ø 30 cm

Cod. **CPR403** SINGLE
Only armrest padding

Technical features

SPECIFICATIONS																
Front wheels							PU, black, steel fork									
Rear wheels							With plastic radius, PU, black (tubeless)									
Upholstery							Padded nylon - Fire reaction tested, according to EN1021-1/2									
WEIGHT AND DIMENSIONS																
Measures in cm																 Max load weight
CP105-40								40		56						
CP105-43								43		58						
CP105-46	103	75	43	91	73	50	42-56	46	43	62	26	19	30	20	-	130
CP105-48								48		64						
CP105-50								50		66						

Next

Series **CP110B**

Spare parts



Cod. **CPA517**
Table for wheelchair
large **68x57 cm**
(only for size 50)

Cod. **CPR229** SINGLE
Only armrest padding

SPECIFICATIONS																	
Front wheels		PVC, black, steel fork															
Rear wheels		Aluminium with radius, PU, black (tubeless)															
Upholstery		Padded nylon - Fire reaction tested, according to EN1021-1/2															
WEIGHT AND DIMENSION																	
Measures in cm																	
CP110B-40								40		58							
CP110B-43								43		61							
CP110B-46		105	81	43	90	73	49	41÷56	46	42	64	26	18,5	60	20	-	150
CP110B-48									48		66						
CP110B-50									50		68						

- EN** Folding transit wheelchair - Painted steel
F Fauteuil roulant pliant de transit - Acier verni
ES Silla de ruedas plegable de tránsito - Acero pintado
P Cadeira de rodas dobrável de trânsito - Aço pintado

Next
go!

Double cross frame - Convertible to self-propelling

Series **CP115B**



See accessories page
for all conversion kits

Optional accessories



Cod. **CPA150**
Armrest adjustable
height 77÷85cm from
floor - PAIR



Cod. **CPA120V**
Painted elevating
footrests - PAIR



Cod. **CPA120C**
Chrome-plated
elevating footrests
- PAIR



Cod. **CPA501**
Linear table
for wheelchair
55x32 cm
(except size 50)



Cod. **CPA506**
Table for wheelchair
58x38 cm
(except size 50)



Cod. **CPA517**
Table for wheelchair
large 68x57 cm
(only for size 50)

Spare parts

Cod. **CPR107M** PAIR
Complete armrest

Cod. **CPR111M** PAIR
Swing away lateral
footrest

Cod. **CPR241** SINGLE
Plastic footrest

Cod. **CPA240** PAIR
PU rear wheel Ø 30 cm

Cod. **CPR140** SINGLE
PVC front wheel
Ø 20x2,5 cm

Cod. **CPR229** SINGLE
Only armrest padding

Technical features

SPECIFICATIONS																
Front wheels							PVC, black, steel fork									
Rear wheels							With plastic radius, PU, black (tubeless)									
Upholstery							Padded nylon - Fire reaction tested, according to EN1021-1/2									
WEIGHT AND DIMENSION																
Measures in cm																
CP115B-40								40		53						
CP115B-43								43		56						
CP115B-46	98	75	41	92	76	50	41÷56	46	43	58,5	25	16	30	20	-	150
CP115B-48								48		61						
CP115B-50								50		63						

- EN** Folding wheelchair in painted steel
F Fauteuil roulant pliant en acier vernis
ES Silla de ruedas plegable en acero pintado
P Cadeira de rodas dobrável em aço pintado

Dual

Double cross frame - Convertible to Transit

Series CP200



Optional accessories



Cod. **CPA501**
Linear table
for wheelchair
55x32 cm



Cod. **CPA506**
Table for wheelchair
58x38 cm
(except size 50)



Cod. **CPA517**
Table for wheelchair
large 68x57 cm
(except size 50)



Cod. **CPA120V**
Cod. **CPA122V** (only
for 38 size)
Painted elevating
footrests -PAIR



Cod. **CPA120C**
Chrome-plated
elevating footrests
-PAIR

Spare parts

Cod. **CPR108** PAIR
Height adjustable
armrest

Cod. **CPR111** PAIR Swing
away lateral footrest

Cod. **CPR135** PAIR
Lateral detachable
footrest (size 38 only)

Cod. **CPA242** PAIR PU
rear wheel Ø 60 cm

Cod. **CPR143** SINGLE PU
front wheel Ø
20x3 cm

Cod. **CPR241** SINGLE
Plastic footrest

Cod. **CPR150** PAIR
Anti-tipper wheel
Ø 4 cm

Cod. **CPR765** PAIR
Only PU armrest
padding

Technical features

SPECIFICATIONS																
Front wheels		PU, black, aluminium fork														
Rear wheels		Aluminium, with radius, PU, black														
Upholstery		Padded nylon- Fire reaction tested, according to EN1021-1/2														
WEIGHT AND DIMENSION																
Measures in cm																 Max load weight
CP200-38	113	81	42	90	72÷80	49	41÷56	38	41	56	29	19,5	60	20	4	150
CP200-40								40		58						
CP200-43								43		61						
CP200-45								45		63						
CP200-46								46		64						
CP200-48								48		66						
CP200-50								50		68						

- EN** Folding transit wheelchair - Painted steel
F Fauteuil roulant pliant de transit - Acier verni
ES Silla de ruedas plegable de tránsito - Acero pintado
P Cadeira de rodas dobrável de trânsito - Aço pintado

Dual go!

Double cross frame - Convertible to self-propelling

Series CP205



See accessories page
for all conversion kits

Optional accessories



Cod. **CPA501**
Linear table
for wheelchair
55x32 cm



Cod. **CPA506**
Table for wheelchair
58x38 cm
(except size 50)



Cod. **CPA517**
Table for wheelchair
large 68x57 cm
(except size 50)



Cod. **CPA120V**
Cod. **CPA122V** (only
for 38 size)
Painted elevating
footrests -PAIR



Cod. **CPA120C**
Chrome-plated
elevating footrests
- PAIR

Spare parts

Cod. **CPR108** PAIR
Height adjustable
armrest

Cod. **CPR111** PAIR
Swing away lateral
footrest

Cod. **CPR135** PAIR
Lateral detachable
footrest (size 38 only)

Cod. **CPA240** PAIR PU
rear wheel Ø 30 cm

Cod. **CPR143** SINGLE PU
front wheel Ø
20x3 cm

Cod. **CPR241** SINGLE
Plastic footrest

Cod. **CPR150** PAIR
Anti-tipper wheel
Ø 4 cm

Cod. **CPR765** PAIR
Only PU armrest
padding

Technical features

SPECIFICATIONS															
Front wheels		PU, black, aluminium fork													
Rear wheels		Plastic radius, PU, black													
Upholstery		Padded nylon - Fire reaction tested, according to EN1021-1/2													
WEIGHT AND DIMENSION															
Measures in cm															
CP205-38															
CP205-40															
CP205-43															
CP205-45	104	76	42	90	71÷80	49	41÷55	45	41	59	25	17,5	30	20	4
CP205-46								46		59,5					
CP205-48								48		62					
CP205-50								50		64					

- EN** Folding wheelchair - Painted steel
F Fauteuil roulant pliant - Acier verni
ES Silla de ruedas plegable - Acero pintado
P Cadeira de rodas dobrável - Aço pintado

Plus

Double cross - Bariatric

Series **CP300**



Optional accessories



Cod. CPA154
Armrest adjustable height 73+83 cm from floor - PAIR



Cod. CPA120V
Painted elevating footrests - PAIR



Cod. CPA120C
Chrome-plated elevating footrests - PAIR



Cod. CPA517
Table for wheelchair large 68x57 cm

Spare parts

Cod. CPR103 PAIR
Complete armrest

Cod. CPR241 SINGLE
Plastic footrest

Cod. CPR141 SINGLE
PU front wheel Ø 20x5 cm

Cod. CPR111 PAIR Swing away lateral footrest

Cod. CPR122 PAIR Solid rear wheel Ø 60 cm

Cod. CPR106 PAIR
Only PU armrest padding

Technical features

SPECIFICATIONS																
Front wheels	PU, black, steel fork															
Rear wheels	Plastic radius, PU, solid, black															
Upholstery	Padded nylon- Fire reaction tested, according to EN1021-1/2															
WEIGHT AND DIMENSION																
Measures in cm																
CP300-50								50		73						
CP300-55	118	90	48	92	73	52	43÷57	55	41	78	32	26	60	20	-	200
CP300-60								60		83						

- EN** Folding transit wheelchair - Painted steel
F Fauteuil roulant pliant de transit - Acier verni
ES Silla de ruedas plegable de tránsito - Acero pintado
P Cadeira de rodas dobrável de trânsito - Aço pintado

Plus go!

Double cross - Bariatric

Series **CP310**



Optional accessories



Cod. **CPA154**
Armrest adjustable height 70÷80cm from floor - PAIR



Cod. **CPA120V**
Painted elevating footrests - PAIR



Cod. **CPA120C**
Chrome-plated elevating footrests - PAIR



Cod. **CPA517**
Table for wheelchair large 68x57 cm

Spare parts

Cod. **CPR103** Complete armrest - PAIR

Cod. **CPR241** SINGLE Plastic footrest

Cod. **CPR141** PU front wheel Ø 20x5 cm - SINGLE

Cod. **CPR111** Swing away lateral footrests - PAIR

Cod. **CPR132** PAIR PU rear wheel Ø 32 cm

Cod. **CPR106** PAIR Only PU armrest padding

Technical features

SPECIFICATIONS																
Front wheels	PU, black, steel fork															
Rear wheels	Plastic radius, PU, solid, black															
Upholstery	Padded nylon- Fire reaction tested, according to EN1021-1/2															
WEIGHT AND DIMENSION																
Measures in cm																
CP310-50	104	77	48	92	70	52	43÷57	50	39	63	30	21	32	20	-	200
CP310-55								55		68						

- EN** Folding transit wheelchair - Painted steel
F Fauteuil roulant pliant de transit - Acier verni
ES Silla de ruedas plegable de tránsito - Acero pintado
P Cadeira de rodas dobrável de trânsito - Aço pintado

Go!

Single cross

Series **CP500B**



Optional accessories



Cod. **CPA120V**
Cod. **CPA121V**
Painted elevating
footrests - PAIR



Cod. **CPA120C**
Cod. **CPA121C**
Chrome-plated
elevating footrests
- PAIR



Cod. **CPA501**
Linear table
for wheelchair
55x32 cm



Cod. **CPA506**
Table for wheelchair
58x38 cm



Cod. **CPA161N** PAIR
Long painted armrest



Cod. **CPA150** PAIR
Elevating armrest
(adjustable height
77÷85 cm from floor)

Spare parts

Cod. **CPR500** PAIR
Complete armrest

Cod. **CPR411** SINGLE
PU front wheel
Ø 20 x 5 cm

Cod. **CPR412** SINGLE
PU Rear wheel Ø 30 cm

Cod. **CPR415B** PAIR
Swing away lateral
footrest

Cod. **CPR403** PAIR
Long PU arm pads for

Cod. **CPR241** SINGLE
Plastic footrest

Technical features

SPECIFICATIONS																
Front wheels	PU, black, steel fork															
Rear wheels	Plastic radius, PU, black															
Upholstery	Padded nylon- Fire reaction tested, according to EN1021-1/2															
WEIGHT AND DIMENSION																
Measures in cm																
CP500B-40								40		58						
CP500B-43								43		61						
CP500B-45	103	75	43	91	73	50	42-56	45	43	63	26	15	30	20	-	120
CP500B-46								46		64						
CP500B-48								48		65						



- 63

- EN** Folding transit wheelchair - Painted steel
F Fauteuil roulant pliant de transit - Acier verni
ES Silla de ruedas plegable de tránsito - Acero pintado
P Cadeira de rodas dobrável de trânsito - Aço pintado

Go!2

Double cross

Series **CP505**



Optional accessories



Cod. **CPA120V**
 Cod. **CPA121V**
 Painted elevating
 footrests - PAIR



Cod. **CPA120C**
 Cod. **CPA121C**
 Chrome-plated
 elevating footrests
 - PAIR



Cod. **CPA501**
 Linear table
 for wheelchair
55x32 cm



Cod. **CPA506**
 Table for wheelchair
58x38 cm



Cod. **CPA161N** PAIR
 Long painted armrest



Cod. **CPA150** PAIR
 Elevating armrest
 (adjustable height
 77+85 cm from floor)

Spare parts

Cod. **CPR402B** PAIR
 Complete armrest

Cod. **CPR412** SINGLE
 PU rear wheel Ø 30 cm

Cod. **CPR417B** PAIR
 Swing away lateral
 footrest

Cod. **CPR241** SINGLE
 Plastic footrest

Cod. **CPR411** SINGLE
 PU front wheel
 Ø 20 x 5 cm

Cod. **CPR403** SINGLE
 Only armrest padding

Technical features

SPECIFICATIONS																
Front wheels					PU, black, steel fork											
Rear wheels					Plastic with radius, PU, black (tubeless)											
Upholstery					Padded nylon- Fire reaction tested, according to EN1021-1/2											
WEIGHT AND DIMENSION																
Measures in cm																Max load weight
CP505-40							40		58							
CP505-43							43		61							
CP505-45	103	75	43	91	73	50	42-56	45	43	63	26	16,5	30	20	-	130
CP505-48								48		66						
CP505-50								50		68						

- EN** Folding transit wheelchair - Painted steel
F Fauteuil roulant pliant de transit - Acier verni
ES Silla de ruedas plegable de tránsito - Acero pintado
P Cadeira de rodas dobrável de trânsito - Aço pintado

GoUp!

Double cross

Series CP520



Optional accessories



Cod. CPR108
Armrest adjustable height 73÷81cm from floor - PAIR



Cod. CPA120V
Painted elevating footrests - PAIR



Cod. CPA120C
Chrome-plated elevating footrests - PAIR



Cod. CPA501
Linear table for wheelchair 55x32 cm



Cod. CPA506
Table for wheelchair 58x38 cm

Spare parts

Cod. CPR102 PAIR
Complete armrest

Cod. CPR131 PAIR PU
rear wheel Ø 30 cm

Cod. CPR111 PAIR
Swing away lateral footrest

Cod. CPR241 SINGLE
Plastic footrest

Cod. CPR143 SINGLE
PU front wheel Ø 20x3 cm

Cod. CPR215S Left
Cod. CPR215D Right
Nurse brake

Cod. CPR106 PAIR
Only PU armrest padding

Technical features

SPECIFICATIONS																
Front wheels		PU, black, steel fork														
Rear wheels		Plastic radius, PU, black														
Upholstery		Padded nylon- Fire reaction tested, according to EN1021-1/2														
WEIGHT AND DIMENSION																
Measures in cm																
CP520-40								40		55						
CP520-43								43		58						
CP520-45	99	73	42	93	72	48	42÷56	45	42	60	26	17,5	30	20	-	150
CP520-46								46		60,5						
CP520-48								48		63						

- EN** Folding wheelchair in painted steel
F Fauteuil roulant pliant en acier vernis
ES Silla de ruedas plegable en acero pintado
P Cadeira de rodas dobrável em aço pintado

Skinny

Single cross frame - Convertible to Transit

Series **CP620**

Compact



Optional accessories



Cod. **CPA120V**
Painted elevating
footrests - PAIR



Cod. **CPA120C**
Chrome-plated
elevating footrests -
PAIR



Cod. **CPA501**
Linear table
for wheelchair
55x32 cm



Cod. **CPA506**
Table for wheelchair
58x38 cm

Spare parts

Cod. **CPR610 PAIR**
Complete armrest

Cod. **CPR621 PAIR PU**
rear wheel Ø 50 cm

Cod. **CPR625 PAIR**
Detachable footrest

Cod. **CPR241 SINGLE**
Plastic footrest

Cod. **CPR620 SINGLE**
PU Front wheel Ø
18 cm

Cod. **CPR629 PAIR**
Only PU armrest
padding

Technical features

SPECIFICATIONS																
Front wheels	PU, black, plastic fork															
Rear wheels	Aluminium radius, PU, black															
Upholstery	Padded nylon- Fire reaction tested, according to EN1021-1/2															
WEIGHT AND DIMENSION																
Measures in cm																
CP620-40	100	73	41	92	80	53	45÷57	40	37	51	26	16,5	50	18	-	110
CP620-43								43		54						

- EN** Folding transit wheelchair - Painted steel
F Fauteuil roulant pliant de transit - Acier verni
ES Silla de ruedas plegable de tránsito - Acero pintado
P Cadeira de rodas dobrável de trânsito - Aço pintado

Skinny go!

Single cross frame - Convertible to a self-propelling

Series **CP625**

Compact



Optional accessories



Cod. **CPA120V**
Painted elevating footrests - PAIR



Cod. **CPA120C**
Chrome-plated elevating footrests - PAIR



Cod. **CPA501**
Linear table for wheelchair
55x32 cm



Cod. **CPA506**
Table for wheelchair
58x38 cm

Spare parts

Cod. **CPR610 PAIR**
Complete armrest

Cod. **CPR622 PAIR**
PU rear wheel Ø 30cm

Cod. **CPR625 PAIR**
Detachable footrest

Cod. **CPR241 SINGLE**
Plastic footrest

Cod. **CPR620 SINGLE**
PU Front wheel Ø 18 cm

Cod. **CPR629 PAIR**
Only PU armrest padding


Technical features

SPECIFICATIONS																	
Front wheels		PU, black, plastic fork															
Rear wheels		Plastic radius, PU, black															
Upholstery		Padded nylon- Fire reaction tested, according to EN1021-1/2															
WEIGHT AND DIMENSION																	
Measures in cm																	
CP625-40		88	61	41	92	80	53	45÷57	40	37	51	26	16,5	30	18	-	110
CP625-43									43		54						

EN Accessories for standard wheelchairs
F Accessoires pour fauteuils roulants standards
ES Accesorios para sillas de ruedas estándar
P Acessórios para cadeiras de rodas padrão



Cod. CPA110-45
WC seat 45 cm
(size 45 only)



Cod. CPA100-40, CPA100-43, CPA100-45, CPA100-50
Foam cushion 5 cm h



Cod. CAR900
Headrest



Cod. CPA120V PAIR
Cod. CPA122V PAIR
(only for 38 size)
Painted elevating footrests



Cod. CPA120C PAIR
Chrome-plated elevating footrests



Cod. CPA121C PAIR
Chrome-plated elevating footrests
Cod. CPA121V PAIR
Painted elevating footrests



Cod. CPA605
Oxygen bottle holder in chromed steel Ø bottle max 12 cm



Cod. CPA242 PAIR
PU rear wheel Ø 60 cm
(sizes CP115, CP205 only)



Cod. CPA244 PAIR
Quick release rear wheel, PNEUMATIC Ø 60 cm
(only for CP102, CP110, CP200)



Cod. CPA245 PAIR
Quick release rear wheel, PNEUMATIC Ø 60 cm
(only for CP103R, CP104)



Cod. CPA246 PAIR
Quick release rear wheel, PNEUMATIC Ø 60 cm
(only for CP100)



Cod. CPA240 PAIR
PU rear wheel Ø 30 cm
(only for CP110, CP200)



Cod. CPR622 PAIR
PU solid rear wheel Ø 30 cm
(only for CP620)



Cod. CPR150 PAIR
Anti-tipper wheels 4 cm
(only for CP100X, CP102, CP103, CP104, CP105 CP110, CP115, CP205, CP500X, CP520)



Cod. CPA606
Polyester Oxygen bottle holder Ø bottle max 12 cm



Cod. CPA600
Adjustable IV pole



Cod. CPA250-1
One hand drive kit
(only sizes 38-43 cm series CP102-CP103R-CP200)



Cod. CPA250-2
One hand drive kit
(only sizes 45-50 cm series CP102-CP103R-CP110-CP200)



Cod. CAR605
Anti-heft bar
(except CP620, CP625)



Cod. CPA150 PAIR
Armrest adjustable height 74÷82 cm from floor
(only for CP100B, CP102, CP110, CP115, CP500B)



Cod. CPA154 PAIR
Armrest adjustable height 73÷83 cm from floor
(only for CP300, CP310)



Cod. CPR108 PAIR
Armrest adjustable height 73÷81 cm from floor
(only for CP520)



Cod. CPA161N PAIR
Long armrest
(Excluding CP300, CP310, CP520, CP620, CP625)



KOALA (MOPEDIA)
Restraining system line



Cod. RP245
Safety belt



Cod. RP247
Safety belt with spring buckle



Cod. CPA140-xx
Universal backrest extension - specify the size 38/40/43/45/48/50/55/60 (No red models)

Kit to convert a transit to a self-propelling:

From Next (CP110) to Next Go! (CP115)
CPR216D, right brake;
CPR216S, left brake;
CPA240, small wheel - pair;
nr. 2 CPR342, quick release pivot for back wheel;

From Next Go! (CP115) to Next (CP110)
CPR210D, right brake dx;
CPR210S, left brake;
CPA242, big wheel - pair;
nr. 2 CPR343, quick release pivot for back wheel;

From Dual (CP200) to Dual Go! (CP205)
CPA240, small wheel - pair;
nr. 2 CPR342, quick release pivot for back wheel;

From Dual Go! (CP205) to Dual (CP200):
CPA242, big wheel - pair;
CPR343, quick release pivot for back wheel;

From Skinny (CP620) to Skinny Go! (CP625)
CPR622, small wheel - pair;
CPR216D, right brake;
CPR216S, left brake;

From Skinny Go! (CP625) to Skinny (CP620)
CPR621, big wheel - pair;
CPR6211D, right brake;
CPR211S, left brake;

EN Spare parts for wheelchairs
F Pièces de rechange pour fauteuils roulants
ES Repuestos para sillas de ruedas
P Peças de reposição para cadeiras de rodas



Cod. **CPR400B** PAIR
Complete armrest
(only for CP100B)



Cod. **CPR400R** Polished
Cod. **CPR400M** Matt
Complete armrest PAIR
(only for CP100R)



Cod. **CPR100** PAIR
Complete armrest
(only for CP102)



Cod. **CPR401R** Polished
Cod. **CPR401M** Matt
Complete armrest PAIR
(only for CP103R-CP500R)



Cod. **CPR107** PAIR
Complete armrest
(only for CP110, CP115)



Cod. **CPR108** PAIR
Height adjustable armrest
(only for CP200, CP205)



Cod. **CPR103** PAIR
Complete armrest
(only for CP300-CP310)



Cod. **CPR102** PAIR
Complete armrest
(only for CP520)



Cod. **CPR610** PAIR
Complete armrest
(only for CP620-CP625)



Cod. **CPR215S** Left
Cod. **CPR215D** Right
Brake (only for CP520)



Cod. **CPR415B** PAIR
Cod. **CPR415R** PAIR
Swing away lateral footrests
(only for CP100X-CP103R-CP500X)



Cod. **CPR111** PAIR
Swing away lateral footrests



Cod. **CPR135** PAIR
Swing away lateral footrest
(size 38 only)



Cod. **CPR625** PAIR
Swing away lateral footrests (only for CP620-CP625)



Cod. **CPR241** SINGLE
Plastic footrest



Cod. **CPR413** PAIR
PU rear wheel Ø 60 cm
(only for CP100X)



Cod. **CPA242** PAIR
U rear wheel Ø 60 cm
(only for CP102-CP110-CP200-CP205)



Cod. **CPR414** SINGLE
PU rear wheel Ø 60 cm
(only for CP103R)



Cod. **CPR122** PAIR
Solid rear wheel Ø 60 cm
(only for CP300)



Cod. **CPR412** SINGLE
Rear wheel (only for CP500X)



Cod. **CPR621** PAIR
PU rear wheels
Ø 50 cm
(only for CP620)



Cod. **CPA240** PAIR
PU rear wheels Ø 30 cm
(only for CP115-CP205)



Cod. **CPR132** PAIR
PU rear wheel Ø 32 cm
(only for CP310)



Cod. **CPR412** PAIR
PU solid rear wheel
Ø 30cm
(only for CP500X)



Cod. **CPR131** PAIR
PU rear wheel Ø 30 cm
(only for CP520)



Cod. **CPR622** PAIR
PU solid rear wheel
Ø 30 cm (only for CP625)



Cod. **CPR150** PAIR
Anti-tipper wheels 4 cm
(only for CP200-CP205)



Cod. **CPR410** SINGLE
PVC front wheel
Ø 20 x 2,5 cm
(only for CP100X)



Cod. **CPR140** SINGLE
PVC front wheel
Ø 20 x 2,5 cm
(only for CP102-CP110-CP115)



Cod. **CPR411** SINGLE
PU front wheel
Ø 20 x 5 cm
(only for CP103R-CP500X)



Cod. **CPR143** SINGLE
PU front wheel Ø 20
x 3 cm
(only for CP200-CP205-CP520)



Cod. **CPR141** SINGLE
PU front wheel
Ø 20 x 5 cm
(only for CP300-CP305)



Cod. **CPR620** SINGLE
PU front wheel
Ø 18 x 3 cm
(only for CP620-CP625)

- EN** Folding wheelchair in painted steel
F Fauteuil roulant pliant en acier vernis
ES Silla de ruedas plegable en acero pintado
P Cadeira de rodas dobrável em aço pintado

Kiddy

Single cross frame - Children

Cod. **CP880-35**



Height adjustable handle
86÷99 cm



Supplied with



Elevating footrests

Optional accessories



Cod. **CPA600**
Adjustable IV Pole



Cod. **CPA605**
Chromed steel oxygen
bottle holder Ø Max
oxygen bottle 12 cm



Cod. **CPA606**
Polyester Oxygen bottle
holder - Ø oxygen bottle
Max 12 cm



Cod. **CPA507**
Table for wheelchair
58x38 cm



Cod. **CPA501**
Linear table
55x32 cm



Cod. **RP247**
Safety belt with
spring buckle

Spare parts



Cod. **CPR810**
Flip up armrest -PAIR



Cod. **CPR821**
PU rear wheel Ø 56
cm - SINGLE



Cod. **CPR820**
PVC front wheel Ø
15 cm - SINGLE



Cod. **CPR827**
Armrest padding only



Cod. **CPR815**
Lateral footrests



Cod. **CPR817**
Elevating footrests

Technical features

SPECIFICATIONS																
Front wheels	PVC, black, painted steel fork															
Rear wheels	Plastic radius, grey PU wheels															
Upholstery	Padded nylon- Fire reaction tested, according to EN1021-1/2															
WEIGHT AND DIMENSION																
Measures in cm																
CP880-35	94	74	36	86÷99	62	42	37÷42	35	37	56	31	14,5	56	15	-	100

- EN** Folding travel wheelchair in anodized aluminium
F Fauteuil roulant pliant de voyage en aluminium anodisé
ES Silla de transporte de viaje plegable en aluminio anodizado
P Cadeira de rodas de viagem dobrável em alumínio anodizado

Travel

Double cross frame

Cod. **CP850-37**



Front



Side



Folded

W:66 x D:29 x H:60cm



Optional accessories



Cod. **CBR850**
Bag for transport


Spare parts



Cod. **CBR294**
Back wheels Ø 20 cm
- SINGLE



Cod. **CBR301**
Front wheel Ø 13 cm
- SINGLE



Cod. **RP247**
Safety belt with
spring buckle

Technical features

SPECIFICATIONS																
Front wheels	Grey, solid with plastic fork															
Rear wheels	Plastic radius, grey solid wheels															
Upholstery	Padded nylon- Fire reaction tested, according to EN1021-1/2															
WEIGHT AND DIMENSION																
Measures in cm																
CP850-37	86	58	38	89	65	43	33	37	41	44	29	7	20	13	-	75

- EN** Folding wheelchair in painted steel
F Fauteuil roulant pliant en acier vernis
ES Silla de ruedas plegable en acero pintado
P Cadeira de rodas dobrável em aço pintado

Comfy-S

Single cross frame - Reclining backrest

Series **CP800**



Optional accessories



Cod. **CPA501**
Linear table
for wheelchair



Cod. **CPA506**
Table for wheelchair
58x38 cm



Cod. **CAR831**
Armrest desk type
- PAIR



Cod. **CAR171**
Elevating footrest
- PAIR



Cod. **CAR174**
PU rear wheel Ø 60
cm - PAIR



Cod. **CAR172**
PU front wheel Ø 20
cm - PAIR



Cod. **CAR173**
Anti-tipper wheel Ø
5 cm - PAIR

Spare parts

Technical features

SPECIFICATIONS																
Front wheels	Grey, PU, plastic fork															
Rear wheels	Aluminium radius, grey PU wheels															
Upholstery	Padded nylon															
WEIGHT AND DIMENSION																
Measures in cm																
CP800-40								40			62					
CP800-43	123	90	44	100÷126	75	50	50÷64	43	83	65	30	26	60	20	5	100
CP800-46								46			68					

- EN** Folding transit wheelchair - Painted steel
F Fauteuil roulant pliant de transit - Acier verni
ES Silla de ruedas plegable de tránsito - Acero pintado
P Cadeira de rodas dobrável de trânsito - Aço pintado

Comfy-go!

Single cross frame - Reclining backrest

Series **CP805**



Optional accessories



Cod. **CPA501**
Linear table
for wheelchair



Cod. **CPA506**
Table for wheelchair
58x38 cm



Cod. **CAR831**
Armrest desk type
- PAIR



Cod. **CAR171**
Elevating footrest
- PAIR



Cod. **CAR175**
PU rear wheel
(only CP805)



Cod. **CAR172**
PU front wheel Ø 20
cm - PAIR



Cod. **CAR173**
Anti-tipper wheel Ø
5 cm - PAIR

Spare parts

Technical features

SPECIFICATIONS																
Front wheels		Grey, PU, plastic fork														
Rear wheels		Plastic radius, grey PU wheels														
Upholstery		Padded nylon														
WEIGHT AND DIMENSION																
Measures in cm																 Max load weight
CP805-40								40			62					
CP805-43	123	90	44	100÷126	75	50	50÷64	43	83	65	30	25	30	20	5	100
CP805-46								46			68					

- EN** Folding wheelchair in painted aluminium
F Fauteuil roulant pliant en aluminium verni
ES Silla de transporte plegable en aluminio pintado
P Cadeira de rodas dobrável em alumínio pintado

Comfy

Double cross frame - Reclining Backrest

Series CP810

Headrest extension with adjustable pad, detachable

Nurse brake

Height adjustable flip-back armrests, PU padded



Adjustable wheel with mechanical brake

Anti-tipper wheel

Adjustable wheel

Reclining, extended backrest



Elevating, revolving, detachable footrests with length and inclination adjustable

Height adjustable PU legrest

Black plastic footrest, inclination adjustable

Optional accessories



Cod. **CPA506**
Table for wheelchair
58x38 cm

Spare parts



Cod. **CAR830**
Elevating Armrest
- PAIR



Cod. **CAR168**
Elevating footrest
- PAIR



Cod. **CAR217**
PU rear wheel - PAIR



Cod. **CAR226**
PU front wheel - PAIR



Cod. **CAR314**
Anti-tipper wheel - PAIR

Technical features

SPECIFICATIONS																
Front wheels		Grey, PU, aluminium fork														
Rear wheels		Aluminium radius, grey PU wheels														
Upholstery		Padded nylon														
WEIGHT AND DIMENSION																
Measures in cm																 Max load weight
CP810-40								40			62					
CP810-43	116	92	46	138	70	50	50÷64	43	89	65	33	20	60	20	5	100
CP810-46								46			68					

Accessories for Comfy-S, Comfy-S Go!, Comfy



Cod. **CPA100-40**,
CPA100-43, **CPA100-45**
Foam cushion h 5 cm



Cod. **CAR605**
Antitheft bar



KOALA Restraining
system line



Cod. **RP247**
Safety belt with spring
buckle



Cod. **RP245**
Safety belt
(**CP810 only**)



Cod. **RCA120**
IV pole (image for illustrative
purpose only)



Cod. **CPA506**
Table for wheelchair
58x38 cm



Cod. **CPA501**
Linear table
55x32 cm

Spare parts for Comfy-S, Comfy-S Go!



Cod. **CAR831**
Desk type armrest
- PAIR (for **CP800-**
CP805)



Cod. **CAR171**
Elevating footrest
- PAIR (for **CP800-**
CP805 only)



Cod. **CAR173**
Anti-tipper wheel Ø 5
cm - PAIR (for **CP800-**
CP805 only)



Cod. **CAR174**
PU rear wheel Ø 60
cm - PAIR (**only for**
CP800)



Cod. **CAR172**
PU front wheel Ø 20 cm
- PAIR
(**only for CP800**)



Cod. **CAR175**
PU rear wheel
- PAIR
(**only for CP805**)

Spare parts for Comfy



Cod. **CAR830**
Elevating armrest - PAIR



Cod. **CAR168**
Elevating footrest -
PAIR



Cod. **CAR217**
PU rear wheel - PAIR



Cod. **CAR226**
PU front wheel - PAIR



Cod. **CAR314**
Anti-tipper wheel - PAIR

- EN** Multifunction wheelchair - Painted steel
F Fauteuil roulant multifonction - Acier verni
ES Silla de rueda polifuncional - Acero pintado
P Cadeira de rodas multifuncional - Aço pintado

Relief
go!

Rear wheels Ø 30 cm

Series CP900



Optional accessories



Cod. **CAR525**
Wheelchair table



Cod. **CAR710**
3 section headrest



Cod. **RP245**
Safety belt

Spare parts

Cod. **CAR832** PAIR
Elevating armrest

Cod. **CAR219** PAIR
PU rear wheel

Cod. **CAR720** PAIR
Chest support

Cod. **CAR169** PAIR
Elevating footrest

Cod. **CAR226** PAIR
PU front wheel Ø 20 cm

Cod. **CAR718**
Legs divider

Cod. **CAR705** PAIR
Anatomic PU headrest

Cod. **CAR316** PAIR
Anti-tipper wheel

Cod. **CAR719** PAIR
Knee adductor protection

Technical features

SPECIFICATIONS																
Front wheels	Grey, PU, aluminium fork adjustable															
Rear wheels	Plastic radius, grey PU wheels															
Upholstery	Black washable nylon, removable															
Padding	Anatomic, in printed polyurethane															
Optional included	Adjustable divider - Knee protection - Chest support in height, width and angle adjustable - Anti-tipper wheels															
WEIGHT AND DIMENSION																
Measures in cm																
CP900-40	113	81	45	108	64÷77	57	40÷60	40	49	57	-	41	30	20	5	120
CP900-45								45		62		43				

- EN** Multifunction wheelchair - Painted steel
F Fauteuil roulant multifonction - Acier verni
ES Silla de rueda polifuncional - Acero pintado
P Cadeira de rodas multifuncional - Aço pintado

Relief

Rear wheels Ø 60 cm

Series CP910



Optional accessories



Cod. **CAR525**
Wheelchair table



Cod. **CAR710**
3 section headrest



Cod. **RP245**
Safety belt

Spare parts

Cod. **CAR832** PAIR
Elevating armrest

Cod. **CAR169** PAIR
Elevating footrest

Cod. **CAR705** PAIR
Anatomic PU headrest

Cod. **CAR218** PAIR
PU rear wheel Ø 60 cm

Cod. **CAR226** PAIR
PU front wheel Ø 20 cm

Cod. **CAR316** PAIR
Anti-tipper wheel

Cod. **CAR720** PAIR
Chest support

Cod. **CAR718**
Legs divider

Cod. **CAR719** PAIR
Knee adductor protection

Technical features

SPECIFICATIONS																
Front wheels	Grey, PU, aluminium fork adjustable															
Rear wheels	Aluminium radius, grey PU wheels															
Upholstery	Black washable nylon, removable															
Padding	Anatomic, in printed polyurethane															
Optional included	Adjustable divider - Knee protection - Chest support in height, width and angle adjustable - Anti-tipper wheels															
WEIGHT AND DIMENSION																
Measures in cm																
CP910-40	113	81	45	108	64÷77	57	40÷60	40	49	60	-	45	60	20	5	120
CP910-45								45		65		46				

Accessories for Relief, Relief Go!



Cod. **CAR710**
3 section headrest



Cod. **CAR525**
Wheelchair table



Cod. **RP245**
Safety wheel

Spare parts for Relief, Relief Go!



Cod. **CAR832**
Elevating armrests -
PAIR



Cod. **CAR169**
Elevating footrests -
PAIR



Cod. **CAR218**
PU rear wheel - PAIR
(CP910)



Cod. **CAR219**
PU rear wheel - PAIR
(CP900)



Cod. **CAR226**
PU front wheel - PAIR



Cod. **CAR316**
Anti-tipper wheel -
PAIR



Cod. **CAR705**
Anatomic PU headrest



Cod. **CAR718**
Legs divider



Cod. **CAR719**
Knee adductor protection - PAIR



Cod. **CAR720**
Chest support - PAIR