





Beds and accesorries

Products for hospital stay **EN**
Produits pour le séjour à l'hôpital **F**
Productos para la hospitalización **ES**
Produtos para internação hospitalar **P**



MOPEDIA®

- EN Electric hospital bed with 3 junctures
 F Lit d'hôpital électrique avec 3 jointures
 ES Cama de hospital eléctrica a 3 articulaciones
 P Cama hospitalar elétrica a 3 articulações

Adjustable height

Cod. **MP370**

Steel bed frame

Geranio *Serie*



Bed functions




Adjustable height

Cod. **MP380**

Steel bed frame

Gerbera *Serie*



max. 116,5 cm
min. 22,5 cm



Steel tubular frame, powder coated. 4 swivel casters 125mm Ø with brakes. Bedheads in wood, aluminium bedrails, wooden effect. Patient lift and IV pole supports. Compliant to UNI CEI EN 60601-2-52 for medical beds.

Optional accessories



Cod. **MPA305**
ABS molded table
Maximum weight
10 kg



Cod. **MPA307**
Bedside rails
extension



Cod. **MPA301**
Patient lift pole with
plastic handle
maximum weight
75 kg



Cod. **MPA303**
Steel IV pole
Maximum
weight 5 kg.
each hook

Spare parts

Cod. **MPR406**
Motor foot side

Cod. **MPR407**
Motor head side

Cod. **MPR408**
Elevation motor for
MP380

Cod. **MPR412**
Control box

Cod. **MPR415**
Remote control for
MP370

Cod. **MPR425**
Bank support

Cod. **MPR416**
Remote control for
MP380

Cod. **MPR421**
Caster with leg MP370

Cod. **MPR433**
Single bedrail for
MP370-MP380

Cod. **MPR422**
Caster with brake
MP380

Cod. **MPR437**
Caster with brake
MP370

Cod. **MPR432**
Plastic end for banks

Technical features

SERIES	GERANIO	GERBERA
Product code	MP370	MP380
WEIGHT AND DIMENSION		
W: D:	H:	Max patient weight Safe workload
Bed	208 cm 102 cm	94 cm (MP370) - 116,5 cm (MP380) (to headrest-footrest)
Bed frame	187 cm 80 cm	42,5 cm (MP370) - 33,5+65,5 cm (MP380) (from bed frame to ground)
		135 Kg 170 Kg 77 Kg (MP370) 99 Kg (MP380)


- EN Electric hospital bed with 3 junctures
 F Lit d'hôpital électrique avec 3 jointures
 ES Cama de hospital eléctrica a 3 articulaciones
 P Cama hospitalar elétrica a 3 articulações

Serie
Gardenia 2.0


Elevation with Trendelemburg

Cod. **MP393**

Steel slatted
 base



Bed functions



Cod. **MP394**

Steel slatted
 base



Steel tubular frame, powder coated. 4 swivel casters 125mm Ø with brakes. Head and footboard in wood, aluminium bedrails, wooden effect. Patient lift and IV pole supports. Compliant to UNI CEI EN 60601-2-52 for medical beds.

Optional accessories



Cod. **MPA305**
 ABS molded table
Maximum weight
10 kg



Cod. **MPA307**
 Bedside rails
 extension



Cod. **MPA301**
 Patient lift pole with
 plastic handle
maximum weight
75 kg



Cod. **MPA303**
 Steel IV pole
Maximum
weight 5 kg,
each hook

Spare parts

Cod. **MPR448**
 Keypad with automatic
 lock MP393/394

Cod. **MPR433**
 Single side

Cod. **MPR449**
 Dual motor for
 MP393/MP394

Cod. **MPR432**
 Plastic end for banks

Cod. **MPR437**
 Wheel with brake

Cod. **MPR425**
 Bank support

Cod. **MPR451**
 Keypad with manual lock


Technical features

GARDENIA					
Product code		MP393		MP394	
WEIGHT AND DIMENSION					
	 W:	 D:	 H:	 <i>Max patient weight</i>	 <i>Safe workload</i>
Bed	216 cm	102 cm	127 cm (to headrest-footrest)	135 Kg	170 Kg
Bed frame	187 cm	80 cm	40±81 cm (from bed frame to ground)	-	-
					 94 Kg


- EN Manual hospital bed 90 cm
- F Lit d'hôpital manuel 90 cm
- ES Cama de hospital manual 90 cm
- P Cama hospitalar manual 90 cm

1 crank - 1 juncture

Cod. **MP090**



max 80°
backrest




Bed sections dimension


Ibisco₁

Cod. **MP092**

Demountable



max 80°
backrest



Bed sections dimension

Ibisco_{1s}

Steel powder coated tubular frame 40x20mm. Electro-welded steel wired bed frame, suitable for every kind of mattress. Powder coated steel bedhead and footboard. Sturdy MDF 11 mm boards. According to UNI CEI EN 60601-2-52 for medical beds.

Technical features


IBISCO				
Product code		MP090	MP092	
WEIGHT AND DIMENSION				
	Bed	Bed frame	Bed	Bed frame
 W:	204 cm	198 cm	204 cm	198 cm
 D:	90 cm	89 cm	90 cm	89 cm
 H:	93 cm (from headside)	46 cm (bed frame to ground)	93 cm (from headside)	46 cm (bed frame to ground)
 Max patient weight	135 Kg	-	135 Kg	-
 Safe workload	170 Kg	-	170 Kg	-
 Kg	37 Kg	-	37 Kg	-
	W: 203 x D: 94 x H: 9 cm	-	W: 108 x D: 97 x H: 15,5 cm	-

- EN Manual hospital bed 90 cm
 F Lit d'hôpital manuel 90 cm
 ES Cama de hospital manual 90 cm
 P Cama hospitalar manual 90 cm

2 cranks - 3 junctures

Cod. **MP091**

Bed function



max 80°
backrest



max 40°
legrest



Ibisco₂




Bed sections dimension

Cod. **MP093**

Demountable

Bed function



max 80°
backrest



max 40°
legrest



Ibisco_{2s}



Bed sections dimension

Steel powder coated tubular frame 40x20mm. Electro-welded steel wired bed frame, suitable for every kind of mattress. Powder coated steel bedhead and footboard. Sturdy MDF 11 mm boards. According to UNI CEI EN 60601-2-52 for medical beds.

Technical features

IBISCO				
Product code		MP091	MP093	
WEIGHT AND DIMENSION				
	Bed	Bed frame	Bed	Bed frame
 W:	204 cm	198 cm	204 cm	198 cm
 D:	90 cm	89 cm	90 cm	89 cm
 H:	93 cm (from headside)	46 cm (bed frame to ground)	93 cm (from headside)	46 cm (bed frame to ground)
 Max patient weight	135 Kg	-	135 Kg	-
 Safe workload				
 Kg	37 Kg	-	37 Kg	-
	W: 203 x D: 94 x H: 9 cm	-	W: 108 x D: 97 x H: 15,5 cm	-

EN	Hospital beds 90 cm
F	Lits d'hôpital 90 cm
ES	Camas de hospital 90 cm
P	Camas de hospital 90 cm

2 cranks - 3 junctures - Height adjustable


Cod. **MP091R**

With wheels

ibisco_{2r}



Bed function



max 80°
backrest




max 40°
legrest

Cod. **MP095**

Height adjustable

ibisco_{2e}



Bed sections dimension

Structure in 4x2 cm tubular steel, powder coated with electro-welded steel mesh bottom, suitable for housing any type of mattress. Headboard and footboard in powder coated steel, easy to assemble thanks to the bayonet fittings. Very sturdy panels in 11 mm melamine-faced MDF. Complies with the UNI CEI EN 60601-2-52 standard for medical beds.

Technical features


IBISCO SERIES				
Product codes		MP091R		MP095
WEIGHT AND DIMENSIONS				
	Bed	Bed frame	Bed	Bed frame
 W:	204 cm	198 cm	204 cm	198 cm
 D:	90 cm	89 cm	90 cm	89 cm
 H:	93 cm (up to headboard)	46 cm (bed frame to ground)	93 cm (up to headboard)	4 positions adjustable Max 52 cm - Min. 32 cm (bed frame to ground)
 Max patient weight	135 Kg	-	135 Kg	-
 Safe workload	170 Kg	-	170 Kg	-
	37 Kg	-	39 Kg	-
	W: 203 x D: 94 x H: 9 cm	-	W: 208 x D: 94 x H: 9 cm	-

- EN Hospital beds 90 cm
- F Lits d'hôpital 90 cm
- ES Camas de hospital 90 cm
- P Camas de hospital 90 cm

Electric - 3 junctures

Cod. **MP097**

Ibisco₃



Structure in 4x2 cm tubular steel, powder coated with electro-welded steel mesh bottom, suitable for housing any type of mattress. Headboard and footboard in powder coated steel, easy to assemble thanks to the bayonet fittings. Very sturdy panels in 11 mm melamine-faced MDF. Complies with the UNI CEI EN 60601-2-52 standard for medical beds.

Technical features


WEIGHT AND DIMENSIONS		
	Bed	Bed frame
W:	204 cm	198 cm
D:	90 cm	89 cm
H:	93 cm (up to headboard)	46 cm (bed frame to ground)
Max patient weight	135 Kg	-
Safe workload	170 Kg	-
Kg	39 Kg	-
W: 203 x D: 94 x H: 9 cm		-



Cod. **MP180** Anodized aluminium reversible bedside rails
Bedrail length **170 cm**, total length **195 cm**, maximum extension length **222 cm**,
hooking maximum length **210 cm**, Ø **2,5 cm**, bedside rail height **43cm**



Cod. **MP181** White painted steel reversible bedside rails
Bedrail length **170 cm**, total length **195 cm**, maximum extension length **222 cm**,
hooking maximum length **210 cm**, Ø **2,5 cm**, bedside rail height **43cm**




Cod. **MI095**
Bed patient lift in reinforced painted
steel tube Ø 3 cm external - maximum
loading weight 75 kg

Cod. **MI096**
IV pole
(not illustrated)



Cod. **MI097**
Stand model patient lift built in reinfor-
ced painted tube Ø 3 cm external - maxi-
mum loading weight 75 kg

Spare parts



Cod. **MI055**
Only handle with belt

- EN Bedrails
- F Côtés de lit
- ES Barandillas
- P Grades laterais

Universal - Telescopic - Reversible - Painted aluminium

Cod. **MP167**

Partial bedside rail - Single



Cod. **MP168**

Partial bedside rail large- Single



Technical features

DIMENSION			
 W:	 H:	 W:	 H:
66÷71 cm	H: 50 cm (from bed frame)	67÷105 cm (3 steps)	H: 50 cm (from bed frame)

Universal - With stand - Painted aluminium

Cod. **MP165**

Partial bedside rail - Single




Technical features

DIMENSION			
 W:	 D:	 H:	
45 cm	P: 64 cm	H: 81÷107 cm	
		H: 34÷52 cm (Legs from bed frame)	
		H: 47÷52 cm (Rail from bed frame)	

Telescopic universal (for domestic beds)


Cod. **MP170**

Chromed steel



Cod. **MP171**

Painted steel



Technical features


DIMENSION			
 W:	 D:	 H:	
95-170 cm (internal)	107-182 cm (internal) - 109-184 cm (external)	26-48 cm (internal) - 27-49 cm (external)	

- EN Polyurethane bedside rails protection
- F Polyurethane protection pour côtés de lit
- ES Protección para barandas laterales en poliuretano
- P Proteção para grades laterais em poliuretano

Belt fastening

Cod. **MP310**

Single




Technical features

DIMENSION		
 W:	 D:	 H:
134 cm	3 cm	33 cm

Foldable - Velcro fastening

Cod. **MP315**

Single



Technical features

DIMENSION		
 W:	 D:	 H:
127 cm	2,5 cm	66 cm

- EN Backrests in painted steel
- F Appuie dos en acier verni
- ES Respaldos en acero pintado
- P Respaldos de aço pintado

6 position adjustable

Cod. **RS450**

Grey



Technical features

DIMENSION	
 W:	63 cm
 H:	44 cm

Cod. **RS455**

White



Technical features

DIMENSION	
 W:	63 cm
 H:	55 cm

- EN Bed cradle, anodized aluminium
- F Arceau de lit en aluminium anodisé
- ES Arco de cama en aluminio anodizado
- P Arco de cama em alumínio anodizado

Demountable

Cod. **RS445A**



Technical features

DIMENSION	
 W:	50 cm
 D:	52 cm
 H:	40 cm

- EN Over bed tables with foldable legs
 F Tables de lit avec pieds pliants
 ES Mesitas auxiliares de cama con piernas plegables
 P Bandejas de cama com pes dobraveis

Scratchproof table and containing border

Cod. **RS988N**

Natural colour



Cod. **RS988M**

Brown



Cod. **RS990N**

Natural colour



Cod. **RS990M**

Brown



Technical features

Product code	RS988N	RS988M	RS990N	RS990M
DIMENSION				
 W:	 D:		 H:	
60,5 cm	39 cm		24 cm	


- EN Over bed tables with castors - Painted steel
 F Tables de lit avec roues - Acier verni
 ES Mesitas auxiliares de cama con ruedas - Acero pintado
 P Bandejas de cama com rodas - Aço pintado

Scratchproof table and containing border

Cod. **RS890N**

Natural colour

With spring for automatic lift



Cod. **RS890M**

Brown



H 9 cm

Technical features

DIMENSION					
W:	D:	H:	Kg max	Ø wheel	Kg
Small tray 20,5 cm	38,5 cm	74-119 cm	about 20 kg	5 cm	about 11 kg
Big tray 56 cm					

Cod. **RS891N**

Natural colour

With spring for automatic lift



Cod. **RS891M**

Brown



H 9 cm

Technical features

DIMENSION					
W:	D:	H:	Kg max	Ø wheel	Kg
80 cm	38,5 cm	78-110 cm	about 20 kg	5 cm	about 11 kg

Spare parts for over bed tables with castors



Cod. **RSR860M**
Big tray for RS890M



Cod. **RSR860N**
Big tray for RS890N



Cod. **RSR862M**
Big tray for RS890M



Cod. **RSR862N**
Big tray for RS890N



Cod. **RSR865S**
Castors kit for RS890 and RS891



Cod. **RSR865F**
Wheel kit with brake for RS890 and RS891



Relax.

Multifunction elevating armchairs
Fauteuils releveurs multifonctionnels
Sillones elevables multifunciones
Poltronas elevatórias multifunções

EN

F

ES

P



An ideal rest can be achieved with the new
collection of multifunction elevating armchairs*

* Discover it out on our digital catalogue



MOPEDIA®

EN Elevating armchair
F Fauteuil releveur
ES Sillón elevable
P Poltrona elevatória

NINFEA

Relaxing armchair with 2-motor mechanism

Series PO400

Without roller

Cod. PO400G-XL

Without roller
XL version available



Kit cover included



Series PO401
With roller

Spare parts

Cod. **POR116**
PVC foot - SINGLE
PO400 - PO400G-XL -
PO401

Cod. **POA300**
Roller System
PO401

Optional accessories

Cod. **POA305**
Battery
PO400 - PO400G-XL -
PO401

Cod. **POA300**
Roller System
PO400



Powder coated steel and wooden frame; Non-deformable polyurethane foam padding at different densities (backrest 18-22 Kg/m³, footrest 18 Kg/m³, seat 35 Kg/m³, armrests 40 Kg/m³); Franciacorta fabric - 100% Polyester; 4 PVC feet.

Technical features

NINFEA												
Product code	PO400R PO401R		PO400B PO401B		PO400S PO401S		PO400G-XL PO401G		PO401T		PO401M	
Colours												
	Coral (09)		Blue (16)		Cream/sand (20)		Grey (205)		Dove grey (619)		Terracotta (101)	
WEIGHT AND DIMENSION												
Product code												
PO400x	52 cm	48 cm	50 cm	77 cm	87 cm	61 cm	107 cm	160 cm	150 cm	-	52 kg	130 kg
PO400G-XL	64 cm	48 cm	50 cm	88 cm	87 cm	61 cm	107 cm	160 cm	150 cm	-	55 kg	160 kg
PO401x	52 cm	48 cm	50 cm	77 cm	85 cm	61 cm	107 cm	160 cm	150 cm	-	52 kg	130 kg



Functions



TV POSITION



Perfect position for comfortable TV watching



TOTAL RELAX



Maximum extension position for backrest and footrest



LIFT POSITION - STANDING



It helps those with mobility difficulties to stand up

EN Elevating armchair
F Fauteuil releveur
ES Sillón elevable
P Poltrona elevatória

 CHLOE

Relaxing armchair with 2-motor mechanism

Series **PO403**



Hypoallergenic silicone flake padding with differentiated densities in the lumbar area and headrest, guaranteeing exceptional comfort



Chloe is delivered with disassembled backrest, as per image; assembly is extremely simple, thanks to the bayonet fitting backrest



Spare parts

Cod. **POR130**
PVC foot - SINGLE
Cod. **POR143**
Castor - SINGLE

Cod. **POR133**
Remote control with cable

Cod. **POR136**
Adapter

Optional accessories

Cod. **POA403x**
Cover

Powder coated steel and wooden frame; Water-repellent and stain-proof fabric; Nondeformable polyurethane foam padding with differentiated density. (back 18-22 Kg/m³, footboard 18 Kg/m³, seat 35 Kg/m³, armrests 40 Kg/m³); Courtesy wheels in the rear, PVC feet in the front.

Technical features

CHLOE												
Product code		PO403G						PO403R				
Colours		 Pearl grey (19)						 Antique pink (648)				
WEIGHT AND DIMENSION												
Product code												
PO403x	50 cm	45 cm	48 cm	70 cm	90 cm	61 cm	110 cm	162 cm	140 cm	7	45 kg	130 kg



Functions



TV POSITION



Perfect position for comfortable TV watching



TOTAL RELAX



Maximum extension position for backrest and footrest



LIFT POSITION STANDING



It helps those with mobility difficulties to stand up



VERTICAL LIFT



It raises vertically approx. 7cm

EN Elevating armchair
F Fauteuil releveur
ES Sillón elevable
P Poltrona elevatória



Relaxing armchair with 2-motor mechanism

Series **PO405**

With roller



Kit cover included



Spare parts



Cod. **PO405x**
Cover



Cod. **POR116**
PVC foot -
SINGLE




Cod. **POA300**
Roller System

Optional accessories



Cod. **POA305**
Battery

Roller System
included



Powder coated steel and wooden frame; water-repellent and stain-proof fabric; armchair and arm rest cover included; nondeformable polyurethane foam padding with differentiated densities. (back 18-22 Kg/m³, footboard 18 Kg/m³, seat 35 Kg/m³, armrests 40 Kg/m³); Roller system 4 wheels, Ø 50mm; 4 PVC feet.

Technical features

NINFEA												
Product code	PO405G			PO405S			PO405R			PO405T		
Colours												
	Grey (19)			Cream/sand (20)			Antique pink (648)			Dove grey (622)		
WEIGHT AND DIMENSION												
Product code												
PO405x	52 cm	48 cm	48 cm	77 cm	85 cm	61 cm	115 cm	160 cm	150 cm	-	55 kg	130 kg



Functions



TV POSITION



Perfect position for comfortable TV watching



TOTAL RELAX



Maximum extension position for backrest and footrest



LIFT POSITION - STANDING



It helps those with mobility difficulties to stand up

EN Elevating armchair
F Fauteuil releveur
ES Sillón elevable
P Poltrona elevatória

AGAVE

Relaxing armchair with 2-motor mechanism

Series **PO410**

With roller



Kit cover optional
(POA407x)



Spare parts



Cod. **POR131**
PVC foot -
SINGLE



Cod. **POA300**
Roller System

Optional accessories



Cod. **POA407x**
Cover



Cod. **POA305**
Battery

Roller System
included



Powder coated steel and wooden frame; water-repellent and stain-proof fabric; non-deformable polyurethane foam padding at different densities (backrest 18-22 Kg/m³, footrest 18 Kg/m³, seat 35 Kg/m³, armrests 35 Kg/m³); Roller system 4 wheels. Ø 50 mm.

Technical features

NINFEA												
Product code	PO410B					PO410R				PO410S		
Colours	 Blue (28)					 Red (14)				 Cream/sand (3)		
WEIGHT AND DIMENSION												
Product code												
PO410x	52 cm	48 cm	49 cm	66 cm	90 cm	61 cm	105 cm	160 cm	150 cm	-	55 kg	130 kg



Functions



TV POSITION



Perfect position for comfortable TV watching



TOTAL RELAX



Maximum extension position for backrest and footrest



LIFT POSITION - STANDING



It helps those with mobility difficulties to stand up

EN Elevating armchair
F Fauteuil releveur
ES Sillón elevable
P Poltrona elevatória

MYRTHO

Relaxing armchair with 2-motor mechanism

Series **PO420**



Hypoallergenic silicone fabric padding with differentiated density in the lumbar area and headrest, guaranteeing exceptional comfort.

Standard accessories



Myrtho is equipped with four swivel castors. The 2 rear ones are equipped with brake.



Metal push handle for easy movements.



Spare parts

Cod. **POR144S**
Castor 7.5 cm without brake
Cod. **POR144F**
Castor 7.5 cm with brake

Optional accessories

Cod. **POA305**
Battery

Cod. **POA306**
Table

Cod. **POA408x**
Cover

Powder coated steel and wooden frame; water-repellent and stain-proof fabric; nondeformable polyurethane foam padding with differentiated density. (back 18-22 Kg/m³, footboard 18 Kg/m³, seat 35 Kg/m³, armrests 40 Kg/m³); (head rest area, softer - trunk and lumbar area, stiffer); Polyurethane foam seat covered with 2 cm of viscoelastic. Four wheels, Ø 75 mm, of which two with brake; Push bar.

Technical features

NINFEA												
Product code	PO420R			PO420G			PO420S			PO420B		
Colours												
	Red (14)			Grey (23)			Sand (3)			Blue (28)		
WEIGHT AND DIMENSION												
Product code												
PO420x	52 cm	48 cm	41 cm	71 cm	90 cm	61 cm	112 cm	162 cm	153 cm	10 cm	58 kg	130 kg

Functions



TV POSITION



Perfect position for comfortable TV watching



TOTAL RELAX



Maximum extension position for backrest and footrest



LIFT POSITION STANDING



It helps those with mobility difficulties to stand up



REMOVABLE ARMRESTS AND EARS



To ease patient transfer.



Optional accessories



Armchair cover kit consisting of backrest-seat covers and armrest covers, available as an (POA408x)



Thanks to the removable armrests, the armchair can be used as a normal seat for a dining table, or accessorised with a removable table (POA306)



EN Elevating armchair
F Fauteuil releveur
ES Sillón elevable
P Poltrona elevatória

class
MYRTHO

Relaxing armchair with 2-motor mechanism - Bed function

Series **PO425**



Hypoallergenic silicone fabric padding with differentiated density in the lumbar area and headrest, guaranteeing exceptional comfort.

Standard accessories



Myrtho is equipped with four swivel castors. The 2 rear ones are equipped with brake.



Metal push handle for easy movements.



Spare parts

Cod. **POR144S**
Castor 7.5 cm without brake
Cod. **POR144F**
Castor 7.5 cm with brake

Optional accessories

Cod. **POA305**
Battery

Cod. **POA306**
Table

Cod. **POA408x**
Cover

Powder coated steel and wooden frame; water-repellent and stain-proof fabric; nondeformable polyurethane foam padding with differentiated density. (back 18-22 Kg/m³, footboard 18 Kg/m³, seat 35 Kg/m³, armrests 40 Kg/m³); Seat polyurethane foam covered with 2 cm of viscoelastic; Four wheels, Ø 75 mm, of which two with brake; Push bar.

Technical features

NINFEA												
Product code	PO425R			PO425G			PO425S			PO425B		
Colours												
	Red (14)			Grey (23)			Sand (3)			Blue (28)		
WEIGHT AND DIMENSION												
Product code												
PO425x	52 cm	48 cm	41 cm	71 cm	90 cm	61 cm	112 cm	175 cm	150 cm	10 cm	58 kg	130 kg

Functions



TV POSITION



Perfect position for comfortable TV watching



TOTAL RELAX



Maximum extension position for backrest and footrest



LIFT POSITION STANDING



It helps those with mobility difficulties to stand up



VERTICAL LIFT



it raises the armchair vertically approx. 10 cm to facilitate getting on/off the armchair.



REMOVABLE ARMRESTS AND EARS



To ease patient transfer.



BED FUNCTION



Maximum armchair extension up to 180°, offering the comfort of a traditional bed

Optional accessories



Armchair cover kit consisting of backrest-seat covers and armrest covers, available as an (POA408x)



Thanks to the removable armrests, the armchair can be used as a normal seat for a dining table, or accessorised with a removable table (POA306)



EN Elevating armchair
F Fauteuil releveur
ES Sillón elevable
P Poltrona elevatória

CLYZIA

Relaxing armchair with 2-motor mechanism - Zero Gravity

Series PO430

With roller



Hypoallergenic silicone fabric padding with differentiated density in the lumbar area and headrest, guaranteeing exceptional comfort.

Standard accessories



Extension more than the standard footboard, increasing the area of support and ensuring adequate support also for the heels for total comfort. Included.



"Roller System" with 4 wheels, the two rear ones with brakes, operated by lever. Included.



Spare parts

Cod. **POR130**
PVC foot - SINGLE



Cod. **POR140**
Rear castor - SINGLE

Cod. **POR141**
Front castor for cardio mechanism - SINGLE



Cod. **POR142**
Castor for roller system - SINGLE

Cod. **POR134**
Remote control with cable

Cod. **POR137**
Adapter

Optional accessories



Cod. **POA308**
Battery



Cod. **POA306**
Table



Cod. **POA409x**
Cover

Powder coated steel and wooden frame; water-repellent and stain-proof fabric; nondeformable polyurethane foam padding with differentiated density. (back 18-22 Kg/m³, footboard 18 Kg/m³, seat 35 Kg/m³, armrests 40 Kg/m³); Double footboard that allows an extension of 11 cm Roller system four wheel, Ø 50 mm.

Technical features

NINFEA												
Product code	PO430G				PO430R				PO430T			
Colours												
	Grey (19)				Antique pink (648)				Dove grey (622)			
WEIGHT AND DIMENSION												
Product code												
PO430x	52 cm	48 cm	44 cm	72 cm	90 cm	63 cm	115 cm	180 cm	150 cm	12 cm	58 kg	130 kg

Functions



TV POSITION



Perfect position for comfortable TV watching



TOTAL RELAX



Maximum extension position for backrest and footrest



LIFT POSITION STANDING



It helps those with mobility difficulties to stand up



BED FUNCTION



Maximum armchair extension up to 180°, offering the comfort of a traditional bed



VERTICAL LIFT



it raises the armchair vertically approx. 12 cm to facilitate getting on/off the armchair.



Optional accessories



ZERO GRAVITY



Zero Gravity allows to raise the front part of the chair, bringing the legs into a higher position than the heart, thus improving blood and lymphatic circulation

Armchair cover kit consisting of backrest-seat covers and armrest covers, available as an (POA409x)



Thanks to the removable armrests, the armchair can be used as a normal seat for a dining table, or accessorised with a removable table (POA306)



REMOVABLE ARMRESTS



To ease patient transfer.



Handling and transfer

Handling and transfer patient aids **EN**
Aides pour la mobilisation et la gestion du patient **F**
Ayudas para la movilidad y el manejo del paciente **ES**
Ajudas de transferência e gerenciamento de paciente **P**



MOPEDIA®

EN Painted steel electric lifter
 F Lève-personne électrique en acier peint
 ES Grúa eléctrica de traslado de acero pintado
 P Elevador elétrico de pessoa de aço pintado



Electric

Cod. **RI900**



Motorization

TiMOTION

Emergency stop button

Removable arms

Supplied with removable padded backrest

Control box with rechargeable and removable battery, with indication of the charge level

Remote control for elevation and legs opening




Max loading weight
180 Kg


5 castors, 2 of which rear with brake



Cod. **RIA201**
Standard adjustable sling/seat supplied



Electric legs opening
from 50 to 75 cm (internal size)
and electric lifting from 84 to 119 cm



Cod. **RI905**
2 channel remote control

Technical features

DIMENSIONS AND WEIGHT

		A	B	C	D	E	F
		100 cm	12 cm	95÷125 cm	84÷119 cm	int. 50÷75 cm	ext. 58÷83 cm
		G	H	I	L	Kg	
		82,5 cm	95 cm	52 cm	30 cm	57 Kg	180 kg

- EN** Painted steel electric lifter
- F** Lève-personne électrique en acier peint
- ES** Grúa eléctrica de traslado de acero pintado
- P** Elevador elétrico de pessoa de aço pintado



Electric

Cod. **R1905**

Motorization

T:MOTION

Emergency stop button

Removable arms

Supplied with removable padded backrest

Control box with rechargeable and removable battery, with indication of the charge level

Remote control for elevation and legs opening

Max loading weight **135 Kg**

Removable legs

4 castors, 2 of which rear with brake

Cod. **RIA201**

Standard adjustable sling/seat supplied


Cod. **RIR801**

1 channel remote control

Compass manual legs opening with lever from 46 to 114 cm (internal size) and electric lifting from 84 to 119 cm

Technical features

DIMENSIONS AND WEIGHT



A	B	C	D	E
100 cm	12 cm	84÷119 cm	52 cm	int. 46÷114 cm
F	G	H		
ext. 54÷120 cm	93 cm	35 cm	39 Kg	135 Kg

- EN Optional accessories for electric lifter
 F Accessoires optionnels pour lève-personne électrique
 ES Accesorios opcionales para grúa eléctrica
 P Acessórios opcionais para elevador elétrico



Lifting arm

Cod. **RIA910**




Lifting arm can be installed on the central bearing column, by easily removing the two horizontal arms. It allows the device to be used as a patient lift using the slings of MUEVO patient lifts range.

* See all standard slings on the dedicated page

Technical features

DIMENSIONS



A 125÷155 cm

B 147÷177 cm

- EN Slings for electric lifter
 F Sangles pour lève-personne électrique
 ES Arnases para grúa eléctrica
 P Cestas para elevador elétrico

Cod. **RIA201**

Standard*




Technical features

SPECIFICATIONS

Material

100% Polyester fabric, ribbon and thread

DIMENSIONS



A 56 cm B 48 cm C 45 cm

Cod. **RIA211**

Toilette*




Technical features

SPECIFICATIONS

Material

100% Polyester fabric, ribbon and thread

DIMENSIONS



A 56 cm B 48 cm C 45 cm D 32 cm E 21 cm

* For greater comfort, it is possible to combine the RP200, RP210, RP215 restraint systems of KOALA collection line. Look at the reference page

Cod. **RIA220**

Holder/mobility




Technical features

SPECIFICATIONS

Material

100% Polyester fabric, ribbon and thread

DIMENSIONS



A 65 cm B 22 cm C 45 cm

EN Stand up lifts
F Verticalisateurs
ES Verticalizadores
P Levantadores



Electric - standard footprint model

Cod. **RI840**

Legs opening by pedal

Cod. **RI841**

Legs opening by lever



Cod. **RI801**

Remote control



Cod. **RP893**

Dorsal sling

Accessorio Optional*



Cod. **RP893XL**

Dorsal sling - Size XL



Cod. **RP896**

Pelvic sling

Technical features



* See all the accessories on the dedicated page

WEIGHT AND DIMENSION

		A	B	C	D	E	F	G
		80 cm	73 cm	107 cm	180 cm	101 cm	68 cm	45 cm
		H	I	L	M	N	Max loading weight	
		55 cm	84 cm	94 cm	8 cm	13 cm	200 Kg	

EN Stand up lift slings
F Sangles pour verticalisateur
ES Arnéses para verticalizador
P Cestas para levantador



Muevo UP

Dorsal

Cod. **RP893**




Technical features

SPECIFICATIONS

Material Fabric, 100% polyester

WEIGHT AND DIMENSION



Product code **RP893**

A	B	C	D	E
83 cm	51 cm	20,5 cm	39 cm	29 cm
F	G	H	I	L
19 cm	60 cm	41 cm	10 cm	48 cm
M	N	O		
32 cm	4 cm	67 cm		

Product code **RP893XL**

A	B	C	D	E
92 cm	56 cm	29 cm	39 cm	29 cm
F	G	H	I	L
19 cm	54 cm	41 cm	10 cm	58 cm
M	N	O		
37 cm	4 cm	78 cm		

Pelvic

Cod. **RP896**




Technical features

SPECIFICATIONS

Material Fabric, 100% polyester

WEIGHT AND DIMENSION



A	B	C	D	E	F
83 cm	51 cm	20,5 cm	39 cm	29 cm	19 cm
G	H	I	L	M	N
54 cm	41 cm	10 cm	48 cm	32 cm	4 cm
O	P	Q	R		
67 cm	45 cm	10 cm	50 cm		

Spare parts for electric lifter



Cod. **RIR901**
65 mm rear wheel with
brake



Cod. **RIR902**
65 mm central wheel
without brake (RI900)



Cod. **RIR903**
75 mm front wheel
without brake



Cod. **RIR905**
2-channels remote control
(RI900)



Cod. **RIR801**
Remote control (RI905)



Cod. **RIR906**
Y cable for leg movement
actuators (RI900)



Cod. **RIR907**
Electric lifting
actuator



Cod. **RIR908**
Electric actuator for legs
movement (RI900)



Cod. **RIR909**
2-channels control box



Cod. **RIR802**
1-channel control box
(RI905)



Cod. **RIR104**
Standard charger



Cod. **RIR108**
Standard battery

Spare parts for stand up lift



Cod. **RIR120**
Castor without brake



Cod. **RIR121**
Castor with brake



Cod. **RIR801**
Remote control



Cod. **RIR104**
Standard battery charger



Cod. **RIR200**
Actuator



Cod. **RIR108**
Battery



Cod. **RIR803**
Control box

Optional accessories for stand up lifts



Cod. **RIR110**
Battery with increased
autonomy
only for RI840 and RI841



Cod. **RIR115**
Wall/table battery charger
(without battery) - use
together with RIR104

EN Patient lifts - Painted steel
F Lève-personnes - Acier verni
ES Grúas - Acero pintado
P Gruas de elevação - Aço pintado



Hydraulic - small footprint model

Cod. **R1821**

Legs opening by pedal

Cod. **R1823**

Legs opening by lever



Cod. **RPR110**



Cod. **RP881**
Equipped with polyester
sling with headrest

* See all the accessories
on the dedicated page



ONLY ONE OPERATOR
NEEDED ASSEMBLY

Technical features

DIMENSIONS AND WEIGHT

		A	B	C	D	E	F	G
		66 cm	58 cm	97 cm	82 cm	179 cm	116,5 cm	83 cm
		H	I	L	M	O	P	 Max loading weight
		44,5 cm	54,5 cm	93,5 cm	103 cm	8 cm	13 cm	

Tested according to
**UNI EN ISO
10535**



EN Patient lifts - Painted steel
 F Lève-personnes - Acier verni
 ES Grúas - Acero pintado
 P Gruas de elevação - Aço pintado



Electric - small footprint model

Cod. **R1822**

Legs opening by pedal

Cod. **R1824**

Legs opening by lever



Cod. **R1801**

Remote control



Cod. **RP881**

Equipped with polyester sling with headrest

* See all the accessories on the dedicated page



ONLY ONE OPERATOR
NEEDED ASSEMBLY

Tested according to
UNI EN ISO
10535



Technical features

DIMENSIONS AND WEIGHT

	A	B	C	D	E	F	G
	66 cm	58 cm	97 cm	82 cm	179 cm	116,5 cm	83 cm
	H	I	L	M	O	P	 Max loading weight
	44,5 cm	54,5 cm	107 cm	116 cm	8 cm	13 cm	150 Kg

EN Patient lift - painted steel
 F Lève-personnes - Acier verni
 ES Grúas - Acero pintado
 P Gruas de elevação - Aço pintado



Hydraulic - standard footprint model

Cod. **RI825**

Legs opening by pedal

Cod. **RI827**

Legs opening by lever



Cod. **RPR110**



Cod. **RP881**
 Equipped with polyester sling
 with headrest

* See all the accessories
 on the dedicated page



ONLY ONE OPERATOR
 NEEDED ASSEMBLY



Technical features

DIMENSIONS AND WEIGHT

	A	B	C	D	E	F	G
	73 cm	61 cm	97 cm	82 cm	179 cm	126,5 cm	94 cm
	H	I	L	M	O	P	 Max loading weight
	54 cm	64 cm	93,5 cm	103 cm	8 cm	13 cm	180 Kg

EN Patient lift - painted steel
 F Lève-personnes - Acier verni
 ES Grúas - Acero pintado
 P Gruas de elevação - Aço pintado



Muevo

Electric - standard footprint model

Cod. **R1826**

Legs opening by pedal

Cod. **R1828**

Legs opening by lever



Cod. **R1801**
Remote control



Cod. **RP881**
Equipped with polyester sling with headrest

* See all the accessories on the dedicated page



ONLY ONE OPERATOR
NEEDED ASSEMBLY

Tested according to
UNI EN ISO
10535

Emergency
stop button



Max loading
weight
200 Kg

R1826
Model with pedal




Width adjustable base
by manual lever

4 swivel castor
ø 10 cm,
2 with brakes

Technical features

DIMENSIONS AND WEIGHT



A	B	C	D	E	F	G
73 cm	61 cm	97 cm	82 cm	179 cm	126,5 cm	94 cm
H	I	L	M	O	P	Max loading weight
54 cm	64 cm	107 cm	116 cm	8 cm	13 cm	200 Kg

Spare parts for patient lifts

Muevo



Cod. **RIR120**
Castor without brake



Cod. **RIR121**
Castor with brake



Cod. **RIR801**
Remote control



Cod. **RIR104**
Standard battery charger



Cod. **RIR200**
Electric actuator



Cod. **RIR108**
Standard battery



Cod. **RIR802**
Control box for 150 kg

Cod. **RIR803**
Control box for 200 kg



Cod. **RPR110**
Hydraulic actuator for hydraulic models

Accessories for patient lifts

Muevo



Cod. **RP828**
Only stretcher for electric patient lift (except RI825, RI826, RI827, RI828) - 60x190 cm - Max loading weight 150kg



Cod. **BLC250**
Scale for patient lifts GRADUATION (III) M
Power 6x1,5V- AAA batteries
120x70x160mm - 100gr



Cod. **RIR110**
Battery with increased autonomy




Cod. **RIR115**
TIMOTION wall/table battery charger (without battery) - use together with RIR104

- EN Patient lift slings
- F Sangles pour lève-personnes
- ES Arnases para grúas
- P Cestas para gruas de elevação




STANDARD model with headrest

Cod. **RP881**



In polyester fabric, fire-resistant EN1021, nylon strip and thread, ripstop fabric, perspiring, suitable for water contact. The edging strip is sewn all over the perimeter of the sling without any cut, in order to be stronger. Three traction points pelvic, dorsal, head area. Three handles on the back side of the sling allow to accurately and easily position the patient.

Technical features

DIMENSIONS AND WEIGHT		
Model	Measures	
	A	143 cm
	B	80 cm
	C	93 cm
	D	35 cm
	E	46 cm
		200 Kg

The new Moretti patient lift sling range has been developed to be used with all kinds of patient lifts, floor and ceiling type, so the patient can be easily and correctly moved. The operator is facilitated in the movement of the patients and in their correct positioning. The strong fabric used and the type of edging allow to load and move patient up to 250 kg.

Available slings


MODEL	FABRIC		SIZE			
	MESH	FABRIC	S	M	L	XL
STANDARD	●	●	●	●	●	●
TOILETING	●		●	●	●	●
FULL BODY	●	●		●	●	
AMPUTEE		●		●	●	

Technical features




Positioning handles

Each harness is equipped with handles on the back for easy patient positioning.



Padding

In sensitive areas, for patient's bigger comfort.



Positioning rings

Positioning rings are in different colours to ease a simmetric connection of the sling




Fabric

(100% Polyester)
strong, breathable, it allows the patient to easily slip.



Grey, mesh

(100% Polyester)
strong, breathable, suitable for water contact.



Maximum loading weight

All Moretti patient lift slings are tested and certified in compliance with the requirements of UNI EN ISO 10535 standards

- EN Patient lift slings
- F Sangles pour lève-personnes
- ES Arnases para grúas
- P Cestas para gruas de elevação



Without headrest

Series **IM100**

Mesh



Series **IM101**

Fabric



Tested according to
UNI EN ISO
10535

With headrest

Series **IM110**

Mesh





Series **IM111**

Fabric



Technical features

WEIGHT AND DIMENSION							
Product codes	Size	Model	A	B	C	D	
IM100S - IM101S	S (Small)		106 cm	79 cm	54 cm	20 cm	250 Kg
IM100M - IM101M	M (Medium)		109 cm	86 cm	55 cm	27 cm	
IM100L - IM101L	L (Large)		109 cm	96 cm	55 cm	37 cm	
IM100XL - IM101XL	XL (Extra large)		111 cm	106 cm	55 cm	44 cm	
IM110S - IM111S	S (Small)		140 cm	77 cm	85 cm	20 cm	
IM110M - IM111M	M (Medium)		144 cm	84 cm	91 cm	27 cm	
IM110L - IM111L	L (Large)		144 cm	94 cm	91 cm	37 cm	
IM110XL - IM111XL	XL (Extra large)		144 cm	104 cm	91 cm	44 cm	

- EN Toileting sling
- F Sangle toilette
- ES Arnés para higiene
- P Cestas de transferência para higiene



Without headrest

Series **IM140**

Mesh



Underarm
padding for
bigger comfort



Tested according to
UNI EN ISO
10535

With headrest

Series **IM141**



Mesh



Underarm
padding for
bigger comfort



Technical features

WEIGHT AND DIMENSION							
Product codes	Size	Model	A	B	C	D	 250 Kg
IM140S	S (Small)		830 mm	870 mm	220 mm	420 mm	
IM140M	M (Medium)		870 mm	950 mm	250 mm	500 mm	
IM140L	L (Large)		900 mm	1030 mm	290 mm	580 mm	
IM140XL	XL (Extra large)		950 mm	1120 mm	320 mm	660 mm	
IM141S	S (Small)		1230 mm	880 mm	220 mm	420 mm	
IM141M	M (Medium)		1300 mm	960 mm	250 mm	500 mm	
IM141L	L (Large)		1350 mm	1040 mm	290 mm	580 mm	
IM141XL	XL (Extra large)		1400 mm	1100 mm	320 mm	660 mm	

EN Patient lift slings
F Sangles pour lève-personnes
ES Arneses para grúas
P Cestas para gruas de elevação



Full body with splints and bands

Amputee

Series **IM120**
Fabric




Tested according to
UNI EN ISO
10535

Series **IM150**
Fabric



Technical features

WEIGHT AND DIMENSION							
Product codes	Size	Model	A	B	C	D	
IM120M	M (Medium)		137 cm	100 cm	91 cm	40 cm	250 Kg
IM120L	L (Large)		137 cm	110 cm	91 cm	50 cm	
IM120XL	XL (Extra large)		145 cm	120 cm	91 cm	56 cm	
IM150M	M (Medium)		110 cm	106 cm	60 cm	32 cm	
IM150L	L (Large)		120 cm	114 cm	64 cm	40 cm	



Bath aids

Bath aids for elderly or persons with reduced mobility EN

Aides à la toilette pour personnes âgées ou à mobilité réduite F


Ayudas de aseo para personas mayores o con movilidad reducida ES

Auxiliares de higiene para idosos ou pessoas com mobilidade reduzida P



MOPEDIA®

- EN Painted steel hydraulic shower trolley
 F Chariots de bain douche hydraulique en acier verni
 ES Camillas de ducha hidráulica en acero pintado
 P Macas de duche hidráulica de aço pintado



Standard - hydraulic

Cod. **B1100**



Max loading
weight
180 Kg

PVC padded sheet
reinforced
with phthalates free
polyester, cleanable



Manual pressure
exhaust duct
in chromed brass



Hydraulic piston
for elevation

Gas spring
for inclination

Reversible sides
25° and 180°

Powder painted steel frame,
with antirust treatment

High-sliding wheels Ø 125
mm, with total locking brake,
one with directional lock

Optional accessories




Adjustable height:
from 59 to 93 cm
Inclination from 0° to 5°



Reversible sides 25° and 180°



Excellent maneuverability
through head/feet sides




Cod. **B1A110**
Pillow, cm
55x55x14/2h,
inclination 15°



Cod. **B1A100**
Semicylindrical pillow
cm 55x15x7h

Technical features

WEIGHT AND DIMENSION



A	B	C	D	E	F	H	I	L	M	N	
59-93 cm	141 cm	23 cm	20 cm	206 cm	200 cm*	67 cm	56 cm	66 cm*	73 cm	0°-5°	180 Kg

* Internal measurement of the side structure with the cover not installed

- EN Painted steel electrical shower trolley
 F Chariot de bain douche électrique en acier verni
 ES Camilla de ducha eléctrica en acero pintado
 P Maca de duche elétrica de aço pintado



Standard - electrical

Cod. **BI110**



Motorization

TIMOTION



Max loading
weight
200 Kg

PVC padded sheet
reinforced
with phthalates free
polyester, cleanable



Manual pressure
exhaust duct
in chromed brass



Reversible sides
25° and 180°

Powder painted steel frame,
with antirust treatment

High-sliding wheels Ø 125 mm,
with total locking brake,
one with directional lock

Optional accessories




Adjustable height:
from 59 to 99 cm
Inclination from 0° to 5°



Reversible sides 25° and 180°



Excellent maneuverability
through head/feet sides





Cod. **BIA110**
Pillow, cm
55x55x14/2h,
inclination 15°



Cod. **BIA100**
Semicylindrical pillow
cm 55x15x7h

Technical features

WEIGHT AND DIMENSION



A	B	C	D	E	F	H	I	L	M	N	
59-99 cm	141 cm	16 cm	20 cm	206 cm	200 cm*	67 cm	56 cm	66 cm*	73 cm	0°-5°	200 Kg

* Internal measurement of the side structure with the cover not installed

- EN Painted steel electrical shower trolley
F Chariot de bain douche électrique en acier verni
ES Camilla de ducha eléctrica en acero pintado
P Maca de duche elétrica de aço pintado



Bariatric - electrical

Cod. **BI200**



Motorization

TiMOTION



PVC padded sheet reinforced with phthalates free polyester, cleanable



Manual pressure exhaust duct in chromed brass



Reversible sides 25° and 180°

Powder painted steel frame, with antirust treatment

High-sliding wheels Ø 125 mm, with total locking brake, one with directional lock



Adjustable height:
from 59 to 93 cm
Inclination from 0° to 5°



Reversible sides 25° and 180°



Excellent maneuverability
through head/feet sides

Optional accessories



Cod. **BIA110**
Pillow, cm
55x55x14/2h,
inclination 15°



Cod. **BIA100**
Semicylindrical pillow
cm 55x15x7h

Technical features

WEIGHT AND DIMENSION

A	B	C	D	E	F	H	I	L	M	N	
65-94 cm	143,5 cm	23 cm	20 cm	205 cm	200 cm*	84,5 cm	75 cm	86 cm*	91 cm	0°-7°	325 Kg

* Internal measurement of the side structure with the cover not installed

EN Painted steel hydraulic shower trolley
 F Chariots de bain douche hydraulique en acier verni
 ES Camillas de ducha hidráulica en acero pintado
 P Macas de duche hidráulica de aço pintado



Pediatric - hydraulic

Cod. **BI180**



Max loading
weight
180 Kg

PVC padded sheet
reinforced
with phthalates free
polyester, cleanable

Reversible sides
25° and 180°

Gas spring
for inclination

Hydraulic piston
for elevation



Manual pressure
exhaust duct
in chromed brass

Powder painted steel frame,
with antirust treatment

High-sliding wheels Ø 125 mm,
with total locking brake,
one with directional lock

Optional accessories



Adjustable height:
from 59 to 93 cm
Inclination from 0° to 5°



Reversible sides 25° and 180°



Excellent maneuverability
through head/feet sides




Cod. **BIA110**
Pillow, cm
55x55x14/2h,
inclination 15°



Cod. **BIA100**
Semicylindrical pillow
cm 55x15x7h

Technical features

WEIGHT AND DIMENSION



A	B	C	D	E	F	H	I	L	M	N	
65-91 cm	143,5 cm	19,5 cm	20 cm	170 cm	165,5 cm*	65,5 cm	56 cm	67 cm*	72 cm	0°-5°	180 Kg

* Internal measurement of the side structure with the cover not installed

- EN Inflatable hair washing basin
F Lave-cheveux gonflable
ES Lavabo inflable para cabello
P Lavatório de cabelos inflável



PVC

Cod. **RL100**



SUPPLIED ACCESSORIES



1 Portable shower



1 Water bag
6 litres capacity

1 Pump for inflation
1 Drainpipe

Technical features

DIMENSION	L:	W:
Basin - External dimensions	57 cm	47 cm
Water bag	49 cm	30 cm

Spare parts for shower trolleys

All models



Cod. **BIR100**

Sheet **Adult** - cm 59 x 187 x H. 25

Cod. **BIR101**

Sheet **Pediatric** - cm 59 x 150 x H. 25

Cod. **BIR102**

Sheet **Bariatric** - cm 78 x 187 x H. 25



Cod. **BIR110**
Exhaust duct



Cod. **BIR111**
Drainpipe



Cod. **BIR112**
Pop up drain



Cod. **BIR119**
Spare single castor with
brake and directional
lock



Cod. **BIR118**
Spare single castor with
brake without directional
lock

For electrical shower trolleys only (BI110-BI180)

For hydraulic trolleys only



Cod. **BIR126**
Remote control



Cod. **BIR125**
Control box



Cod. **RIR108**
Battery



Cod. **MIR211**
Electrical actuator for
inclination



Cod. **MIR212**
Electrical actuator for
height adjustment



Cod. **RIR104**
Battery charger



Cod. **BIR120**
Hydraulic piston for
trolley elevation



Cod. **BIR121**
Gas spring for inclination



Cod. **BIR116**
Release handle for trolley
inclination



Wall bench - Painted steel - Polyethylene seat

Cod. **RS918**



Technical features

SPECIFICATION				
Stirrup		33 x 15 x h0,4 cm		
WEIGHT AND DIMENSION				
 W:	 D:	 H:		
51 cm*	40 cm*	20 cm*	100 Kg	
Seat		51 x 31 x h8 cm		

* Measures are referring to the **medium shower chairs dimensions**

Cod. **RS919**

Non-slip legs
and tips



Technical features

SPECIFICATION				
Stirrup		33 x 15 x h0,6 cm		
WEIGHT AND DIMENSION				
 W:	 D:	 H:		
51 cm*	43 cm*	45÷60cm*	100 Kg	
Seat		51 x 31 x h8 cm		

Spare parts



Cod. **RV7021**
Rubber tips
Ø 17 mm
for RS919 - 2 pcs

Polyethylene seat

Cod. **RS815**

Folding



Technical features

WEIGHT AND DIMENSION					
W:	D:	H:			
49 cm	38 cm	47 cm	3,2 Kg	130 Kg	
Seat	49x29 cm				

Spare parts



Cod. **RV7023**
Rubber tips
Ø 22 mm - 2 pcs

Cod. **RS817**

Adjustable
height



Technical features

WEIGHT AND DIMENSION					
W:	D:	H:			
35 cm	35 cm	36÷53,5 cm	1,5 kg	110 kg	
Seat	Ø 31 cm				

Spare parts



Cod. **RV7037**
Rubber tips
Ø 27 mm - 2 pcs

- EN** Anodized aluminium shower chairs
- F** Chaises de douche en aluminium anodisé
- ES** Sillas de ducha en aluminio anodizado
- P** Bancos de banho em alumínio anodizado



Height adjustable

Cod. **RS827**
Ergonomic
seat



Cod. **RS829**
Ergonomic
seat



Cod. **RS831**
U seat



Cod. **RS833**
U seat



Technical features

	WEIGHT AND DIMENSION*				
Product code	↔ W:	↗ D:	↕ H:	👤	Seat
RS827	46 cm	46 cm	45÷64 cm	136 Kg	51 x 31 x h45÷64 cm
RS829			74÷93 cm		
RS831	45 cm	45 cm	41÷54 cm	136 Kg	48 x 33 x h41÷54 cm
RS833			70÷83 cm		

* Measures are referring to the **medium shower chairs dimensions**

Spare parts



Cod. **RV7037**
Rubber tips
Ø 27 mm - 2 pcs

- EN Anodized aluminium shower chairs
- F Chaises de douche en aluminium anodisé
- ES Sillas de ducha en aluminio anodizado
- P Bancos de banho em alumínio anodizado



Height adjustable

Cod. **RS838**

Padded armrests



Cod. **RS839**

Padded armrests



Technical features

	WEIGHT AND DIMENSION*				
Product code	W:	D:	H:	Seat	
RS838	46 cm	40 cm	47÷66 cm	136 Kg	41 x 34 x h47÷66 cm
RS839			80÷99 cm		

Spare parts



Cod. **RV7037**
Rubber tips
Ø 27 mm - 2 pcs

- EN Aluminium shower chairs
- F Chaises de douche en aluminium
- ES Sillas de ducha en aluminio
- P Bancos de banho em alumínio



Height adjustable - HDPE seat and backrest

Cod. **RH830**



Reinforced frame - double cross

Non-slip rubber tips

Technical features

WEIGHT AND DIMENSION			
W:	D:	H:	
46 cm	40,5 cm	76÷87 cm	227 Kg
Seat		51 x 31 x 8,1 cm	
Height from seat to ground		41÷52 cm	

Spare parts



Cod. **RHR801**
4 tips kit

- EN Foldable shower chairs
F Chaises de douche pliantes
ES Sillas de ducha plegables
P Bancos de banho dobráveis

Onda

Painted aluminium - Height adjustable

Cod. **RS826**

U seat



Cod. **RS825**

U seat



Technical features

Product code	RS826	RS825	
SPECIFICATION			
Seat	40X40 cm		
Armrests from seat	15 cm		
Height adjustable each 2,5 cm	49÷60 cm		
WEIGHT AND DIMENSION			
 W:	 D:	 H:	
53 cm	54 cm	90÷101 cm each 2,5 cm adjustable	136 Kg

Spare parts



Cod. **RSR804**
Rubber tips - 4
pcs for RS826



Cod. **RSR802** SINGLE
Castor with brake
for RS825



Cod. **RSR803** SINGLE
Castor without brake
for RS825

- EN Transfer bath bench
F Banc de transfert accès baignoire
ES Banco de transferencia de bañera
P Cadeira de transferência para banheira

Onda

Aluminium - Height adjustable

Cod. **RS834**



Technical features

WEIGHT AND DIMENSION				
W: 80 cm	D: 61 cm	H: 83÷93 cm	4,4 Kg	150 Kg
Seat		68 x 41 x h45,5÷56,3 cm		

Spare parts



Cod. **RV7037**
Rubber tips Ø 27
mm - 2 pcs



Cod. **RV7026**
Rubber suction
tips - 2 pcs

- EN** Bath chairs plated steel frame
- F** Sièges de baignoire structure en acier chromé
- ES** Asientos de bañera estructura en acero cromado
- P** Bancos para banheira estrutura em aço cromado



Width adjustable - Plastic

Cod. **RS923**



Cod. **RS925**



Technical features

WEIGHT AND DIMENSION				
W:	D:	H:	Kg	
53÷71 cm	37 cm	17 cm	2 Kg	100 Kg

WEIGHT AND DIMENSION				
W:	D:	H:	Kg	
53÷71 cm	37 cm	32 cm	2,5 Kg	100 Kg

Width adjustable - Wooden

Cod. **RS921**



Cod. **RS922**



Technical features

WEIGHT AND DIMENSION				
W:	D:	H:	Kg	
53÷71 cm	37 cm	17 cm	2 Kg	100 Kg

WEIGHT AND DIMENSION				
W:	D:	H:	Kg	
53÷71 cm	37 cm	32 cm	2,5 Kg	100 Kg

- EN Bath bench
- F Siège de baignoire
- ES Asiento de bañera
- P Assento para banheira



Non-slip plastic - Width adjustable

Cod. **RS810**



Cod. **RSR319**
4 tips with screws for **RS810**

Technical features

WEIGHT AND DIMENSION				
W:	D:	H:	Kg	
70 cm*	31,5 cm*	18 cm*	3,1 Kg	160 Kg

* Measures are referring to the maximum bath bench dimensions

Polyethylene

Cod. **RS705**



Technical features

WEIGHT AND DIMENSION	
W:	80 cm
D:	40 cm
H:	3 cm
Kg	4,43 Kg
	136 Kg



- EN Turning bath chair
- F Sièges de baignoire pivotant
- ES Asiento giratorio de bañera
- P Banco giratório para banheira



White painted steel - Polypropylene seat

Cod. **RS936**



Technical features

WEIGHT AND DIMENSION				
W:	D:	H:	Kg	
74 cm	50,5 cm	52,5 cm	5 Kg	120 Kg
Seat	40 cm	33 cm	38 cm	-

- EN Shower and commode chair
- F Chaise de douche et wc
- ES Silla para ducha y wc
- P Cadeira para banho e wc



In ABS

Cod. **RS841**



Technical features

WEIGHT AND DIMENSIONS				
W:	D:	H:	Seat	
55 cm	44 cm	Adjustable every 3 cm 76÷89 cm	W: 46 x D:43	
Seat height from ground Adjustable every 3 cm H: 41÷53 cm		Armrest height from seat H: 23 cm	5,1 Kg	100 Kg

Spare parts

Cod. RSR850 Leg with tip - SINGLE	Cod. RSR851 Rubber tips ø 3.5 cm - 4 pcs	Cod. RSR852 Seat	Cod. RSR853 Complete backrest	Cod. RSR854 Complete bucket with lid
Cod. RSR855 Only backrest padding	Cod. RSR856 Only seat padding	Cod. RSR857 Spare armrest - SINGLE		

- EN Shower and commode chairs
- F Chaises de douche et wc
- ES Sillas de ruedas para ducha y wc
- P Cadeiras para banho e wc



Painted aluminium - PU seat, armrests and backrest

Cod. **RS939**

Fixed



Technical features

WEIGHT AND DIMENSION				
74 cm	57 cm	45 cm	93 cm	74 cm
52 cm	-	43,5 cm	28 cm	53 cm
8,4 Kg	12,5 cm	12,5 cm	100 Kg	1 Pc

Spare parts

	Cod. RSR950 Complete front castor
	Cod. RSR951 Complete rear castor with brake

- EN Shower and commode chairs
F Chaises de douche et wc
ES Sillas de ruedas para ducha y wc
P Cadeiras para banho e wc

Onda

Anodized aluminium - PVC padded seat and backrest

Cod. **RS940**



Technical features

SPECIFICATION				
Padding	5,5 cm			
Seat hole	22 cm			
WEIGHT AND DIMENSION				
				
90 cm	59 cm	41 cm	95 cm	73 cm
				
50 cm	38÷43 cm	41 cm	40 cm	57 cm
				
9,5 Kg	10 cm	10 cm	110 Kg	1 Pc

Cod. **RS941**

Self-propelling



Technical features

SPECIFICATION				
Padding	5,5 cm			
Seat hole	22 cm			
WEIGHT AND DIMENSION				
				
90 cm	81 cm	41 cm	96 cm	68 cm
				
48 cm	38÷43 cm	41 cm	41 cm	65 cm
				
14,5 Kg	62 cm	20 cm	110 Kg	1 Pc

Spare parts for RS940




Cod. **RV7059**
Bucket for RS940



Cod. **RV7079**
Castors with
brake for
RS940-PAIR




Cod. **RV7102**
Swing away
footrests for
RS940 - PAIR



Cod. **RSR007D**
Right armrest for RS940
Cod. **RSR007S**
Left armrest for RS940



Cod. **RCR150**
WC for RS941



Cod. **RSR207**
Rear wheel
for RS941 -
PAIR



Cod. **RSR206**
Front swivel
castor for
RS941 - PAIR



Cod. **RV7103**
Swing away
footrests for
RS941 - PAIR



Cod. **RSR001**
Brakes for
RS941 - PAIR

EN
F
ES
P

Onda

Painted aluminium - PU seat, armrests and backrest

Demountable


Foldable



Spare parts



Cod. **RSR830**
Castor with brake
RS848



Optional accessories

Technical features

WEIGHT AND DIMENSION

Product codes														
RS846-40								40 cm		43 cm	55 cm			
RS846-46	85 cm	57 cm	44,5 cm	97÷99 cm	75÷77 cm	50 cm	40÷55 cm	46 cm	47÷49 cm	49 cm	60 cm	14 Kg	12 cm	136 Kg 1 Pc
RS846-50								50 cm		53 cm	65 cm			
RS848	85 cm	57 cm	44,5 cm	97÷99 cm	75÷77 cm	50 cm	40÷55 cm	46 cm	47÷49 cm	49 cm	60 cm	15 Kg	12 cm	136 Kg 1 Pc

- EN Shower and commode chairs
F Chaises de douche et wc
ES Sillas de ruedas para ducha y wc
P Cadeiras para banho e wc

Painted aluminium PU seat, armrests and backrest

Series **RS847**
Self-propelling
Demountable

Onda



Painted aluminium PU seat and mesh backrest

Series **RH840**
Self-propelling
Demountable

Onda^{HD}



Spare parts



Cod. **RSR838D** Right
Cod. **RSR838S** Left
Complete footrest
RS84x - RH840



Cod. **RSR831**
Rear wheel 60 cm
RS847 - RH840



Cod. **RSR832-40** 40 cm
Cod. **RSR832-46** 46 cm
Cod. **RSR832-50** 50 cm
Complete seat **RS847**

Cod. **RSR833-50** 50 cm
Cod. **RSR833-60** 60 cm
Complete seat **RH840**



Cod. **RSR836**
Complete bucket
RS84x - RH840



Cod. **RSR829**
Castor without brake
RS84x - RH840

Optional accessories



Cod. **RSA842**
Headrest **RS847**



Cod. **RSA843**
Elevating footrests
RS847

Technical features

WEIGHT AND DIMENSION																
Product codes																
RS847-40								40 cm				45 cm	60 cm			
RS847-46	101 cm	-	44,5 cm	97÷99 cm	75÷77 cm	50 cm	40÷55 cm	46 cm	47÷49 cm	51 cm	65 cm	17 Kg	60 cm	12 cm	136 Kg	1 Pc
RS847-50								50 cm		55 cm	70 cm					
RH840-50	100 cm	83 cm	44,5 cm	99÷101 cm	75÷77 cm	51 cm	40÷55 cm	50 cm	39,5÷41,5 cm	63 cm	80 cm	21 Kg	60 cm	12 cm	200 Kg	1 Pc
RH840-60								60 cm		73 cm	90 cm					

- EN Shower and commode chairs
- F Chaises de douche et wc
- ES Sillas de ruedas para ducha y wc
- P Cadeiras para banho e wc



Painted aluminium - PU seat, armrests headrest and backrest

Series **RS844**

Tilting



Seat
inclination
+5°/-25°

4 swivel
castors with
brake

Turning, detachable, length
adjustable footrests with
heel stopper



Height and inclination
adjustable headrest

Spare parts



Cod. **RSR830**
Castor with brake



Cod. **RSR832-40** 40 cm
Cod. **RSR832-46** 46 cm
Cod. **RSR832-50** 50 cm
Complete seat



Cod. **RSR836**
Complete bucket



Cod. **RSR840**
Headrest



Cod. **RSR838D** Right
Cod. **RSR838S** Left
Complete footrest



Cod. **RSA843**
Elevating footrests

Optional accessories

Technical features

WEIGHT AND DIMENSION														
Product codes														
RS844-40								40 cm		43 cm	55 cm			
RS844-46	91 cm	-	42 cm	103 cm	75 cm	54 cm	40÷55 cm	46 cm	49 cm	49 cm	60cm	17 Kg	12 cm	136 Kg 1 Pc
RS844-50								50 cm		53 cm	65cm			

- EN Safety bath handles
- F Poignées de sécurité pour la salle de bain
- ES Asideros para baño
- P Alças de segurança para banheiro

Holdy

Painted steel - Tube Ø 2,6 cm

Series **RS95x**




Technical features

Product codes	RS954	RS953	RS952	RS951	RS950
DIMENSION					
W:	80 cm	60 cm	45 cm	40 cm	30 cm

PVC - Tube Ø 3,6 cm

Series **RS972-xx**




Technical features

Product codes	RS972-30	RS972-45	RS972-60
DIMENSION			
W:	30 cm	45 cm	60 cm

ABS - With PVC suction cup - Tube Ø 3,5 cm - For tiles or wall

Series **RS975-xx**



Green:
Secure
suction



Red: non-secure
suction; check the
surface and re-affix



Technical features

Product codes	RS975-36	RS975-50
DIMENSION		
W:	36 cm	50 cm
D:	11 cm	
H:	9,5 cm	
D:	17,5 cm	31 cm
I:	11 cm	24,5 cm
	55 Kg (horizontal/vertical traction) 40 Kg (angle traction)	

Cod. **RS962**



Technical features

WEIGHT AND DIMENSION				
W:	D:	H:		
70 cm	10 cm	20 cm	2,5 cm	2 Kg

EN Raised toilet seats soft
F Réhausseurs de toilette doux
ES Asientos elevadores blandos
P Elevadores de sanita macios

Onda

EVA - For WC and bidet

Cod. **RP440**

Height 10 cm



Raised toilet seat

Suitable to all WC and bidet **without needs of stops**. Resistant to wear and to oils and solvents.

MADE IN ITALY 100% Duo

Technical features

SPECIFICATION			
Stain resistant	Resistant to oil and solvents		
Resistant	To wear and tear		
Shock absorber	Reduces vibrations and bumps		
E.V.A.	Ethylene vynil acetate		
WEIGHT AND DIMENSION			
 W:	 D:	 H:	
34.6 cm	46.3 cm	10 cm	1.5 Kg

PU

Cod. **RP435-6**

Height 6 cm



Raised toilet seat

Technical features

WEIGHT AND DIMENSION*						
Product codes	External dimension				Inner dimension	
	W:	D:	H:	Kg	W:	D:
RP435-6	38 cm	44 cm	6 cm	100 Kg	22,5 cm	23,5 cm

With central block

Cod. **RP418**

Height 12 cm



Cod. **RP420**

Height 13 cm



Technical features

SPECIFICATION					
Lower edge				23,5x27,5 cm	
WEIGHT AND DIMENSION					
Product codes	 W:	 D:	 H:		
RP418	43 cm	41,5 cm	12 cm	2 Kg	110 Kg
RP420	52 cm	43 cm	13 cm*	2,5 Kg	

* Armrest height from seat: 20 cm

- EN Raised toilet seats
- F Sièges de toilette rehaussés
- ES Asientos elevadores
- P Elevadores de sanita



With side block

Cod. **RP400-6**
Height 6 cm



Cod. **RP410-6**
Height 6 cm



Cod. **RP400-10**
Height 10 cm



Cod. **RP410-10**
Height 10 cm



Cod. **RP400-14**
Height 14 cm



Cod. **RP410-14**
Height 14 cm



Spare parts




Cod. **RP431**
Screws kit

Optional accessories



Cod. **RP432**
Bidet

Technical features

WEIGHT AND DIMENSION		
 W:	 D:	
42 cm	37,5 cm	136 Kg
Inner dimension		
	A	27 cm
	B	10 cm
	C	22 cm

- EN Toilet safety rail - Height adjustable
- F Support pour WC - Réglable en hauteur
- ES Ayudas para WC - Altura ajustable
- P Suporte para WC - Altura ajustável



Aluminium - Demountable - Universal

Cod. **RS910**

Plastic armrests



Technical features

WEIGHT AND DIMENSION			
W:	D:	H:	
63 cm	49 cm	60,5 ÷ 70,6 cm	100 Kg

Aluminium

Cod. **RP770**

Plastic armrests



Technical features

WEIGHT AND DIMENSION			
W:	D:	H:	
54 ÷ 63 cm*	47 cm*	66 ÷ 77 cm*	136 Kg

* Measures are referring to the **medium shower chairs dimensions**

Painted steel - Width adjustable

Cod. **RS908**

Padded armrests



Technical features

WEIGHT AND DIMENSION			
W:	D:	H:	
62 ÷ 71 cm*	50 cm*	66 ÷ 76 cm*	136 Kg

* Measures are referring to the **medium shower chairs dimensions**

- EN Anodized aluminium 4 in 1 commode chairs
 F Chaises de toilettes 4 en 1 structure en tubes d'aluminium
 ES Sillas wc 4 en 1 estructura en aluminio anodizado
 P Cadeiras wc 4 em 1 estrutura em alumínio anodizado



4 functions: raised seat and wc support, commode and shower chair

Cod. **RP780**

Fixed



Technical features

WEIGHT AND DIMENSION				
Base	H:			
65 cm	Every 2,5 cm adjustable	130 Kg	4 pz	
46 cm	66 ÷ 76 cm			
Seat	H: 45 ÷ 55 cm			

Cod. **RP781**

Foldable



Technical features

WEIGHT AND DIMENSION				
Base	H:			
50 cm	Every 2,5 cm adjustable	130 Kg	1 pz	
43 cm	64 ÷ 74 cm			
(Max encumbrance 52 cm)				
Seat	H: 46 ÷ 56 cm			

Cod. **RP782**

Foldable



Technical features

WEIGHT AND DIMENSION				
Base	H:			
50 cm	Every 2,5 cm adjustable	130 Kg	1 pz	
43 cm	64 ÷ 74 cm			
(Max encumbrance 52 cm)				
Seat	H: 47 ÷ 57 cm			

- EN** Painted steel 4 in 1 commode chair
F Chaises de toilettes 4 en 1 structure en acier verni
ES Sillas wc 4 en 1 estructura en acero pintado
P Cadeiras wc 4 em 1 estrutura em aço pintado



4 functions: raised seat and wc support, commode and shower chair

Cod. **RP783**

Fixed

Tip-up
armrests

4 non slip
tips



Technical features

WEIGHT AND DIMENSION				
Base		H:		
53 cm 40 cm 46 cm	Every 2,5 cm adjustable 60 ÷ 78 cm	130 Kg	1 pz	
Seat	H: 40 ÷ 58 cm			

HDPE seat and backrest

Cod. **RH780**

PE tip-up
armrests



Height
adjustable

Non slip
rubber tips



Technical features

WEIGHT AND DIMENSION			
	W:		D:
71 cm	51,5 cm	74,5÷85,5 cm	290 Kg
Seat	59 x 47 x 5,5 cm		
Height seat from ground	49÷60 cm		
Armrests height	67÷78 cm		

Spare parts



Cod. **RV7058-4**
Seat and cover for
RP780 Hole dimension:
24x21 cm



Cod. **RV7058-6**
Seat and cover for
RP781 - RP782 Hole
dimension: 25 x 22 cm



Cod. **RV7058-5**
Seat and cover for
RP783 Hole dimension:
25 x 22 cm



Cod. **RV7069-4**
Bucket with hook
and cover for
RP781 - RP782



Cod. **RV7069-3**
Bucket with hook
and cover for
RP783



Cod. **RV7024**
Tips for **RP780 -**
RP781 - RP783
Ø 28,5 mm - 4 pcs



Cod. **RV7051F**
WITH BRAKE
Cod. **RV7051S**
WITHOUT BRAKE
Swivel castors
for **RP782 - PAIR**



Cod. **RHR701**
Bucket for RH780



Cod. **RHR702**
Tips for RH780 - 4 pcs

- EN Painted steel fixed frame wheelchair
 F Fauteuil roulant avec cadre rigide en acier vernis
 ES Silla de ruedas de acero pintado con con marco rígido
 P Cadeira de rodas com estrutura rígida em aço pintado

Komoda

Transit

Series RC400

Front swivel castors ø 12 cm
 Rear wheels ø 30 cm



Self-propelling

Series RC410

Front swivel castors ø 12 cm
 Rear wheels ø 60 cm



Optional accessories



Cod. **CAR525**
Table for wheelchair



Cod. **RCA310**
Headrest



Cod. **RCA402**
Elevating armrest
- PAIR



Cod. **RCA316**
Padded legs
retractor



Cod. **RCA120**
IV pole
(image for
illustrative
purpose
only)



Cod. **RCA330**
Shoulder pads for
thoracic - PAIR



Cod. **RCA136**
Oxygen bottle holder -
bottle ø max 12 cm



Cod. **CBR500**
Linear table



Cod. **RP247**
Safety belt with
spring buckle

Spare parts

Cod. **RCR410**
12 cm front wheels - PAIR

Cod. **RCR411**
30 cm rear wheels - PAIR

Cod. **RCR412**
60 cm rear wheels - PAIR

Cod. **RCR405**
Removable armrests - PAIR

Cod. **RCR401**
Removable footrests - PAIR

Cod. **RCR352 SINGLE**
Plastic platform

Technical features

WEIGHT AND DIMENSIONS

Product codes																				
RC400-40																				
RC400-43	95 cm	77 cm	48 cm	94 cm	74 cm	54 cm	32÷41 cm	43 cm	43,5 cm	63 cm	15,5 Kg	30 cm	12 cm	135 Kg	1 pc					
RC400-45								45 cm		65 cm										
RC400-48								48 cm		68 cm										
RC410-40								40 cm		62,5 cm										
RC410-43	105 cm	81 cm	48 cm	92 cm	74 cm	54 cm	32÷41 cm	43 cm	43,5 cm	65,5 cm	15,5 Kg	60 cm	12 cm	135 Kg	1 pc					
RC410-45								45 cm		68,5 cm										
RC410-48								48 cm		71,5 cm										

- EN Commode chairs in painted steel
F Chaise garde-robe en acier verni
ES Silla de acero pintado con inodoro
P Cadeira higiênica em aço pintado

Komoda

Demountable backrest

Series RC300

4 tips



Series RC310

4 swivel castors




Optional accessories



Cod. **CBR500**
Linear table



Cod. **RP246**
Safety belt car type



Cod. **RP247**
Safety belt with spring buckle



KOALA
Restraint systems line

Spare parts

Cod. **RCR327**
Tips kit - 4 pcs
for RC300

Cod. **RCR329**
Leg and tip - 1 pc
for RC300

Cod. **RCR353**
Bucket
(30x20,5x9 cm)

Cod. **RCR326 PAIR**
Front castor
for RC310

Cod. **RCR325 PAIR**
Rear castor
with brake
for RC310

Cod. **RCR352 SINGLE**
Plastic platform

Cod. **RCR328-43**
for RC310-43
Cod. **RCR328-45**
for RC310-45
Cod. **RCR328-48**
for RC310-48
Heel stopper

Technical features

DIMENSIONS AND WEIGHT*													
Product codes													
RC300-43													
RC300-45	62 cm	53 cm	43 cm	96,5÷103,5 cm	73,5÷81,5 cm	51,5÷59,5 cm	-	43 cm	45 cm	55 cm	11,5 Kg	-	120 Kg 1 pc
RC300-48								48 cm	45 cm	58 cm			
RC310-43								43 cm	45 cm	52 cm			
RC310-45	87 cm	62,5 cm	43 cm	96,5 cm	74,5 cm	52,5 cm	30÷38 cm	45 cm	45 cm	55 cm	12,5 Kg	12,5 cm	135 Kg 1 pc
RC310-48								48 cm	45 cm	58,5 cm			

*Measurements referred to maximum overall dimensions

EN Commode chairs in painted steel
F Chaise garde-robe en acier verni
ES Silla de acero pintado con inodoro
P Cadeira higiênica em aço pintado

Komoda

Foldable - Demountable backrest

Cod. **RC320-43**

4 swivel castors



Optional accessories



Cod. **CBR500**
Linear table



Cod. **RP247**
Safety belt with spring buckle



Cod. **RP246**
Safety belt car type



KOALA
Restraint systems line

Spare parts

Cod. **RCR322**
Bucket
(32x26x15 cm)

Cod. **RCR328-43**
Heel stopper

Cod. **RCR325 PAIR**
Rear castor with brake

Cod. **RCR352 SINGLE**
Plastic platform

Cod. **RCR326 PAIR**
Front castor

Technical features

	DIMENSIONS AND WEIGHT*												
Product code													
RC320-43	87,5 cm	62,5 cm	43 cm	96,5 cm	74,5 cm	52,5 cm	30÷38 cm	43 cm	45 cm	52,5 cm	12,5 Kg	12,5 cm	120 Kg 1 pc

*Measurements referred to maximum overall dimensions


EN Commode chairs in painted steel
F Chaise garde-robe en acier verni
ES Silla de acero pintado con inodoro
P Cadeira higiênica em aço pintado

Komoda

Reclining backrest - Ø 12,5 cm castors

Series **RC325**

Reclining
and removable
backrest



Removable WC

Wheel with
brake



Anatomic seat and back
easily removable



Removable and
folding armrests

Side removable footrests.
Adjustable calf pads

Height-adjustable
and side
oldable footrests

Optional accessories



Cod. **RCA310**
Headrest



Cod. **RCA316**
Padded legs retractor



Cod. **RCA330**
Shoulder pads for
thoracic - PAIR



Cod. **RCA305**
Side padding - PAIR
(also applicable on
RCA300 elevating
armrest)



Cod. **RCA340-40** 40 cm
Cod. **RCA340-43** 43 cm
Cod. **RCA340-46** 46 cm
Cod. **RCA340-48** 48 cm
Cod. **RCA340-50** 50 cm
Full seat



Cod. **RCA325-40** 40 cm
Cod. **RCA325-43** 43 cm
Cod. **RCA325-46** 46 cm
Cod. **RCA325-48** 48 cm
Cod. **RCA325-50** 50 cm
Extended backrest



Cod. **RCA300**
Elevating armrest
- PAIR



Cod. **CPA606**
Oxygen bottle holder -
bottle Ø max 12 cm



Cod. **RCA120**
IV pole
h min 82cm
h max 150 cm
External Ø 22 mm
hook width 25mm
(image for illustrative
purpose only)



KOALA
Restraint systems
line



Cod. **RP246**
Safety belt car type



Cod. **RP248**
Safety belt
with spring buckle



Cod. **CBR500**
Linear table
(seat from 40 to 48 cm)



Cod. **CAR525**
Table for wheelchair

Spare parts

Cod. **RCR353**
Commode chairs WC

Cod. **RCR326**
Front wheels - PAIR

Cod. **RCR325**
Rear wheels - PAIR

Cod. **RCR350** PAIR
Removable and elevable
footrests

Cod. **RCR371** PAIR
Standard armrest

Cod. **RCR351** SINGLE
Calf rest









Technical features

SPECIFICATIONS														
Upholstery		Fire retardant leatherette and padding, tested for fire reaction according to EN 1021-1 / 2												
WEIGHT AND DIMENSIONS														
Product codes														
RC325-40								40 cm		55 cm	21,5 Kg			
RC325-43								43 cm		58 cm	22 Kg			
RC325-46	108 cm	64 cm	48 cm	106 cm	76 cm	55 cm	43÷54,5 cm	46 cm	62 cm	61 cm	22,5 Kg	12 cm	135 Kg	1 Pc
RC325-48								48 cm		63 cm	23 Kg			
RC325-50								50 cm		65 cm	23,5 Kg		180 Kg	

Komoda

Series **RC330**

Spare parts



Technical features

SPECIFICATIONS

Upholstery	Fire retardant leatherette and padding, tested for fire reaction according to EN 1021-1 / 2
------------	---


WEIGHT AND DIMENSIONS

[illegible]

Komoda

Series **RC340**

Anatomic seat and back
easily removable



Removable and folding armrests

Side removable footrests.
Adjustable calf pads

Height-adjustable
and side
foldable footrests

Removable WC

Spare parts



Cod. **RP246**
Safety belt car type



Cod. **RP248**
Safety belt
with spring buckle

Elevating armrest
- PAIR

Oxygen bottle holder
bottle $\varnothing$ max 12 cm

IV pole
h min 82cm
h max 150 cm
External Ø 22 mm
hook width 25mm
(image for illustrative
purpose only)

Restraint systems line

Cod. **RCA350**
Quick release kit for
RC340-XX (PAIR)
(not illustrated)



Cod. **CBR500**
Linear table
 (seat from 40 to 48 cm)



Cod. **CAR525**
Table for wheelchair



Cod. **CAR525**
Table for wheelchair

SPECIFICATIONS

Upholstery	Fire retardant leatherette and padding, tested for fire reaction according to EN 1021-1 / 2
------------	---

WEIGHT AND DIMENSIONS

156


EN Commode chairs in painted steel
F Chaise garde-robe en acier verni
ES Silla de acero pintado con inodoro
P Cadeira higiênica em aço pintado

Komoda

Reclining backrest - self-propelled by front wheel

Series **RC345**

Reclining
and removable
backrest



Anodized aluminum front
wheels with parking brake

Removable WC



Anatomic seat and back
easily removable



Removable and
folding armrests

Side removable
footrests.
Adjustable calf pads

Height-adjustable
and side
oldable footrests

Optional accessories



Cod. **RCA310**
Headrest



Cod. **RCA316**
Padded legs retractor



Cod. **RCA330**
Shoulder pads for
thoracic - PAIR



Cod. **RCA305**
Side padding - PAIR
(also applicable on
RCA300 elevating
armrest)



Cod. **RCA340-40** 40 cm
Cod. **RCA340-43** 43 cm
Cod. **RCA340-46** 46 cm
Cod. **RCA340-48** 48 cm
Cod. **RCA340-50** 50 cm
Full seat



Cod. **RCA325-40** 40 cm
Cod. **RCA325-43** 43 cm
Cod. **RCA325-46** 46 cm
Cod. **RCA325-48** 48 cm
Cod. **RCA325-50** 50 cm
Extended backrest



Cod. **RCA300**
Elevating armrest
- PAIR



Cod. **CPA606**
Oxygen bottle holder -
bottle ø max 12 cm



Cod. **RCA120**
IV pole
h min 82cm
h max 150 cm
External Ø 22 mm
hook width 25mm
(image for illustrative
purpose only)



KOALA
Restraint systems
line



Cod. **RP246**
Safety belt car type



Cod. **RP248**
Safety belt
with spring buckle



Cod. **CBR500**
Linear table
(seat from 40 to 48 cm)



Cod. **CAR525**
Table for wheelchair

Spare parts

Cod. **RCR353**
Commode chairs WC

Cod. **RCR356** SINGLE
Swivel castor

Cod. **RCR357** SINGLE
Wheel ø 60cm with pins

Cod. **RCR371** PAIR
Standard armrest

Cod. **RCR351** SINGLE
Calf rest

Technical features

SPECIFICATIONS

Upholstery Fire retardant leatherette and padding, tested for fire reaction according to EN 1021-1 / 2

WEIGHT AND DIMENSIONS

Product codes															
RC345-40								40 cm		65 cm	22,5 Kg				
RC345-43								43 cm		68 cm	23 Kg				
RC345-46	124 cm	104 cm	48 cm	106 cm	76 cm	55 cm	37-48,5 cm	46 cm	62 cm	71 cm	23,5 Kg	20 cm	60 cm	135 Kg	1 Pc
RC345-48								48 cm		73 cm	24 Kg				
RC345-50								50 cm		75 cm	24,5 Kg			180 Kg	

EN Chest harness
F Gilet de maintien
ES Peto de sujeción
P Cinto de posicionamento



Cod. **RP210**
One size



Cod. **RP215**
One size



Fixing




Buckles:




x4

X- shaped support:




x1



Padding 100%
polyurethane



Outer fabric
100% polyester



Supports and strips
100% polyester


Technical features

Product codes		RP210	RP215
SPECIFICATION			
X-Support for the correct positioning of the patient			
Clip closure for for a quick release			
Adjustable length strips			
Washing instruction			
DIMENSION			
RP210		A	46 cm
		B	30 cm
		C	38 cm
RP215		A	42 cm
		B	30 cm
		C	20 cm

One stripe

Cod. **RP220**

One size



Separate stripes



Cod. **RP225**

One size



Fixing


Buckles for belt:



Padding 100%
polyurethane



Outer fabric
100% polyester



Supports and strips
100% polyester

Technical features

Product codes		RP220	RP225
SPECIFICATION			
Adjustable length strips			
Washing instruction			
DIMENSION			
RP220		A	52 cm
		B	30 cm
RP225		A	50 cm
		B	11 cm

- EN Chest belt
- F Ceinture de maintien de posture
- ES Cincha de sujeción
- P Cinto peitoral



Cod. **RP200**
One size



Fixing




Buckle:



Padding 100%
polyurethane



Outer fabric
100% polyester



Supports and strips
100% polyester

Technical features

SPECIFICATION
Adjustable length strips
Washing instructions

DIMENSION		
	A	40 cm
	B	13 cm

- EN Wrist wrap
- F Attache-poignets
- ES Inmovilizador para la muñeca
- P Inmovilizador de pulso




Cod. **RP240**
One size



Padding 100%
polyurethane



Outer fabric
100% polyester



Supports and strips
100% polyester

Technical features

SPECIFICATION
Adjustable velcro closure
Washing instructions

DIMENSION		
	A	35 cm
	B	8 cm

EN Safety belt
F Ceintures de sécurité
ES Cinturón de seguridad
P Cintos de segurança



Car type buckle

Cod. **RP245**
One size



100% Nylon

Cod. **RP246**
One size



100% Nylon

Fixing



Quick pressure buckle - Adjustable belt loop

Cod. **RP247**



100% Nylon

Cod. **RP248**



100% Nylon

Fixing



Technical features

SPECIFICATION					
Washing instructions					
DIMENSION					
RP245		A	80÷123 cm	RP247	
		B	5 cm		
RP246		A	98÷178 cm	RP248	
		B	5 cm		
		A	80÷120 cm		
		B	5 cm		
		A	98÷178 cm		
		B	5 cm		





Mobility Aids

Rollators to help moving
easily and safe **EN**

Déambulateurs pour aider à se
déplacer facilement et en toute sécurité **F**

Andadores para ayudar a desplazarse
con facilidad y seguridad **ES**

Rollators para ajudar a mover-se com
facilidade e segurança **P**



MOPEDIA®

- EN Painted aluminium foldable rollators
- F Rollators pliants en aluminium verni
- ES Rollators plegables en aluminio pintado
- P Rollators dobráveis em alumínio pintado

 **Oceano 2.0**

4 wheels

Cod. **RP545A**

Orange



Cod. **RP545G**

Grey



Cod. **RP545V**

Green



Technical features

Seat 45x20 cm - fabric

WEIGHT AND DIMENSION

69 cm	79÷92 cm	54 cm	62 cm	47 cm
27 cm	7,6 Kg	20 cm	20 cm	136 Kg

Spare parts



Cod. **RPR373**
Fabric seat



Cod. **RPR350D**
Cod. **RPR350S**
Brake kit+ singular cable



Cod. **RPR364**
PVC castor
Ø 20 cm



Cod. **RPR355**
Stick holder



Cod. **RPR383**
Bag Width 39,5 cm



Cod. **RPR385**
Opening knob

- EN** Painted aluminium foldable rollators
- F** Rollators pliants en aluminium verni
- ES** Rollators plegables en aluminio pintado
- P** Rollators dobráveis em alumínio pintado



4 pneumatic wheels

Cod. **RP562R**

Red



Cod. **RP562A**

Light blue



Technical features

Seat	46x24 cm								
WEIGHT AND DIMENSION									
									
80 cm	85÷100 cm	56 cm	62 cm	45 cm	24 cm	11,45 Kg	30 cm	24 cm	136 Kg

Spare parts



Cod. **RPR705**
Bag



Cod. **RPR717**
Padded backrest



Cod. **RPR353**
Stick holder



Cod. **RPR712**
Front wheel
Ø 30 cm



Cod. **RPR713**
Rear wheel
Ø 24 cm



Cod. **RPR711D** Right
Cod. **RPR711S** Left
Kit brake + individual
cable

- EN Painted aluminium foldable rollators
- F Rollators pliants en aluminium verni
- ES Rollators plegables en aluminio pintado
- P Rollators dobráveis em alumínio pintado

Folding

Cod. **RP553**

Artemis



Technical features

Seat	45x25 cm				
WEIGHT AND DIMENSION					
					
70 cm	91 cm	80 cm	63 cm	45 cm	
					
27 cm	8,8 Kg	20 cm	20 cm	136 Kg	

Spare parts



Height adjustable seat

Cod. **RP547**


Febe



Technical features

Seat	35x35 cm - Padded				
WEIGHT AND DIMENSION					
					
70÷80 cm	80÷99 cm	50÷57 cm	63 cm	47 cm	
					
90x62x39cm	8 Kg	20 cm	20 cm	136 Kg	

Spare parts



- EN Painted aluminium foldable rollators
 F Rollators pliants en aluminium verni
 ES Rollators plegables en aluminio pintado
 P Rollators dobráveis em alumínio pintado

Antibrachial support

Cod. **RP551**
 Antibrachial



Technical features

Seat		44x24 cm - Fabric		
WEIGHT AND DIMENSION				
				
70 cm	115÷130 cm Antibrachial 100÷115 cm	56 cm	68 cm	52 cm
				
28 cm	7,9 Kg	25 cm	20 cm	136 Kg

Spare parts



Cod. **RPR374**
 Fabric seat



Cod. **RPR352D Right**
 Cod. **RPR352S Left**
 Kit brake + individual cable



Cod. **RPR365**
 TPR castor Ø 20 cm



Cod. **RPR353**
 Stick holder



Cod. **RPR382**
 Bag
 Width 45 cm



Cod. **RPR255**
 Antibrachial support
 - PAIR

Double function

Cod. **RP540**



Technical features

Seat		45x31 cm - Fabric		
WEIGHT AND DIMENSION				
				
75 cm	85÷97 cm	55 cm	63 cm	52 cm
				
28 cm	9,6 Kg	20 cm	20 cm	136 Kg

Spare parts



Cod. **RPR372**
 Fabric seat



Cod. **RPR350D Right**
 Cod. **RPR350S Left**
 Kit brake + individual cable



Cod. **RPR380**
 Bag



Cod. **RPR362**
 PU castor



Cod. **RPR218**
 Lateral footrest - PAIR



Cod. **RPR356**
 Stick holder



Cod. **RPR385**
 Opening knob

- EN Painted aluminium foldable rollators
- F Rollators pliats en aluminiu verni
- ES Rollators plegables en aluminio pintado
- P Rollators dobráveis em alumínio pintado

Light - height adjustable seat

Cod. **RP523**



Technical features

Seat		37x24 cm - Padded				
WEIGHT AND DIMENSION						
						
70÷80 cm	85÷102 cm	54÷61 cm	64 cm	47 cm		
						
95x58x33cm	7,4 Kg	20 cm	20 cm	136 Kg		

Spare parts



Cod. **RPR596**
Stick holder

Cod. **RPR591**
Padded backrest

Cod. **RPR590**
Kit brake + cable



Cod. **RPR593**
Front wheel

Cod. **RPR594**
Rear wheel

Indoor use

Cod. **RP505**



Technical features

Tray		25x39 cm				
WEIGHT AND DIMENSION						
						
75 cm	86÷97 cm	69 cm tray	57 cm	40 cm		
						
95x56x34cm	6,8 Kg	20 cm	20 cm	136 Kg		

Spare parts



Cod. **RPR540**
Brake lever + cable

Cod. **RPR545**
Tray

Cod. **RPR543**
Front wheel

Cod. **RPR542**
Rear wheel

- EN** Painted aluminium foldable rollators
- F** Rollators pliants en aluminium verni
- ES** Rollators plegables en aluminio pintado
- P** Rollators dobráveis em alumínio pintado



Pressure brake

Cod. **RP518B**

Blue



Cod. **RP518R**

Red



Technical features

Seat 32x35 cm - Padded

WEIGHT AND DIMENSION

61 cm	80,1-91 cm	56,27 cm	61 cm	46 cm	20 cm	8,7 Kg	15 cm	15 cm	100 Kg

Spare parts



Cod. **RPR588**
Seat



Cod. **RPR589**
Basket



Cod. **RPR587**
Padded backrest



Cod. **RPR585**
Front castor



Cod. **RPR586**
Rear twin wheels

- EN Painted aluminium foldable rollators
 F Rollators pliants en aluminium verni
 ES Rollators plegables en aluminio pintado
 P Rollators dobráveis em alumínio pintado

Cod. **RP520**

Atlante

Technical features



Seat		38x34 cm - Padded				
WEIGHT AND DIMENSION						
						
68	80÷93	56	61	46		
						
26	8,4 Kg	20	20	136 Kg		

Spare parts



Cod. **RP513**

Mini

Atlante Mini

Technical features



Seat		31x31 cm - Padded				
WEIGHT AND DIMENSION						
						
64 cm	71÷84* cm	50 cm	54 cm	45 cm		
						
55x25x85 cm	5,9 Kg	15 cm	15 cm	100 Kg		

* Encumbrance measured at the lowest height regulation

Spare parts



- EN Painted steel foldable rollators
- F Rollators pliants en acier verni
- ES Rollators plegables en acero pintado
- P Rollators dobráveis em aço pintado



Cod. **RP686A**

Silver



Cod. **RP686B**

Blue



Cod. **RP686R**

Red



Technical features

Seat	45x20 cm - PVC padded			
WEIGHT AND DIMENSION				
				
61 cm	80÷90 cm	55 cm	60 cm	43 cm
				
9 Kg	20 cm	20 cm	136 Kg	


Spare parts



Cod. **RPR635**
Bag



Cod. **RPR634**
Seat



Cod. **RPR632**
Front wheel



Cod. **RPR631**
Rear wheel



Cod. **RPR630**
Kit brake + cable



Cod. **RPR636 PAIO**
Opening knob

- EN Painted steel foldable rollators
- F Rollators plants en acier verni
- ES Rollators plegables en acero pintado
- P Rollators dobráveis em aço pintado

Cod. **RP690B**



Technical features

Seat	38x16 cm - Polyurethane			
WEIGHT AND DIMENSION				
				
64 cm	75÷98 cm	61 cm	60 cm	44 cm
				
31 cm	10 Kg	20 cm	20 cm	136 Kg

Spare parts



Cod. **RP689**



Technical features

Seat	38x17 cm - Plastic			
WEIGHT AND DIMENSION				
				
64,5 cm	78÷95 cm	59 cm Seat 61 cm Over the tray	60 cm	40 cm
				
59x22x65 cm	9 Kg	20 cm	20 cm	130 Kg

Spare parts



* May vary depending on availability

- EN** Painted steel foldable rollators
- F** Rollators pliants en acier verni
- ES** Rollators plegables en acero pintado
- P** Rollators dobráveis em aço pintado

Cod. RP691
Antibrachial



Technical features

Seat		38x16 cm - Polyurethane		
WEIGHT AND DIMENSION				
				
64 cm	100÷115 cm	61 cm	60 cm	44 cm
				
31 cm	10 Kg	20 cm	20 cm	136 Kg

Spare parts

Cod. **RPR252**
Antibrachial support-padding

Cod. **RPR203**
Kit brake + individual cable

Cod. **RPR291**
Tray

Cod. **RPR221**
Seat

Cod. **RPR305**
Stick holder

Cod. **RPR210**
TPR castor

Cod. **RPR236**
Basket

Cod. **RPR277**
Locking lever

Cod. RP685B
3 wheels



Technical features

WEIGHT AND DIMENSION				
56 cm	81÷96 cm	66 cm	33 cm	28 cm
7,3 Kg	20 cm	20 cm	136 Kg	

Spare parts

Cod. **RPR200D Right**
Cod. **RPR200S Left**
Kit brake + individual cable

Cod. **RPR235**
Basket 28x20h cm (outer dimension)

Cod. **RPR240**
Bag

Cod. **RPR281**
Tray 20x24 cm (inner dimension)
24x28 cm (outer dimension)

Cod. **RPR210**
TPR castor

- EN Painted steel foldable rollators
- F Rollators plants en acier verni
- ES Rollators plegables en acero pintado
- P Rollators dobráveis em aço pintado

Cod. **RP680**



Technical features

Seat		37x24,5 cm - Plastic		
WEIGHT AND DIMENSION				
				
61 cm	74÷94 cm	48 cm	61 cm	38,5 cm
				
24 cm	6 Kg	15 cm	-	136 Kg

Cod. **RP682**



Technical features

Seat		40x20 cm - Padded		
WEIGHT AND DIMENSION				
				
59 cm	73,5÷94 cm	52 cm	51 cm	47 cm
				
13* cm	8,9 Kg	11,5 cm	-	136 Kg

* Without handles

Spare parts for 2 castors rollators



Cod. **RPR220**
Plastic seat
(for **RP680**)



Cod. **RPR234**
Basket (for **RP680**)



Cod. **RPR212**
EVA front castor
(for **RP680**)



Cod. **RPR250**
Rear tips - PAIR
(for **RP680**)



Cod. **RPR370**
Padded seat
(for **RP682**)



Cod. **RPR360**
EVA front castor
(for **RP682**)



Cod. **RPR219**
Rear Tips - PAIR
(for **RP682**)

EN Bariatric aluminium rollator
 F Rollator bariatrique en aluminium
 ES Rollator bariátrico de aluminio
 P Rollator bariátrico de alumínio



Light - height adjustable seat

Cod. **RH547**



Technical features

Seat	46 cm				
WEIGHT AND DIMENSION					
					
80 cm	80÷100 cm	50÷57 cm seat	70 cm	55 cm	
					
110x70x39cm	10 Kg	25 cm	25 cm	180 Kg	

Spare parts



EN Bariatric steel rollator
 F Rollator bariatrique en acier
 ES Rollator bariátrico de acero
 P Rollator de aço bariátrico



Cod. **RH520**



Technical features

Seat	46 cm				
					
68 cm	78÷94 cm	55 cm seat	75 cm	60 cm	
					
12,3 Kg	20 cm	20 cm	200 Kg		

Spare parts





Mobility Aids

Walkers to help moving easily and safe
déambulateurs pour vous aider à vous déplacer
facilement et en toute sécurité

EN

F

Andadores para ayudar a desplazarse
con facilidad y seguridad

ES

Andadores para ajudar na movimentação
com facilidade e segurança

P



MOPEDIA®

- EN Painted steel walkers
- F Déambulateurs en acier verni
- ES Andadores en acero pintado
- P Andadores em aço pintado

Clik

With antibrachial table

Cod. **RP755T**

Demountable



Technical features

WEIGHT* AND DIMENSION			
79 cm	48 cm	82 cm	98 cm
		Usable space	
104-133 cm	66 cm	inside 46 cm table 42 cm	130 Kg

* max footprint

Cod. **RP756T**

Foldable



Technical features

WEIGHT* AND DIMENSION			
79 cm	48 cm	82 cm	98 cm
		Usable space	
101-135 cm	66 cm	inside 46 cm table 42 cm	130 Kg

* max footprint

Optional accessories



Cod. **RP757**
Padded seat. Seat 42 cm
Dimension 54x21,5x5,5h cm



Cod. **RP759/1**
Padded table 66 x 42 cm, di cui
antibrachial support 10 cm



Cod. **RV7117**
Antibrachial support
complete - PAIR



Cod. **RV7115**
Boards - weight 13 kg
- PAIR

- EN Painted steel demountable walkers
- F Déambulateurs escamotables en acier verni
- ES Andadores desmontables en acero pintado
- P Andadores desmontáveis em aço pintado

Clik

Adjustable height, width and depth underarm support

Cod. **RP755S**

Demountable



Technical features

WEIGHT* AND DIMENSION				
79 cm	48 cm	82 cm	98 cm	117-151 cm
		Usable space		
64 cm	31-67 cm	inside 46 cm		130 Kg

*max footprint

Cod. **RP755F**

With brakes
Demountable



Technical features

WEIGHT* AND DIMENSION				
82 cm	48 cm	82 cm	98 cm	119-152 cm
		Usable space		
64 cm	31-70 cm	inside 46 cm		130 Kg

*max footprint

Optional accessories



Cod. **RP757**
Padded seat. Seat 42 cm
Dimension 54x21,5x5,5h cm



Cod. **RP759/1**
Padded table 66 x 42 cm, di cui
antibrachial support 10 cm



Cod. **RV7117**
Antibrachial support
complete - PAIR



Cod. **RV7115**
Boards - weight 13 kg
- PAIR

- EN Painted steel foldable walkers
- F Déambulateurs pliants en acier verni
- ES Andadores plegables en acero pintado
- P Andadores dobráveis em aço pintado

Clik

Adjustable height, width and depth underarm support

Cod. **RP756S**



Technical features

WEIGHT* AND DIMENSION				
79 cm	48 cm	82 cm	98 cm	117-152 cm
		Usable space		
55 cm	31-67 cm	inside 46 cm		130 Kg

* max footprint

Cod. **RP754S**

Height adjustable legs
0÷12,5 cm



Technical features

WEIGHT* AND DIMENSION				
79 cm	47-62 cm	82-96 cm	97-111 cm	113-127 cm
		Usable space		
55 cm	31-67 cm	inside 46 cm		130 Kg

* max footprint

Optional accessories



Cod. **RP757**
Padded seat. Seat 42 cm
Dimension 54x21,5x5,5h cm



Cod. **RP759/1**
Padded table 66 x 42 cm, di cui
antibrachial support 10 cm



Cod. **RV7115**
Boards - weight 13 kg
- PAIR

- EN Painted steel foldable walkers
- F Déambulateurs pliants en acier verni
- ES Andadores plegables en acero pintado
- P Andadores dobráveis em aço pintado

Clik

Height adjustable antibrachial supports

Cod. **RP756A**



Technical features

WEIGHT* AND DIMENSION			
72 cm	48 cm	82 cm	98 cm
		Usable space	
109-146 cm	63 cm	inside 46 cm	130 Kg

*max footprint

Cod. **RP754A**

Height adjustable legs
0÷12,5 cm



Technical features

WEIGHT* AND DIMENSION			
72 cm	47-62 cm	82-96 cm	97-111 cm
		Usable space	
109-159 cm	63 cm	inside 46 cm	130 Kg

*max footprint

Optional accessories



Cod. **RP757**
Padded seat. Seat 42 cm
Dimension 54x21,5x5,5h cm



Cod. **RP759/1**
Padded table 66 x 42 cm, di cui antibrachial support 10 cm



Cod. **RV7115**
Boards - weight 13 kg
- PAIR

- EN Painted steel foldable walkers
- F Déambulateurs pliants en acier verni
- ES Andadores plegables en acero pintado
- P Andadores dobráveis em aço pintado

Clikmini

Compact models

Cod. **RP756M**

Support underarm
Height adjustable
legs



Technical features

WEIGHT* AND DIMENSION				
72 cm	35-41 cm	72-78 cm	85-91 cm	103-139 cm
		Usable space		
55 cm	31-37 cm	inside 46 cm		130 Kg

*max footprint

Cod. **RP756AM**

Antibrachial
supports



Technical features

WEIGHT* AND DIMENSION			
72 cm	35 cm	72 cm	85 cm
		Usable space	
103-133 cm	63 cm	inside 46 cm	130 Kg

*max footprint

Optional accessories



Cod. **RP757**
Padded seat. Seat 42 cm
Dimension 54x21,5x5,5h cm



Cod. **RP759/1**
Padded table 66 x 42 cm, di cui
antibrachial support 10 cm

- EN** Painted steel foldable walkers
F Déambulateurs pliants en acier verni
ES Andadores plegables en acero pintado
P Andadores dobráveis em aço pintado

Clik

Adjustable height, width and depth underarm support

Cod. RP758S

Height
adjustable legs
0÷12,5 cm



Folded
L:54 x P:20 cm

Technical features

WEIGHT* AND DIMENSION

78 cm	47-62 cm	76-90 cm	81-95 cm	113-153 cm
		Usable space		
53 cm	31-67 cm	inside 42 cm		130 Kg

*max footprint

Optional accessories



Cod. RP757
Padded seat. Seat 42 cm
Dimension 54x21,5x5,5h cm



Cod. RP759/1
Padded table 66 x 42 cm, di cui
antibrachial support 10 cm



Cod. RV7117
Antibrachial support
complete - PAIR



Cod. RV7115
Boards - weight 13 kg
- PAIR

Spare parts for shoulder and antibrachial walker



Cod. RV7118
Underarm padding
only - PAIR



Cod. RV7117
Complete
antibrachial
supports - PAIR



Cod. RPR7077
Castor with brake
Ø 10 cm M12 -
PAIR



Cod. RPR7076
Castor without
brake Ø 10 cm
M12 - PAIR



Cod. RP759/1
Padded table 66 x 42 cm,
antibrachial support 10 cm



Cod. RV7078
Fixing clamp



Cod. RPR7088
Support bar

- EN Anodized aluminium walkers
- F Déambulateurs en aluminium anodisé
- ES Andadores en aluminio anodizado
- P Andadores em alumínio anodizado

Clik

2 tips and 2 fixes castors Ø 7 cm

Series **RP735**



Technical features

WEIGHT AND DIMENSION				
Product codes	Base*	H:		
RP735S 5 holes		Every 2,5 cm adjustable From 68,5 to 78,5 cm	130 kg	2 Pcs
RP735M 5 holes		Every 2,5 cm adjustable From 76 to 86 cm	130 kg	2 Pcs
RP735L 8 holes		Every 2,5 cm adjustable From 83 to 101 cm	130 kg	2 Pcs

* Encumbrance measured at the lowest height regulation

2 glide brakes and 2 fixed castors Ø 7 cm

Cod. **RP737**



Technical features

WEIGHT AND DIMENSION				
	Base*	H:		
		Every 2,5 cm adjustable From 84 to 102 cm	130 kg	2 Pcs

* Encumbrance measured at the lowest height regulation

2 tips and 2 swivel castors Ø 7 cm

Cod. **RP734**



Technical features

WEIGHT AND DIMENSION				
	Base*	H:		
		Every 2,5 cm adjustable From 84 to 102 cm	130 kg	2 Pcs

* Encumbrance measured at the lowest height regulation

- EN Anodized aluminium walkers
- F Déambulateurs en aluminium anodisé
- ES Andadores en aluminio anodizado
- P Andadores em alumínio anodizado

Clik

2 self-locking castors and 2 swivel castors Ø 7 cm

Cod. **RP738**



Technical features

WEIGHT AND DIMENSION				
Base*	 H:			
	Every 2,5 cm adjustable Da 84 a 102 cm	130 kg	2 Pcs	

* Encumbrance measured at the lowest height regulation

4 swivel castors Ø 7 cm

Series **RP733**



Technical features

WEIGHT AND DIMENSION				
Product codes	Base*	 H:		
RP733S 5 holes		Every 2,5 cm adjustable Da 70 a 80 cm	130 kg	2 Pcs
RP733M 5 holes		Every 2,5 cm adjustable Da 78 a 88 cm	130 kg	2 Pcs
RP733L 8 holes		Every 2,5 cm adjustable Da 84 a 102 cm	130 kg	2 Pcs

* Encumbrance measured at the lowest height regulation

4 swivel castors - 2 with brake Ø 7,5 cm

Cod. **RP741**



Technical features

WEIGHT AND DIMENSION				
Base*	 H:			
	Every 2,5 cm adjustable Da 86 a 96 cm	100 kg	2 Pcs	


* Encumbrance measured at the lowest height regulation

- EN Anodized aluminium walkers
- F Déambulateurs en aluminium anodisé
- ES Andadores en aluminio anodizado
- P Andadores em alumínio anodizado

Clik

4 tips - Double function fix and swinging

Series **RP749**



Technical features

WEIGHT AND DIMENSION

Product codes	Base*	H:		
RP749M 5 holes	54 cm 47,5 cm 52 cm	Every 2,5 cm adjustable From 77,5 to 87,5 cm	130 kg	2 Pcs
RP749L 8 holes	54 cm 47,5 cm 52 cm	Every 2,5 cm adjustable From 83,5 to 101,5 cm	130 kg	2 Pcs

*Encumbrance measured at the lowest height regulation

4 tips - Double handgrip

Cod. **RP747**



Technical features

WEIGHT AND DIMENSION

Base*	H:		
60 cm 51 cm 58 cm	Every 2,5 cm adjustable From 71 to 89 cm	130 kg	2 Pcs

*Encumbrance measured at the lowest height regulation

4 tips

Series **RP730**



Technical features

WEIGHT AND DIMENSION

Product codes	Base*	H:		
RP730M 5 holes	61 cm 48 cm 59 cm	Every 2,5 cm adjustable From 77 to 87 cm	130 kg	2 Pcs
RP730L 8 holes	63 cm 49 cm 60 cm	Every 2,5 cm adjustable From 83 to 101 cm	130 kg	2 Pcs

*Encumbrance measured at the lowest height regulation

EN Anodized aluminium walkers
F Déambulateurs en aluminium anodisé
ES Andadores en aluminio anodizado
P Andadores em alumínio anodizado

Clik

2 swivel castors and 2 double castors with self-locking tips Ø 10 cm

Cod. **RP743**



Technical features

WEIGHT AND DIMENSION				
Base*	H:			
65 cm 57 cm 60 cm	Every 2,5 cm adjustable From 85 to 103 cm	120 kg	2 Pcs	

* Encumbrance measured at the lowest height regulation

2 swivel castors and 2 manual brakes castors Ø 12 cm

Cod. **RP742**



Technical features

WEIGHT AND DIMENSION				
Base*	H:			
65 cm 54 cm 59 cm	Every 2,5 cm adjustable From 86 to 103 cm	130 kg	2 Pcs	

* Encumbrance measured at the lowest height regulation

Spare parts and accessories for walkers



Cod. **RV7045**
Basket.
Base
35x10x17h cm
Top 40x14 cm
for RP743 e RP749




Cod. **RV7046**
Basket.
Base
40,5x15x18,5h cm
Top 45x15 cm
for RP742



Cod. **RV7045N**
Basket.
Base
40,6x15x17,8h cm
Top 44,5x18,5 cm
for all the walkers



Cod. **RV7030** Grey
Cod. **RV7031** Black
Tips Ø 28 mm -
PAIR



Cod. **RV7052**
Glide brake
foot piece with
attachments -
PAIR



Cod. **RV7053**
Glide brake wheels
- Ø 7 cm
PAIR




Cod. **RV7053D**
Double glide brake
wheels - Ø
10 cm - PAIR




Cod. **RV7120-8** 8 holes
Wheels swivel
castors with brake for
RP741 - PAIR



Cod. **RV7054-5** 5 holes
Cod. **RV7054-8** 8 holes
Swivel castors, Ø 7
cm - PAIR



Cod. **RV7055-5** 5 holes
Cod. **RV7055-8** 8 holes
Fixed castors Ø 7
cm - PAIR



Cod. **RV7056-5** 5 holes
Cod. **RV7056-8** 8 holes
Legs - PAIR



Cod. **RV7121-8** 8 holes
Legs with swivel
castors Ø 10
cm - PAIR



Cod. **RV7154-8**
Legs with swivel
castors Ø 12
cm - PAIR



Cod. **RV7155-8**
Fixed castors Ø 12
cm - PAIR



Cod. **RV7114**
Antibrachial
support - PAIR



Cod. **RV7119-8** 8 holes
Wheels swivel
castors without brake
for **RP741** - PAIR

- EN Anodized aluminium walkers
- F Déambulateurs en aluminium anodisé
- ES Andadores en aluminio anodizado
- P Andadores em alumínio anodizado

Painted - 4 swivel castors Ø 7,5 cm - demountable

Cod. **RP748**



Padded
seat

2 castors
with brake

Technical features

WEIGHT AND DIMENSION

Base*	H:		
54 cm	Every 2,5 cm adjustable From 77 to 92 cm	130 kg	2 Pcs
54 cm			

* Encumbrance measured at the lowest height regulation

2 swivel castors with lock- 2 fixed castors with brakes

Cod. **RP751**



parking
brake

padded
seat

Directional
lock

Backrest

Technical features

Seat 28x44 cm - Polyurethane

WEIGHT AND DIMENSION

57 cm	82÷92* cm	49÷59 cm	69 cm	52 cm
20 cm	6,6 Kg	12 cm	12 cm	130 Kg

* Encumbrance measured at the lowest height regulation

Spare parts



Cod. **RV7016**
Legs with swivel
castors and
brake Ø 10 cm -PAIR
for **RP748**



Cod. **RV7015**
Legs with swivel
castors without brake
Ø 10 cm -PAIR
for **RP748**



Cod. **RP758**
PVC seat
for **RP748**



Cod. **RV7108**
Seat for **RP751**



Cod. **RV7014N**
Kit brake - PAIR
for **RP751**



Cod. **RV7013**
Leg and rear wheel -
PAIR for **RP751**



Cod. **RV7012**
Leg and front wheel -
PAIR for **RP751**

- EN Anodized aluminium walkers
- F Déambulateurs en aluminium anodisé
- ES Andadores en aluminio anodizado
- P Andadores em alumínio anodizado

Clik

4 tips - fixed

Series **RP729**



Technical features

WEIGHT AND DIMENSION					
Product codes	Base*	H:			
RP729M 5 holes	55 cm 43,5 cm 45 cm	Every 2,5 cm adjustable From 76 to 86 cm	110 kg	4 Pcs	
RP729L 5 holes	56 cm 45 cm 45,5 cm	Every 2,5 cm adjustable From 86 to 96 cm	110 kg	4 Pcs	

* Encumbrance measured at the lowest height regulation

- EN Anodized aluminium walkers - Children
- F Déambulateurs en aluminium anodisé - Enfant
- ES Andadores en aluminio anodizado - Niños
- P Andadores em alumínio anodizado - Infantil

4 tips - foldable

Cod. **RP731**



Technical features

WEIGHT AND DIMENSION					
	Base*	H:			
	48 cm 38 cm 40 cm	Every 2,5 cm adjustable From 53 to 62,5 cm	60 kg	2 Pcs	

* Encumbrance measured at the lowest height regulation

2 castors and 2 tips - Foldable

Cod. **RP736**



Height adjustable
handles - maximum
increase 12 cm

Technical features

WEIGHT AND DIMENSION					
	Base*	H:			
	50 cm 44 cm 55 cm	Every 2,5 cm adjustable From 41 to 60 cm	60 kg	2 Pcs	

* Encumbrance measured at the lowest height regulation



Mobility Aids

Crutches, Tripods and Quadripods to help moving easily and safe EN

Cannes, trépieds et quadripodes pour aider à se déplacer facilement et en toute sécurité F

Muletas, Trípodes y Cuadrípodos para ayudar a moverse con facilidad y seguridad ES

Muletas, Tripés e Quadrípodos ajudar a mover-se com facilidade e segurança P



MOPEDIA®

EN Anodized aluminium forearm crutches
 F Cannes anglaises en aluminium anodisé
 ES Muletas en aluminio anodizado
 P Canadianas de alumínio anodizado

Brio

Adult

Cod. **RP701V**

Green




Cod. **RP701R**

Red



Cod. **RP701B**

Blue



Cod. **RP701A**

Silver



Cod. **RP701N**

Black



Technical features

WEIGHT AND DIMENSION		Diameter			
H: 93÷116,5 cm - H: 74÷97 cm (from grip to ground) each 2,5 cm adjustable		ø upper: 22 mm - ø lower: 19 mm		100 Kg	12 pairs

Cod. **RP705A**



Cod. **RP706N**

Black



Technical features


WEIGHT AND DIMENSION		Diameter			
H: 93,5÷116,5 cm - H: 74÷97 cm (from grip to ground) each 2,5 cm adjustable		ø upper : 22 mm - ø lower: 19 mm		100 Kg	12 pairs

- EN Forearm crutches
- F Cannes anglaises
- ES Muletas
- P Canadianas

Brio

Children

Cod. **RP700C**



Technical features

WEIGHT AND DIMENSION			
	Diameter		
H: 82,5÷97,5 cm H: 65÷81 cm (from grip to ground) each 2,5 cm adjustable	ø upfor : 22 mm ø lower: 19 mm	80 Kg	12 pairs


- EN Anodized aluminium shoulder crutches
- F Béquilles sous aisselles en aluminium anodisé
- ES Muletas axilares en aluminio anodizado
- P Muletas axilares em alumínio anodizado

Brio

Adult

Cod. **RP710**

Cod. **RP711**



Technical features

WEIGHT AND DIMENSION			
Product codes			
RP710	H: 114÷134 cm	130 Kg	8 pairs
RP711	H: 134÷154 cm	130 Kg	8 pairs

Spare parts for crutches

Forearm crutch



Cod. **RV7010**
Grey tips
Ø 18 mm - PAIR



Cod. **RV7011**
Black tips
Ø 18 mm - PAIR

Shoulder crutch



Cod. **RV7020**
Tips
Ø 20 mm - PAIR



Cod. **RV7040**
Underarm pad - PAIR



Cod. **RV7050**
Grip - PAIR

- EN Three-leg and four-leg canes in anodized aluminium
 F Cannes tripodes et quadripodes en aluminium anodisé
 ES Trípodes y cuadrípodes en aluminio anodizado
 P Tripés e quadripés em alumínio anodizado

Brio

Closed handle - Anatomic grip

Cod. **RP721**

Three-leg
Adult



Cod. **RP724**

Four-leg



Cod. **RP715**

Three-leg
Children

Technical features

WEIGHT AND DIMENSION			
Product codes	RP715	RP721	RP724
Base			
 H:	66÷73 cm	74÷97 cm	74÷96 cm
	80 Kg	130 Kg	
	4 Pcs		

Open handle

Cod. **RP720**

Three-leg



Cod. **RP723**

Four-leg



Cod. **RP726**

Four-leg



Technical features

WEIGHT AND DIMENSION				
Product codes		RP720	RP723	RP726
Base				
	H:	75÷97 cm	75÷95 cm	
		130 Kg		
		4 Pcs		

Antibrachial support

Cod. **RP719**

Three-leg



Cod. **RP722**

Four-leg



Technical features

WEIGHT AND DIMENSION		
Product codes	RP719	RP722
Base	37 cm 27 cm	31 cm 26 cm 25 cm
H:	76÷98 cm	
	100 Kg	
	4 Pcs	

Spare parts



Cod. **RV7033**
Rubber tips for four-leg canes
large base- PAIR
Ø 18 mm



Cod. **RV7036**
Rubber tips for RP726
Ø 12 mm - 4 Pcs

EN Steel four-leg cane
F Canne quadripode en acier
ES Cuadrípode en acero
P Quadripés em aço

EN Steel walking stick
F Canne en acier
ES Muletilla en acero
P Bengala em aço

PVC open handle

Cod. **RH720**

Brio^{HD}

Spare parts



Cod. **RHR710**
4 tips kit for RH720

Technical features

WEIGHT AND DIMENSION				
Base				
20,5 cm				
15,5 cm	H: 74÷97 cm	226 Kg	4 pcs	
20,5 cm				

PVC open handle

Cod. **RH150**

Brio^{HD}

Spare parts



Cod. **AU301**
Rubber tip with heavier base Ø 18 mm - SINGLE

Technical features

WEIGHT AND DIMENSION	
H:	74÷97 cm
	226 Kg
	8 Pcs

EN Aluminium walking stick
F Canne en aluminium
ES Muletilla en aluminio
P Bengala em alumínio

Brio

With light and alarm, height adjustable

Cod. **RP165**

1 button
for 2 functions:
• Fixed light
• Flash light



Technical features

WEIGHT AND DIMENSION		
H:		Diameter
Every 2,5 cm adjustable 74÷96 cm	100 Kg	ø upfor : 22 mm ø lower: 18 mm

Spare parts



Cod. **AU301**
Rubber tip with heavier base Ø 18 mm - SINGLE

- EN Anodized coloured aluminium walking sticks
- F Canes en aluminium anodisé et coloré
- ES Muletilas de colores en aluminio anodizado
- P Bengalas de cor em alumínio anodizado

Brio

Standard rubber tip

Cod. **RP190N**

Black



Cod. **RP190R**

Red



Cod. **RP190V**


Green



Tip large base

Cod. **RP191R**

Red



Cod. **RP191N**

Black



Cod. **RP191V**

Green



Spare parts



Cod. **RP196**
Standard black tip

Spare parts




Cod. **RP197**
Large base black tip

Four-leg base

Cod. **RP192V**

Green



Cod. **RP192R**

Red



Cod. **RP192N**

Black



Spare parts



Cod. **RP198**
Black tip
quadripod base



Cod. **RP199**
Tips kit
for quadripod base

Technical features

WEIGHT AND DIMENSION			
Product codes	H:		Diameter
RP190x	Every 2,5 cm adjustable 72÷95 cm	110 Kg	ø upper : 22 mm ø lower: 19 mm
RP191x	Every 2,5 cm adjustable 74÷97 cm	110 Kg	ø upper : 22 mm ø lower: 19 mm
RP192x	Every 2,5 cm adjustable 74÷97 cm	110 Kg	ø upper : 22 mm ø lower: 19 mm

EN Aluminium walking sticks
F Canes en aluminium
ES Muletilas en aluminio
P Bengalas em alumínio

Brio

Height adjustable - with courtesy lace

Cod. **RP162A**

Monocromatic
ABS and TPR
Derby
Silver



Cod. **RP162B**

Monocromatic
ABS and TPR
Derby
Blue



Cod. **RP162V**

Monocromatic
ABS and TPR
Derby
Green



Cod. **RP162R**

Monocromatic
ABS and TPR
Derby
Red



Cod. **RP162P**

Monocromatic
ABS and TPR
Derby
Purple



Cod. **RP162N**

Monocromatic
ABS and TPR
Derby
Black



Cod. **RP163-1**

Aluminium
T-handle
Squared



Cod. **RP163-2**

Wooden
T-handle
Floral



Cod. **RP168-1**

Wooden
T-handle
Floral



Technical features

WEIGHT AND DIMENSION

Product codes	RP162A	RP162B	RP162V	RP162R	RP162P	RP162N	RP163-1	RP163-2	RP168-1
H:	68÷90,5 cm								
	100 kg								
Diameter	ø upper : 22 mm ø lower: 19 mm								

Spare parts



Cod. **RPR755**
Black tip large base

EN Aluminium walking sticks
F Cannes en aluminium
ES Muletilas en aluminio
P Bengalas em alumínio

Brio

Height adjustable - With courtesy lace

Cod. **RP167-2**

Aluminium
with Derby
handle
Cashmere



Brown tips

Cod. **RP167-3**

Aluminium
with Derby
handle
Purple
flowers



Cod. **RP167-4**

Aluminium
with Derby
handle
Circles



Cod. **RP167-5**

Aluminium
with Derby
handle
Black and
white



Cod. **RP169-1**

ABS and TPR
with Derby
handle
Floral



Cod. **RP169-2**

ABS and TPR
with Derby
handle
Chevron
pattern



Cod. **RP169-3**

ABS and TPR
with Derby
handle
Optical blue



Cod. **RP169-5**

ABS and TPR
with Derby
handle
Optical black



Cod. **RP169-6**

ABS and TPR
with Derby
handle
Tartan



Cod. **RP169-7**

ABS and TPR
with Derby
handle
Squared



Technical features

WEIGHT AND DIMENSION										
Product codes	RP167-2	RP167-3	RP167-4	RP167-5	RP169-1	RP169-2	RP169-3	RP169-5	RP169-6	RP169-7
H:	68÷90,5 cm									
	100 kg									
Diameter	ø upper : 22 mm - ø lower: 19 mm									

Spare parts



Cod. **RPR755**
Black tip large base

- EN Anodized aluminium walking sticks with non-slip tip
 F Canes en aluminium anodisé avec embouts antidérapants
 ES Muletilas en aluminio anodizado con conteras antideslizantes
 P Bengalas em alumínio anodizado com pés antideslizantes

Brio

Foldable - Height adjustable

Cod. **RP145NL**

Cod. **RP145NC**

Wooden grip -
Black



Cod. **RP145BC**

Wooden grip -
Bronze



Folded

Cod. **RP159**

Wooden T
handle -
woman



Folded

Cod. **RP160-1**

ABS and TPR
with Derby
handle
Tartan



Folded

Cod. **RP160-2**

ABS and TPR
with Derby
handle
Black and
white



Folded

Cod. **RP160-3**

ABS and TPR
with Derby
handle
Floral



Folded

Technical features

WEIGHT AND DIMENSION							
Product codes	RP145NL	RP145NC	RP145BC	RP160-1	RP160-2	RP160-3	RP159
RDM	2432141			2376904			2432161
 H:	82,5÷92,5 cm	77,5÷87,5 cm		68÷89 cm			83÷93 cm
	100 kg						
Diameter	ø upper: 22 mm - ø lower: 19 mm						ø upp. 19 mm ø low. 16 mm

Spare parts



Cod. **RV7029**

Brown tips
Ø 18 mm - PAIR

Cod. **RV7028**

Black tips
Ø 18 mm - PAIR

Cod. **RV7038**

Tips RP159
Ø 18 mm - PAIR

- EN** Anodized aluminium walking sticks with non-slip tip
- F** Cannes en aluminium anodisé avec embouts antidérapants
- ES** Muletilas en aluminio anodizado con conteras antideslizantes
- P** Bengalas em alumínio anodizado com pés antideslizantes

Height adjustable



Technical features

WEIGHT AND DIMENSION				
Product codes	RP146	RP148	RP153S	RP153D
 H:	79÷102 cm		77,5÷100 cm	
	110 kg			
Diameter	ø upper : 22.2 mm - ø lower: 19 mm			

Spare parts



- EN** Tips
- F** Embouts
- ES** Conteras
- P** Ponteirias



- EN Wooden sticks
- F Cannes en bois
- ES Muletillas madera
- P Bengalas de madera

Brio

T-handle

Cod. **RP140**

WOMAN
Beech Wooden
handle



Cod. **RP141**

WOMAN
Beech Wooden
handle Metal ring



Cod. **RP130**

MAN
Beech Wooden
handle



Cod. **RP135**

Beech
Chromed handle
and ring



Curved handle

Cod. **RP115**

WOMAN
Beech Metal ring
Methacrylate
handle



Cod. **RP120**

MAN
Chestnut
natural



Cod. **RP110**

MAN
Chestnut



Technical features

WEIGHT AND DIMENSION	
 H:	
92 cm	90 Kg

Spare parts



Cod. **RV4451**
Tip nr.16 - Woman - SINGLE

Cod. **RV4452**
Tip nr.18 - Man - SINGLE



Healthcare and orthopedics.

Aids for Home Care and daily life

EN

Aides pour les soins à domicile et la vie quotidienne

F

Ayudas para el cuidado del hogar y la vida diaria

ES

Auxílios para cuidados domiciliarios e vida diária

P



MOPEDIA®

- EN Painted steel pedal exerciser
- F Pedalier pour rééducation en acier verni
- ES Pedalier para rehabilitación en acero pintado
- P Pedaleira para reabilitação em aço pintado

Foldable with display

Cod. **RP926**



Crossy Top



Technical features

WEIGHT AND DIMENSION

Outer dimension	49 x 37 x 34 cm
Minimum height (pedals in horizontal position)	27 cm
Maximum height (pedals in upright position)	34 cm

Foldable

Cod. **RP924**



Crossy Foldy




Technical features

WEIGHT AND DIMENSION

Outer dimension	49 x 37 x 34 cm
Minimum height (pedals in horizontal position)	27 cm
Maximum height (pedals in upright position)	34 cm

Standard

Cod. **RP922**



Crossy Fix



Technical features

WEIGHT AND DIMENSION

Outer dimension	49 x 37 x 34 cm
Minimum height (pedals in horizontal position)	27 cm
Maximum height (pedals in upright position)	34 cm

- EN Painted steel pedal exercisers
- F Pedaliers pour rééducation en acier verni
- ES Pedalieres para rehabilitación en acero pintado
- P Pedaleiras para reabilitação em aço pintado

Demountable with fixed handles

Cod. **RP928**



Crossy *Up*

Technical features

WEIGHT AND DIMENSION

Outer dimension 41,5 x 54,5 x H: 95 cm

Demountable legs and arms

Cod. **RP929**



Crossy *Double*

Technical features

WEIGHT AND DIMENSION

Outer dimension 39 x 56 x H: 80,5÷92,5 cm

For legs and knees, with removable cover

Cod. **ST381**



It adapts perfectly to the legs while providing ideal alignment for pelvis, knees and spine, enhancing both posture and blood circulation while sleeping. It relieves pressure on the lower back and fits comfortably to the curves of the legs. Hand washable cover at 40°C.



Technical features

SPECIFICATIONS		
Inner	Shaped Memory Foam	
Cover	100% polyester	
DIMENSIONS		
 W:	 D:	 H:
24,5 cm	20 cm	15/9 cm

Shaped for legs and knees, with removable cover

Cod. **ST382**



Thanks to the anatomical shape, it adapts perfectly to the legs providing ideal alignment for the pelvis, knees and spine, improving both posture and blood circulation during sleep. It relieves pressure on lower back and fits comfortably to the curves of the legs. Hand washable cover at 40°C.



Technical features

SPECIFICATIONS		
Inner	Moulded Memory Foam	
Cover	100% polyester	
DIMENSIONS		
 W:	 D:	 H:
27 cm	12 cm	28 cm




- EN Positioning cushions
- F Coussins de positionnement
- ES Cojines de posicionamiento
- P Almofadas de posicionamento




Half cylinders, with removable cover

Cod. **ST350S**
35 cm



Cod. **ST350L**
50 cm



Suitable for relieving legs, improving sleep and circulation. They favor spine alignment. Excellent as lumbar support for a comfortable sitting posture. Cover washable by hand at 40°C.



Technical features

Product codes		ST350S	ST350L
SPECIFICATIONS			
Inner		polyurethane	
Cover		100% polyester	
DIMENSIONS			
	 W:	 D:	 H:
ST350S	35 cm	20 cm	10 cm
ST350L	50 cm		

Twist cylinder, with removable cover

Cod. **ST352**
High adaptability thanks to the inner plastic



Technical features

SPECIFICATIONS		
Inner	expanded polyurethane	
Cover	100% polyester	
DIMENSIONS		
 W:	 D:	 H:
63 cm	-	Ø 11,5 cm

Suitable for relieving legs, improving sleep and circulation. It favors spine alignment. Cover washable by hand at 40°C.



- EN Positioning cushions
- F Coussins de positionnement
- ES Cojines de posicionamiento
- P Almofadas de posicionamento



Half cylinder positioning cushions for legs, with removable cover

Cod. **ST383-1** Polyurethane coated cover

Cod. **ST383-2** Polyester cover



Flame-retardant,
perspiring, waterproof,
bi-elastic, non-toxic,
hypoallergenic



Suitable for relieving legs, improving sleep and circulation. Hand washable cover at 40°C.

Technical features

Product codes	ST383-1	ST383-2
SPECIFICATIONS		
Inner	polyurethane D28 cut	
Cover	100% polyurethane	100% polyester
DIMENSIONS		
W:	D:	H:
50 cm	24,5 cm	9,5 cm



Ergonomic, triangular, with removable cover

Cod. **ST385-1** Polyurethane coated cover

Cod. **ST385-2** Polyester cover



Suitable for lateral body positioning during sleep. Indicated for post-operative care, for medical assistance, home care or physiotherapy. Ideal to avoid rolling during sleep. Hand washable cover at 40°C.



Technical features

Product codes	ST385-1	ST385-2
SPECIFICATIONS		
Inner	polyurethane D36 cut	
Cover	100% polyurethane	100% polyester
DIMENSIONS		
W:	D:	H:
60 cm	25 cm	20 cm



- EN
- Positioning cushions for legs and back
- F
- Coussins de positionnement pour jambes et dos
- ES
- Cojines posicionadores para piernas y espalda
- P
- Almofadas de posicionamento para pernas e costas



Ergonomic, shaped back and leg positioner, with removable cover

Cod. **ST386-1** Polyurethane coated cover

Cod. **ST386-2** Polyester cover



Its shape fits perfectly to the legs, favoring better blood circulation of the lower limbs. Suitable for limbs relaxation after trauma and in cases requiring higher position than the torso, tired and/or swollen legs, legs' pain, circulation problems, pre and post pregnancy, phlebitis, calf cramps. Ideal for those suffering from gastroesophageal reflux. Hand washable cover at 40°C.

Technical features

Product codes	ST386-1	ST386-2
SPECIFICATIONS		
Inner	Cut polyurethane base, upper side 2 cm memory foam	
Cover	100% polyurethane	100% polyester
DIMENSIONS		
W:	D:	H:
67 cm	54 cm	20 cm



Ergonomic, multifunction, with removable cover

Cod. **ST387-1** Polyurethane coated cover

Cod. **ST387-2** Polyester cover



Flame-retardant,
perspiring, waterproof,
bi-elastic, non-toxic,
hypoallergenic

Technical features

Product codes	ST387-1	ST387-2
SPECIFICATIONS		
Inner	cut polyurethane D36	
Cover	100% polyurethane	100% polyester
DIMENSIONS		
W:	D:	H:
50 cm	61 cm	1 - 27 cm



Versatile and suitable for use in many different combinations as a positioner for legs and back. For relaxation and reading, usable both on the bed and on the sofa, it helps to keep neck, shoulders and lower back aligned. Ideal for those suffering from gastroesophageal reflux. Hand washable cover at 40°C.



- EN Multi-purpose orthopedic backrest
- F Coussin de dossier orthopédique polyvalent
- ES Cojín de respaldo ortopédico versátil
- P Almofada ortopédica versátil



With removable cover

Cod. **ST388-1** Polyurethane coated cover

Cod. **ST388-2** Polyester cover




Flame-retardant,
perspiring, waterproof,
bi-elastic, non-toxic,
hypoallergenic



Practical support suitable for reading, eating and watching TV, comfortably in bed. Indicated for long-lasting bedridden subjects, during breastfeeding and for elderly people. Hand washable cover at 40°C.

Technical features

Product codes	ST388-1	ST388-2
SPECIFICATIONS		
Inner	polyurethane D27 cut	
Cover	100% polyurethane	100% polyester
DIMENSIONS		
 W:	 D:	 H:
60 cm	60 cm	45 cm



- EN

F

ES

P
- Patient turning cushion

Coussin de retournement du patient

Cojín giratorio para pacientes

Almofada giratória do paciente

opera

Inflatable, with removable cover

Cod. **ST390**



Technical features

SPECIFICATIONS	
Inner	medical PVC
Cover	100% polyester

DIMENSIONS*		
 W:	 D:	 H:
49 cm	40 cm	15 cm

**Measures may change depending on used pressure*

Lumbar support, with removable cover

Cod. **ST346**



Suitable for traveling or working. It is used between seat backrest and lower back to give back support and help maintaining correct posture. Helpful for reducing back pain when sitting or driving for a long time. Complete with adjustable strap. Hand washable cover at 30°C.



Technical features

SPECIFICATIONS		
Inner	moulded polyurethane	
Cover	100% polyester	
DIMENSIONS		
 W:	 D:	 H:
33 cm	35 cm	9/3 cm

Swivel

Cod. **ST340**



For people with movement difficulties, to get out of the car, from bed or get up from chair. Anti-sliding base, padded seat, rotary on rigid internal support, reducing the user's effort.




Technical features

SPECIFICATIONS		
Upper surface	100% cotton	
Inner	100% polyester	
Base	non-slip	
DIMENSIONS		
 W:	 D:	 H:
44 cm	44 cm	4 cm

Wedge-shaped, with removable cover

Cod. **ST345**



The wedge shape allows an uniform weight distribution on all the seating surface and helps keeping the natural curve of the spine, so to get a more comfortable sitting posture and reduce fatigue and stress.



Technical features

SPECIFICATIONS		
Inner	moulded polyurethane	
Cover	100% polyester	
DIMENSIONS		
 W:	 D:	 H:
41 cm	41 cm	7,5/3 cm

Anatomic, with removable cover

Cod. **ST356**



Indicated for long-term patients and post-operative care. Recommended for people needing a pillow with appropriate ischial discharges. Anatomical shape with hole. Usable on any flat surface. Hand washable cover at 30°C.



Technical features

SPECIFICATIONS		
Inner	moulded polyurethane	
Cover	100% polyester	
DIMENSIONS		
 W:	 D:	 H:
42 cm	38,5 cm	2,5 - 8,5 cm

Antiprostatitis, with removable cover

Cod. **ST355**



Indicated for long-term patients and post-operative care. Suitable for motorists and sedentary people as a preventive aid for prostatitis and for cases where a suitable pillow with appropriate ischial discharges is recommended. Anatomical shape with hole. Usable on any flat surface. Hand washable cover at 30°C.



Technical features

SPECIFICATIONS		
Inner	moulded polyurethane	
Cover	100% polyester	
DIMENSIONS		
 W:	 D:	 H:
44 cm	37,5 cm	7,5 cm

U-shaped, with removable cover

Cod. **ST336**

Ad U



Indicated to give relief in case of post-operative care, decubitus sores, hemorrhoids and prostatitis. Usable on any flat surface and suitable for long car journeys. Hand washable cover at 30°C.



Technical features

SPECIFICATIONS		
Inner	moulded polyurethane	
Cover	100% polyester	
DIMENSIONS		
 W:	 D:	 H:
41 cm	51 cm	8 cm

With removable cover

Cod. **ST332-44**

Round $\varnothing$ 44 cm

Cod. **ST335-41**

Oval - W: 41 cm

Cod. **ST335-48**

Oval - W: 48 cm



Indicated to give relief in case of post-operative care, decubitus sores, hemorrhoids and prostatitis. Usable on any flat surface and suitable for long car journeys. Hand washable cover at 30°C.

Technical features

Product codes	ST332-44	ST335-41		ST335-48
SPECIFICATIONS				
Inner	moulded polyurethane			
Cover	100% polyurethane			
DIMENSIONS				
	 W:	 D:	 H:	
ST332-44	-	-	-	44 cm
ST335-41	41 cm	32 cm	8 cm	-
ST335-48	48 cm	38 cm		-

Inflatable

Cod. **ST304** $\varnothing$ 40 cm

Cod. **ST305** $\varnothing$ 42,5 cm

Cod. **ST306** $\varnothing$ 45 cm



Technical features

Product codes	ST304	ST305	ST306
SPECIFICATIONS			
Material	rubber		
DIMENSIONS			
	40 cm	42,5 cm	45 cm

Indicated to give relief in case of post-operative care, decubitus sores, hemorrhoids and prostatitis. Usable on any flat surface and suitable for long car journeys.

- EN Handy grip
- F Pinces de préhension
- ES Pinzas recogedoras
- P Pinças para apanhar objetos

Prenz

Anodized aluminium

Cod. **AU120**

Handy grip
67 cm



Rotating head with hook and small magnet. Do not grab objects weighing more than 2 kg.

Cod. **AU121**

Handy grip
55 cm



Rotating head with non-slip suction cups. Do not grab objects weighing more than 2 kg.

Cod. **AU122**

Handy grip
71 cm



Rotating head with non-slip rubber coated fork. Do not grab objects weighing more than 2 kg.

Cod. **AU123**

Handy grip
74 cm




Head with serrated ends. Do not grab objects weighing more than 2 kg.

Technical features


WEIGHT AND DIMENSION

Kg max 2 kg

AU120




AU121



AU122



AU123



EN	Cervical collars
F	Collier cervicaux
ES	Collarines
P	Colares cervicais

Rigid - Schanz type - Polyester and vinyl

Series RP180

Without chin rest



Series RP181

With chin rest



Perspiration holes

Height and length with velcro adjustable

Technical features

Product codes	RP180S	RP180M	RP180L	RP180XL
Size	Small	Medium	Large	Extra large
DIMENSION				
W:	35÷40 cm	40÷46 cm	46÷54 cm	54÷60 cm
H:	9,5 cm	10,5 cm	12 cm	13 cm

Technical features

Product codes	RP181S	RP181M	RP181L
Size	Small	Medium	Large
DIMENSION			
W:	35÷40 cm	40÷46 cm	46÷54 cm
H:	11,5 cm	12,5 cm	13 cm

Soft in foam

Series RP182


3 heights available



Semi-rigid in foam

Series RP183

Internal plastic support



Hypoallergenic tissue

Length adjustable with velcro

Technical features

Product codes	RP182S-06 RP182S-08 RP182S-10	RP182M-06 RP18M-08 RP182M-10	RP182L-06 RP18L-08 RP182L-10
Size	Small	Medium	Large
DIMENSION			
W:	40 cm	44 cm	48 cm
H:	6-8-10 cm	6-8-10 cm	6-8-10 cm

Technical features

Product codes	RP183S	RP183M	RP183L
Size	Small	Medium	Large
DIMENSION			
W:	40 cm	44 cm	48 cm
H:	7 cm	8 cm	9 cm

EN Arm sling
F Bandage d'immobilisation bras
ES Cabestrillo
P Imobilizador de braço

Cotton

- Cod. **RP170** Small
- Cod. **RP171** Medium
- Cod. **RP172** Large



In foam - Covered with hypoallergenic tissue

- Cod. **RP175** Unique size



Technical features

Product codes	RP170	RP171	RP172
DIMENSION			
 W:	34 cm	35,5 cm	37 cm
 H:	19,5 cm	20 cm	22 cm

EN Post surgery shoes
F Chaussures post-opératoires
ES Zapatos postoperatorios
P Sapatos pós-cirúrgicos

4U^{soft}

Open toe, rigid outsole

Series **SC100**



AMBIDEXTROUS
Sandal with adjustable closure



Removable upper part



Completely openable

Technical features

Product codes	SC100-XS	SC100-S	SC100-M	SC100-L	SC100-XL	SC100-XXL
DIMENSION						
Measures	35/36	37/38	39/40	41/42	43/44	45/46
Sizes	XS	S	M	L	XL	XXL

Baruk type

Series **SC110**



AMBIDEXTROUS
Edgeless with adjustable closure



Technical features

Product codes	SC110-XS	SC110-S	SC110-M	SC110-L	SC110-XL	SC110-XXL
DIMENSION						
Measures	35/36	37/38	39/40	41/42	43/44	45/46
Sizes	XS	S	M	L	XL	XXL

EN Post surgery shoes
F Chaussures post-opératoires
ES Zapatos postoperatorios
P Sapatos pós-cirúrgicos

4Usoft

Complete opening - rigid outsole

Series **SC120**



Back opening

AMBIDEXTROUS

Slipper, fully openable and adjustable



Frontal opening



Completely openable with velcro closure

Technical features

Product codes	SC120-XS	SC120-S	SC120-M	SC120-L	SC120-XL	SC120-XXL
DIMENSION						
Measures	35/36	37/38	39/40	41/42	43/44	45/46
Sizes	XS	S	M	L	XL	XXL

EN Plaster shoe
F Chaussure de plâtre
ES Bota para yeso
P Sapato para gesso

4Usoft

Denim-like fabric

Series **SC300**



AMBIDEXTROUS



Technical features

Product codes	SC300-XS	SC300-S	SC300-M	SC300-L	SC300-XL	SC300-XXL
DIMENSION						
Measures	35/36	37/38	39/40	41/42	43/44	45/46
Sizes	XS	S	M	L	XL	XXL

EN Physiological shoes
F Chaussures physiologiques
ES Zapatos fisiologicos
P Sapatos fisiológicos

4U^{soft}

Stretch material - Pair

Series **SC200**



Rigid reinforced heel



Frontal opening

Technical features

Product codes	SC200-35	SC200-36	SC200-37	SC200-38	SC200-39	SC200-40	SC200-41	SC200-42	SC200-43	SC200-44	SC200-45
DIMENSION											
Measures	35	36	37	38	39	40	41	42	43	44	45
↔ L: 23,1 cm*	23,7 cm*	24,4 cm*	25,1 cm*	25,7 cm*	26,4 cm*	27,1 cm*	27,8 cm*	28,4 cm*	29,1 cm*	29,8 cm*	

*Foot area. Tolerance ± 0.5 cm

Complete opening - Pair

Series **SC210**



Adjustable heel closure



Frontal opening



Completely openable with velcro closure

Technical features

Product codes	SC210-35	SC210-36	SC210-37	SC210-38	SC210-39	SC210-40	SC210-41	SC210-42	SC210-43	SC210-44	SC210-45
DIMENSION											
Measures	35	36	37	38	39	40	41	42	43	44	45
↔ L: 23,1 cm*	23,7 cm*	24,4 cm*	25,1 cm*	25,7 cm*	26,4 cm*	27,1 cm*	27,8 cm*	28,4 cm*	29,1 cm*	29,8 cm*	

*SFoot area. Tolerance ± 0.5 cm