





Antidecubitus.

Static and air mattresses, cushions and aids
for prevention and treatment of decubitus sores

EN

Matelas, coussins et aides statiques et pneumatiques
pour la prévention et le traitement des escarres

F

Colchones, cojines y ayudas estáticas y de aire para la
prevención y el tratamiento de las llagas por decúbito

ES

Colchões estáticos e de ar, almofadas e auxiliares
para prevenção e tratamento de úlceras de decúbito

P



- EN** Alternating Therapy kit mattress and pump
- F** Kit matelas anti-escarres et compresseur à cycle alterné
- ES** Kit colchón antiescaras y compresor de aire alternante
- P** Kit colchão anti-escaras e compressor alterno

píuma
up

Cod. **LAD462** Bubble mattress and pump with regulation **kit**

Cod. **LAR052** Only bubble mattress with flaps

Cod. **LAR242** Only Piuma Up pump with regulation

FUNCTIONS



ALTERNATING



Suitable for the prevention and treatment of **I STAGE** decubitus sores. Pump with pressure regulation according to the patient's weight.

Technical features

SPECIFICATION	
Mattress	
Material	Medical PVC
Material thickness	0,70 mm
Inflated cell minimum height	7,6 cm
Number of cells	130
Flaps	50 cm
Compressor	
Power	220V / 50-60 Hz
Pressure	40-100 mmHg
Power cable	2 m
Air release	6-7 l/mn
Cycle time	6 minutes
Noise	32-34 dB

WEIGHT AND DIMENSION					
	 W:	 D:	 H:	 Kg	
Compressor	27 cm	13 cm	10,5 cm	1,1 kg	-
Mattress without flaps					
While functioning	200 cm	90 cm	7,6 cm	2,3 kg	135 kg



Cod. **LTM670**
Spare tube for **LAR052**



Cod. **RV355**
Mending kit for **LAR052**

- EN** Alternating Therapy kit mattress and pump
F Kit matelas anti-escarres et compresseur à cycle alterné
ES Kit colchón antiescaras y compresor de aire alternante
P Kit colchão anti-escaras e compressor alterno

**piuma
up1**

Double bubble mattress in PVC and pump with regulation

Cod. **LAD464** PVC bubble mattress and pump with regulation **kit**

Cod. **LAR054** Only bubble mattress with flaps

Cod. **LAR242** Only Piuma Up pump with regulation

FUNCTIONS



Suitable for the prevention and treatment of **I STAGE** decubitus sores. Pump with pressure regulation according to the patient's weight. PU cover **OPTIONAL**.

Technical features

SPECIFICATION	
Mattress	
Material	Medical PVC
Material thickness	0,70 mm
Inflated cell minimum height	15,2 cm
Number of cells	260
Flaps	50 cm
Compressor	
Power	220V / 50-60 Hz
Pressure	40-100 mmHg
Power cable	2 m
Air release	6-7 l/mn
Cycle time	6 minutes
Noise	32-34 dB

WEIGHT AND DIMENSION					
	 W:	 D:	 H:	 Kg	
Compressor	27 cm	13 cm	10,5 cm	1,1 kg	-
Mattress without flaps					
While functioning	200 cm	90 cm	15,2 cm	4,6 kg	145 kg

Spare parts



Cod. **LTM670**
Spare tube for **LAR054**



Cod. **RV355**
Mending kit for **LAR054**

Optional



Cod. **LAR306**
PU standard cover for **LAR054**

- EN** Alternating Therapy kit mattress and pump
F Kit matelas anti-escarres et compresseur à cycle alterné
ES Kit colchón antiescaras y compresor de aire alternante
P Kit colchão anti-escaras e compressor alterno

piuma
up2

Interchangeable cells mattress and pump with pressure regulation

Cod. **LAD463** *Kit interchangeable cells mattress and pump with pressure regulation*

Cod. **LAR053** *Only mattress in Nylon + PVC*

Cod. **LAR243** *Only Piuma Up compressor with regulation*

FUNCTIONS



ALTERNATING



Suitable for the prevention and treatment of **II STAGE** decubitus sores. Alternating cycle 12 min. Pump with pressure regulation according to the patient's weight. Cells fixed with buttons, easy to change in case of damage, and washable. PU or stretch cover **OPTIONAL**.

Technical features

SPECIFICATION	
Mattress	
Material	Nylon®/PVC
Material thickness	0,32 mm
Cell height	About 10,2 cm / 4"
Number of cells	20
Flaps	50 cm
Compressor	
Power	220V / 50-60 Hz
Pressure	40-100 mmHg
Power cable	2 m
Air release	6-7 l/mn
Cycle time	12 minutes
Noise	32 - 34 dB

WEIGHT AND DIMENSION					
	 W:	 D:	 H:	 Kg	
Compressor	27 cm	13 cm	10,5 cm	1 kg	-
Mattress without flaps					
While functioning	200 cm	86 cm	10,2* cm 12** cm	3,8 kg	145 kg
* Spare cell only					
** Support base included					
Spare parts			Accessories		
					
Cod. LAR204 Spare cell LAR053			Cod. LAR304 PU cover for LAR053		
					
			Cod. LAR305 Stretch cover for LAR053		

- EN** Alternating Therapy kit mattress and pump
F Kit matelas anti-escarres et compresseur à cycle alterné
ES Kit colchón antiescaras y compresor de aire alternante
P Kit colchão anti-escaras e compressor alterno

píuma
up2

Interchangeable cells mattress and pump with pressure regulation

Nylon + PVC mattress

Cod. **LAD468** Complete kit


Cod. **LAR400** Only mattress in Nylon + PVC

Cod. **LAR244** Only Piuma Up 2 compressor with regulation

FUNCTIONS



CPR valve



8 central cells with micro-holes

H 13 cm

Pillow function in the first 3 mattress' elements



2 plastic-coated metal hooks

17 ELEMENTS

Suitable for prevention and treatment of decubitus sores **STAGE III**. The first three elements are static for pillow function; the remainder is divided into 2 sections with 2-way alternating operation; complete with padded cover in biocompatible, waterproof, perspiring Nylon/PU, tested according to European fire reaction standards and equipped with zip on all four sides for easy removal and cleaning. Mattress fixed to the bed with supplied straps and equipped with grommet eyelets. Compressor is equipped with manual pressure regulation, visual alarm and sound for low pressure and interchangeable air filter.

Technical features

SPECIFICATION	
Compressor	
Power	220V / 50-60 Hz
Pressure	40-100mmHg
Power cable	2 m
Air release	6-7LPM
Cycle time	12 min
Fuse	T1A 250V
Noise	30-35 dB
Mattress	
Material	Nylon+PVC
Number of cells	17 (of which 8 with micro-holes)
CPR valve	Deflation time around 15 sec.

WEIGHT AND DIMENSION				
	W:	D:	H:	
Compressor	27 cm	13 cm	10,5 cm	-
Mattress while functioning	196 cm	86 cm	13 cm	160 kg

Spare parts

Spare cell
 Cod. **LAR720**
 Nylon+PVC
 Cod. **LAR722**
 Micro perforated
 Nylon+PVC



Cod. **LAR707**
 Nylon + PU cover

Accessories



Cod. **LAR708**
 Bielastic, antimicrobial cover, waterproof, perspiring and verified according to the European fire reaction standards

- EN** Alternating Therapy kit mattress and pump
- F** Kit matelas anti-escarres et compresseur à cycle alterné
- ES** Kit colchón antiescaras y compresor de aire alternante
- P** Kit colchão anti-escaras e compressor alterno

**piuma
Up3**

Interchangeable cells mattress and pump with pressure regulation

Nylon + PVC mattress

- Cod. **LAD470** Complete kit
- Cod. **LAR401** Only mattress in Nylon + PVC
- Cod. **LAR710** Only Piuma Up 3 compressor

Nylon + TPU mattress

- Cod. **LAD471** Complete kit
- Cod. **LAR402** Only mattress in Nylon + TPU
- Cod. **LAR710** Only Piuma Up 3 compressor


FUNCTIONS



SOUND AND VISUAL ALARMS



CPR valve



8 central cells with micro-holes

Pillow function in the first 3 mattress' elements

H 13 cm

17 ELEMENTS



Quick connector with cap



Transport function



Hooks to hang the compressor to the bed

Suitable for prevention and treatment of decubitus sores **STAGE III**. The first three elements are static for pillow function; the remainder is divided into 2 sections with 2-way alternating operation; complete with padded cover in biocompatible, waterproof, perspiring Nylon/PU, tested according to European fire reaction standards and equipped with zip on all four sides for easy removal and cleaning. Mattress fixed to the bed with supplied straps and equipped with grommet eyelets. Compressor is equipped with manual pressure regulation, visual alarm and sound for low pressure and interchangeable air filter. The STATIC function blocks the alternating system and effectively makes it a normal mattress. Mattress/compressor connection through fast connectors with cap, in case of patient transport.

Technical features

PIUMA UP 3 SERIES		
Product codes	LAD470	LAD471
SPECIFICATIONS		
Compressor		
Power	220V / 50 Hz	
Pressure	55-120mmHg	
Power cable	5 m	
Air release	7.5/8.5LPM	
Cycle time	12 min	
Fuse	T1A 250V	
Noise	30-35 dB	
Mattress		
Material	Nylon+PVC (for LAD470 mattress) Nylon+TPU (for LAD471 mattress)	
Elements no.	17 (of which 8 with micro-holes)	
CPR valve	Deflation time around 15 sec.	

DIMENSIONS AND WEIGHT				
	W:	D:	H:	
Compressor	30 cm	13,5 cm	11 cm	-
Mattress while functioning	196 cm	86 cm	13 cm	160 kg

Spare parts

Spare cell

- Cod. **LAR720**
Nylon+PVC
- Cod. **LAR721**
Nylon+TPU
- Cod. **LAR722**
Micro perforated Nylon+PVC
- Cod. **LAR723**
Micro perforated Nylon+TPU



Cod. **LAR700**
Nylon + PU cover

Accessories



Cod. **LAR702**
Bielastec, antimicrobial cover, waterproof, perspiring and verified according to the European fire reaction standards

- EN** Alternating Therapy kit mattress and pump
- F** Kit matelas anti-escarres et compresseur à cycle alterné
- ES** Kit colchón antiescaras y compresor de aire alternante
- P** Kit colchão anti-escaras e compressor alterno

**piuma
up3**

Interchangeable cells mattress and pump with pressure regulation

Nylon + PVC mattress

Cod. **LAD475** Complete kit

Cod. **LAR403** Only mattress in Nylon + PVC

Cod. **LAR711** Only Piuma Up 3 compressor

Nylon + TPU mattress

Cod. **LAD476** Complete kit

Cod. **LAR404** Only mattress in Nylon + TPU

Cod. **LAR711** Only Piuma Up 3 compressor

FUNCTIONS



SOUND AND VISUAL ALARMS



Suitable for prevention and treatment of decubitus sores **STAGE IV**. The first four elements are static for pillow function; the remainder is divided into 2 sections with 2-way alternating operation; complete with padded cover in biocompatible, waterproof, perspiring Nylon/PU, tested according to European fire reaction standards and equipped with zip on all four sides for easy removal and cleaning. Mattress fixed to the bed with supplied straps and equipped with grommet eyelets. The height of the elements allows to use the mattress without using an additional mattress. The elements are made with the CELL-ON-CELL technique which divides the section in two single modules of which the lower one remains constantly inflated in order to avoid an excessive BOTTOM-OUT effect (sinking), and ensure safety in the event of a power failure. The compressor is equipped with manual pressure regulation, visual and audible alarm for the low pressure and interchangeable air filter. The STATIC function blocks the alternating system and effectively makes it a normal mattress. Connection mattress/compressor through fast connectors with cap, usable in case of patient transport.

Technical features

PIUMA UP 3 SERIES	
Product codes	LAD475 LAD476
SPECIFICATIONS	
Compressor	
Power	220V / 50 Hz
Pressure	55-120mmHg
Power cable	5 m
Air release	7.5/8.5LPM
Cycle time	12 min
Fuse	T1A 250V
Noise	30-35 dB
Mattress	
Material	Nylon+PVC (for LAD475 mattress) Nylon+TPU (for LAD476 mattress)
Elements no.	20 (of which 8 with micro-holes)
CPR valve	Deflation time around 15 sec.

DIMENSIONS AND WEIGHT				
	W:	D:	H:	
Compressor	30 cm	13,5 cm	11 cm	-
Mattress while functioning	200 cm	86 cm	21 cm	200 kg

Spare parts

Spare cell

Cod. **LAR724**

Nylon+PVC

Cod. **LAR725**

Nylon+TPU

Cod. **LAR726**

Micro perforated Nylon+PVC

Cod. **LAR727**

Micro perforated Nylon+TPU



Cod. **LAR701**
Nylon + PU cover

Accessories



Cod. **LAR703**
Bielastic, antimicrobial cover, waterproof, perspiring and verified according to the European fire reaction standards

- EN** Alternating Therapy kit mattress and pump
- F** Kit matelas anti-escarres et compresseur à cycle alterné
- ES** Kit colchón antiescaras y compresor de aire alternante
- P** Kit colchão anti-escaras e compressor alterno

**piuma
up4**

Interchangeable cells mattress and pump with pressure regulation

Nylon + PVC mattress

Cod. **LAD480** Complete kit

Cod. **LAR403** Only mattress in Nylon + PVC

Cod. **LAR712** Only Piuma Up 4 compressor

Nylon + TPU mattress

Cod. **LAD481** Complete kit

Cod. **LAR404** Only mattress in Nylon + TPU

Cod. **LAR712** Only Piuma Up 4 compressor

FUNCTIONS



SOUND AND VISUAL ALARMS



CPR valve

8 central cells with micro-holes

H 20,3 cm

20 ELEMENTS

Hooks to hang the compressor to the bed

Pillow function in the first 4 mattress' elements

Quick connector with cap

Transport function

Suitable for prevention and treatment of decubitus sores **STAGE IV**. The first four elements are static for pillow function; the remainder is divided into 2 sections with 2-way alternating operation; complete with padded cover in biocompatible, waterproof, perspiring Nylon/PU, tested according to European fire reaction standards and equipped with zip on all four sides for easy removal and cleaning. Mattress fixed to the bed with supplied straps and equipped with grommet eyelets. The height of the elements allows to use the mattress without using an additional mattress. The elements are made with the CELL-ON-CELL technique which divides the section in two single modules of which the lower one remains constantly inflated in order to avoid an excessive BOTTOM-OUT effect (sinking), and ensure safety in the event of a power failure. The digital compressor is equipped with pressure and cycle duration adjustment, visual and audible alarm for low pressure and interchangeable air filter. The STATIC function blocks the alternating system and effectively makes it a normal mattress. Connection mattress/compressor through fast connectors with cap, usable in case of patient transport.

Technical features

PIUMA UP 4 SERIES	
Product codes	LAD480 LAD481
SPECIFICATIONS	
Compressor	
Power	220V / 50 Hz
Pressure	55-120mmHg
Power cable	5 m
Air release	8/9LPM
Cycle time	Adjustable 10-15-20-25 min
Fuse	T1A 250V
Noise	20-25 dB
Mattress	
Material	Nylon+PVC (for LAD480 mattress) Nylon+TPU (for LAD481 mattress)
Elements no.	20 (of which 8 with micro-holes)
CPR valve	Deflation time around 15 sec.

DIMENSIONS AND WEIGHT				
	W:	D:	H:	
Compressor	30 cm	13,5 cm	11 cm	-
Mattress while functioning	200 cm	86 cm	21 cm	200 kg

Spare parts

Spare cell

Cod. **LAR724**

Nylon+PVC

Cod. **LAR725**

Nylon+TPU

Cod. **LAR726**

Micro perforated Nylon+PVC

Cod. **LAR727**

Micro perforated Nylon+TPU



Cod. **LAR701**
Nylon + PU cover

Accessories



Cod. **LAR703**
Bielastic, antimicrobial cover, waterproof, perspiring and verified according to the European fire reaction standards

- EN** Alternating Therapy kit mattress and pump
- F** Kit matelas anti-escarres et compresseur à cycle alterné
- ES** Kit colchón antiescaras y compresor de aire alternante
- P** Kit colchão anti-escaras e compressor alterno

piuma
up4

Interchangeable cells mattress and pump with pressure regulation

Nylon + TPU mattress

Cod. **LAD490** Complete kit

Cod. **LAR406** Only mattress in Nylon + TPU

Cod. **LAR712** Only Piuma Up 4 compressor

FUNCTIONS



SOUND AND VISUAL ALARMS



Hooks to hang the compressor to the bed



Quick connector with cap



Transport function

Suitable for prevention and treatment of decubitus sores **STAGE IV**. The first four elements are static for pillow function; the remainder is divided into 2 sections with 2-way alternating operation; complete with padded cover in biocompatible, waterproof, perspiring Nylon/PU, tested according to European fire reaction standards and equipped with zip on all four sides for easy removal and cleaning. Mattress fixed to the bed with supplied straps and equipped with grommet eyelets. The height of the elements allows to use the mattress without using an additional mattress. The elements are made with the CELL-ON-CELL technique which divides the section in two single modules of which the lower one remains constantly inflated in order to avoid an excessive BOTTOM-OUT effect (sinking), and ensure safety in the event of a power failure. The digital compressor is equipped with pressure and cycle duration adjustment, visual and audible alarm for low pressure and interchangeable air filter. The STATIC function blocks the alternating system and effectively makes it a normal mattress. Connection mattress/compressor through fast connectors with cap, usable in case of patient transport.

Technical features

SPECIFICATIONS	
Compressor	
Power	220V / 50 Hz
Pressure	50-120mmHg
Power cable	5 m
Air release	8/9LPM
Cycle time	Adjustable 10-15-20-25 min
Fuse	T1A 250V
Noise	20-25 dB
Materasso	
Material	Nylon+TPU
Elements no.	20 (of which 8 with micro-holes)
CPR valve	Deflation time around 15 sec.

DIMENSIONS AND WEIGHT				
	W:	D:	H:	
Compressor	30 cm	13,5 cm	11 cm	-
Mattress while functioning	200 cm	120 cm	20,3 cm	200 kg

Spare parts

Spare cell
Cod. **LAR728**
Nylon+TPU
Cod. **LAR729**
Micro perforated
Nylon+TPU



Cod. **LAR706**
Nylon + PU cover

- EN** Alternating Therapy kit mattress and pump
- F** Kit matelas anti-escarres et compresseur à cycle alterné
- ES** Kit colchón antiescaras y compresor de aire alternante
- P** Kit colchão anti-escaras e compressor alterno

**píuma
up4**

Interchangeable cells mattress and pump with pressure regulation

Nylon + TPU mattress

Cod. **LAD491** Complete kit

Cod. **LAR405** Only mattress in Nylon + TPU

Cod. **LAR712** Only Piuma Up 4 compressor

FUNCTIONS



SOUND AND VISUAL ALARMS



Suitable for prevention and treatment of decubitus sores **STAGE IV**. The first four elements are static for pillow function; the remainder is divided into 2 sections with 2-way alternating operation; complete with padded cover in biocompatible, waterproof, perspiring Nylon/PU, tested according to European fire reaction standards and equipped with zip on all four sides for easy removal and cleaning. Mattress fixed to the bed with supplied straps and equipped with grommet eyelets. The height of the elements allows to use the mattress without using an additional mattress. The elements are made with the CELL-ON-CELL technique which divides the section in two single modules of which the lower one remains constantly inflated in order to avoid an excessive BOTTOM-OUT effect (sinking), and ensure safety in the event of a power failure. The digital compressor is equipped with pressure and cycle duration adjustment, visual and audible alarm for low pressure and interchangeable air filter. The STATIC function blocks the alternating system and effectively makes it a normal mattress. Connection mattress/compressor through fast connectors with cap, usable in case of patient transport.

Technical features

PIUMA UP 4 SERIES	
Product codes	LAD491
SPECIFICATIONS	
Compressor	
Power	220V / 50 Hz
Pressure	55-120mmHg
Power cable	5 m
Air release	8/9LPM
Cycle time	Adjustable 10-15-20-25 min
Fuse	T1A 250V
Noise	20-25 dB
Mattress	
Material	Nylon + TPU
Elements no.	21 (of which 8 with micro-holes)
CPR valve	Deflation time around 15 sec.

DIMENSIONS AND WEIGHT

	W:	D:	H:	
Compressor	30 cm	13,5 cm	11 cm	-
Mattress while functioning	208 cm	86 cm	21 cm	200 kg

Spare parts

Spare cell

Cod. **LAR724**

Nylon+PVC

Cod. **LAR725**

Nylon+TPU

Cod. **LAR726**

Micro perforated Nylon+PVC

Cod. **LAR727**

Micro perforated Nylon+TPU



Cod. **LAR704**
Nylon + PU cover

Accessories



Cod. **LAR705**
Bielastic, antimicrobial cover, waterproof, perspiring and verified according to the European fire reaction standards

- EN** Alternating Therapy kit mattress and pump DOMUS 1
- F** Kit matelas anti-escarres et compresseur à cycle alterné DOMUS 1
- ES** Kit colchón anti-escaras y compresor de aire alternante DOMUS 1
- P** Kit colchão anti-escaras e compressor alterno DOMUS 1

Bubble mattress in PVC and pump with regulation

- Cod. LAD662** Complete kit
- Cod. LAR052** Only bubble mattress with flaps
- Cod. LAR262** Only Domus 1 pump with regulation

FUNCTIONS



Suitable for the prevention and treatment of **I STAGE** decubitus sores. Pump with pressure regulation according to the patient's weight.

Technical features

SPECIFICATION	
Mattress	
Material	Medical PVC
Material thickness	0,60 mm (± 0,02%)
Layer thickness	0,32 mm
Inflated cell minimum height	- 7 cm
Compressor	
Power	230V / 50Hz
Pressure	30-80 mmHg (2psi)
Power cable	3,3 m
Air release	> 4 l/mn
Cycle time	9,6 minutes
Noise	≤ 36 dB

WEIGHT AND DIMENSION					
	 W:	 D:	 H:		
Compressor	27 cm	13 cm	10,5 cm	1 kg	-
Mattress without flaps					
While functioning	196 cm	90 cm	7 cm	2 kg	100 kg
Deflated	234 cm	100 cm	-	2 kg	100 kg
Spare parts					
					
Cod. LTM670 Spare tube for LAR052		Cod. RV355 Mending kit for LAR052			

- EN** Alternating Therapy kit mattress and pump DOMUS 2
F Kit matelas anti-escarres et compresseur à cycle alterné DOMUS 2
ES Kit colchón anti-escaras y compresor de aire alternante DOMUS 2
P Kit colchão anti-escaras e compressor alterno DOMUS 2

Interchangeable cells mattress and pump with pressure regulation

Cod. **LAD663** Complete kit

Cod. **LAR163** Only mattress in Nylon + PVC

Cod. **LAR263** Only Domus 2 compressor with regulation

FUNCTIONS



ALTERNATING



Suitable for the prevention and treatment of **II STAGE** decubitus sores. Pump with pressure regulation according to the patient's weight. Cells fixed with buttons, easy to change in case of damage, and washable. Nylon+PU cover **OPTIONAL**.


Technical features

SPECIFICATION	
Mattress	
Material	Nylon®/PVC
Layer thickness	0,32 mm
Inflated cell height	9,5 cm
Number of cells	18
Compressor	
Power	230V / 50Hz
Pressure	30-80 mmHg
Power cable	3 m
Air release	> 4 l/mn
Cycle time	9,6 minutes
Noise	32-34 dB

WEIGHT AND DIMENSION					
	 W:	 D:	 H:		
Compressor	27 cm	13 cm	10,5 cm	1 kg	-
Mattress While functioning	190 cm	80 cm	10,5 cm	3,5 kg	140 kg
Spare parts			Optional		
					
Cod. LAR210 Spare cell for LAR163		Cod. LTM670 Spare tube for LAR052		Cod. LAR363 Nylon+PU cover for LAR163	


- EN** Alternating Therapy kit mattress and pump DOMUS 3
F Kit matelas anti-escarres et compresseur à cycle alterné DOMUS 3
ES Kit colchón antiescaras y compresor de aire alternante DOMUS 3
P Kit colchão anti-escaras e compressor alterno DOMUS 3

Interchangeable cells mattress and pump with pressure regulation



2 ways

- Cod. **LAD670-2** Complete kit
 Cod. **LAR170** Only mattress
 Cod. **LAR270-2** Only Domus 3 compressor



3 ways

- Cod. **LAD670-3** Complete kit
 Cod. **LAR173** Only mattress
 Cod. **LAR270-3** Only Domus 3 compressor

FUNCTIONS



ALTERNATING



STATIC

SOUND AND VISUAL ALARMS



LOW PRESSURE



Hooks to hang the compressor to the bed



Suitable for prevention and treatment of decubitus sores **STAGE III**. The mattress has the cushion function on the first 3 elements. The rest of the mattress is divided in 2 sections working alternating with 2 or 3 ways. Nylon/PU cover perspiring and waterproof included. Rings for cable and belts to fix the mattress to the bed. **Compressor** filters interchangeable.

Technical features

SPECIFICATION	
Compressor	
Power	220-240V / 50 Hz
Pressure	30-80mmHg
Power cable	4,9 m
Air release	> 8 l/mn
Cycle time	9,6 minutes
Fuse	T1AL 250V
Noise	≤ 30 dB
Mattress LAR170 and LAR173	
Material	Nylon® + TPU perspiring/ waterproof
Number of cells	17 (9 with micro-holes)
CPR valve	About 35 sec. deflation

WEIGHT AND DIMENSION					
	W:	D:	H:	Kg	
Packaging	35 cm	48 cm	49 cm	-	-
Compressor	28 cm	12,6 cm	18,5 cm	2,2 kg	-
Mattress While functioning	200 cm	90 cm	13 cm	52 kg	180 kg

Spare parts



Cod. **LAR211**
Spare cell



Cod. **LAR217**
Spare cell with micro-hole

Optional



Cod. **LAR370**
Nylon+PU cover

- EN** Alternating Therapy kit mattress and pump DOMUS 3
- F** Kit matelas anti-escarres et compresseur à cycle alterné DOMUS 3
- ES** Kit colchón antiescaras y compresor de aire alternante DOMUS 3
- P** Kit colchão anti-escaras e compressor alterno DOMUS 3

Interchangeable cells mattress and pump with pressure regulation

- Cod. LAD672-2** Complete kit
- Cod. LAR171** Only mattress
- Cod. LAR270-2** Only Domus 3 compressor

FUNCTIONS

-  **ALTERNATING**
-  **STATIC**
- SOUND AND VISUAL ALARMS**
-  **LOW PRESSURE**



Suitable for prevention and treatment of decubitus sores **STAGE III**. The mattress is working alternating with 2 ways. Nylon/PU cover perspiring and waterproof included. Rings for cable and belts to fix the mattress to the bed. **Compressor** filters interchangeable.

Technical features

SPECIFICATION	
Compressor	
Power	220-240V / 50 Hz
Pressure	30-80mmHg
Power cable	4,9 m
Air release	> 8 l/mn
Cycle time	9,6 minutes
Fuse	T1AL 250V
Noise	≤ 30 dB
Mattress	
Material	Nylon® + TPU perspiring/ waterproof
Number of cells	17 (9 with micro-holes)
CPR valve	About 35 sec. deflation

WEIGHT AND DIMENSION					
	 W:	 D:	 H:	 Kg	
Packaging	35 cm	48 cm	49 cm	-	-
Compressor	28 cm	12,6 cm	18,5 cm	2,2 kg	-
Mattress					
While functioning	200 cm	90 cm	13 cm	5,6 kg	180 kg

Spare parts



Cod. **LAR211**
Spare cell for **LAR171**




Cod. **LAR217**
Spare cell with micro-holes for **LAR171**



Cod. **LAR370**
Nylon+PU cover for **LAR171**


- EN** Alternating Therapy kit mattress and pump DOMUS 3
F Kit matelas anti-escarres et compresseur à cycle alterné DOMUS 3
ES Kit colchón antiescaras y compresor de aire alternante DOMUS 3
P Kit colchão anti-escaras e compressor alterno DOMUS 3

Interchangeable cells mattress and pump with pressure regulation



2 ways

- Cod. **LAD675-2** Complete kit
 Cod. **LAR172** Only mattress
 Cod. **LAR270-2** Only Domus 3 compressor



3 ways

- Cod. **LAD675-3** Complete kit
 Cod. **LAR174** Only mattress
 Cod. **LAR270-3** Only Domus 3 compressor

FUNCTIONS



ALTERNATING



STATIC


SOUND AND VISUAL ALARMS



LOW PRESSURE



Hooks to hang the compressor to the bed



Cushion function on the first 3 elements

CPR valve



Quick Connector with Cap for patient transportation

Suitable for prevention and treatment of decubitus sores **STAGE III**. The mattress is working alternating with 2 or 3 ways. Nylon/PU cover perspiring and waterproof included. Rings for cable and belts to fix the mattress to the bed.

Technical features

SPECIFICATION		WEIGHT AND DIMENSION					
Compressor LAR270-2 and LAR270-3		↔ W:	↗ D:	↑ H:	⚖ Kg	👤 Person	
Power	220-240V / 50 Hz	Packaging	35 cm	48 cm	49 cm	-	-
Pressure	30-80mmHg	Compressor	28 cm	12,6 cm	18,5 cm	2,2 kg	-
Power cable	4,9 m	Mattress While functioning	200 cm	90 cm	20,3 cm	6,9 kg	200 kg
Air release	> 8 l/mn						
Cycle time	9,6 minutes						
Fuse	TIAL 250V						
Noise	≤ 30 dB						
Mattress LAR172 and LAR174							
Material	Nylon® + TPU perspiring/ waterproof						
Number of cells	20 (9 with micro-holes)						
CPR valve	About 50 sec. deflation						



Cod. **LAR212**
Spare cell



Cod. **LAR218**
Spare cell with micro-holes



Cod. **LAR375**
Nylon+PU cover

- EN** Alternating Therapy kit mattress and pump DOMUS 4
F Kit matelas anti-escarres et compresseur à cycle alterné DOMUS 4
ES Kit colchón antiescaras y compresor de aire alternante DOMUS 4
P Kit colchão anti-escaras e compressor alterno DOMUS 4

Interchangeable cells mattress and pump with digital pressure regulation

Cod. **LAD680** Complete kit

Cod. **LAR180** Only mattress

Cod. **LAR280** Only Domus 4 compressor



Suitable for prevention and treatment of decubitus sores **STAGE IV**. The mattress is working alternating with 2 ways. Nylon/PU cover perspiring and waterproof with antimicrobial silver ions included. It can be used without an additional mattress. Cell-on-cell system avoids the bottom-out effect in case of power outages. Rings for cable and belts to fix the mattress to the bed. Air filter interchangeable.

Technical features

SPECIFICATION	
Compressor	
Power	220-240V / 50 Hz
Pressure	15-40mmHg
Power cable	4,9 m
Air release	> 8 l/mn
Cycle time	9,6 minutes
Fuse	T1AL 250V
Noise	≤ 26 dB
Mattress	
Material	Nylon® + TPU perspiring/ waterproof
Number of cells	20 (9 with micro-holes)
CPR valve	2 valves about 50 sec. deflation

WEIGHT AND DIMENSION					
	 W:	 D:	 H:	 Kg	
Packaging	35 cm	48 cm	49 cm	-	-
Compressor	28 cm	12,6 cm	18,5 cm	2,2 kg	-
Mattress While functioning	200 cm	90 cm	20,3 cm	6,9 kg	200 kg

Spare parts



Cod. **LAR214** Cell-on-cell element for **LAR180**
Cod. **LAR219** Cell with micro-holes for **LAR180**
Cod. **LAR212** Cell for cushion function



Cod. **LAR380** Nylon® + PU cover for **LAR180**

- EN** Alternating Therapy kit mattress and pump DOMUS AUTO
F Kit matelas anti-escarres et compresseur à cycle alterné DOMUS AUTO
ES Kit colchón antiescaras y compresor de aire alternante DOMUS AUTO
P Kit colchão anti-escaras e compressor alterno DOMUS AUTO

Interchangeable cells mattress and pump with automatic pressure regulation

Cod. **LAD690** Complete kit

Cod. **LAR190** Only mattress

Cod. **LAR290** Only Domus Auto compressor


FUNCTIONS



Cell-on-cell elements



20 CELLS



Automatic pressure regulation according to the patient's weight and movements

H 20,3 cm

SOUND AND VISUAL ALARMS



LOW PRESSURE



POWER OUTAGES



TECHNICAL ASSISTANCE

Cushion function on the first 3 elements

2 CPR valves



Hooks to hang the compressor to the bed



Quick Connector with Cap for patient transportation

Suitable for prevention and treatment of decubitus sores **STAGE IV**. The mattress is working alternating with 2 ways. Nylon/PU cover perspiring and waterproof with antimicrobial silver ions included. It can be used without an additional mattress. Cell-on-cell system avoids the bottom-out effect in case of power outages. Rings for cable and belts to fix the mattress to the bed. Air filter interchangeable.

Technical features

SPECIFICATION	
Compressor	
Power	220-240V / 50 Hz
Pressure	20-30-40mmHg
Power cable	4,9 m
Air release	> 8 l/min
Cycle time	9,6 minutes
Fuse	T1AL 250V
Noise	≤ 26 dB
Mattress	
Material	Nylon® + TPU perspiring/ waterproof
Number of cells	20
CPR valve	2 valves about 50 sec. deflation

WEIGHT AND DIMENSION					
	W:	D:	H:	Kg	
Packaging	35 cm	48 cm	49 cm	-	-
Compressor	28 cm	12,6 cm	18,5 cm	2,2 kg	-
Mattress While functioning	200 cm	90 cm	20,3 cm	6,9 kg	200 kg

Spare parts



Cod. **LAR214**
Cell-on-cell element for LAR190



Cod. **LAR212**
Cell for cushion function



Cod. **LAR380**
Nylon® + PU cover for LAR190

EN Expanded polyurethane mattress - NON FIRE RESISTANT
F Matelas en polyuréthane expansé - NON IGNIFUGE
ES Colchón de poliuretano expandido - NO IGNIFUGO
P Colchão de poliuretano expandido - NÃO RESISTENTE AO FOGO

**LATEX
FREE**

1 section - Without cover

Cod. **ST625/6**

190x85 cm
h 10 cm

Cod. **ST625/1**

190x85 cm
h 14 cm

Cod. **ST625/2**

190x120 cm
h 14 cm

D25
Kg/m³



3 sections - Without cover

D25
Kg/m³

Cod. **ST625/7**

63x85 cm
h 10 cm

Cod. **ST625/3**

63x85 cm
h 12,5 cm

Cod. **ST625/4**

63x85 cm
h 14 cm

Cod. **ST625/5**

63x120 cm
h 14 cm



Technical features

WEIGHT AND DIMENSION					
Product codes	W:	D:	H:	Kg	
ST625/6		85 cm	10 cm	4 kg	kg
ST625/1	190 cm	85 cm	14 cm	5,7 kg	150 kg
ST625/2		120 cm	14 cm	7,9 kg	150 kg

WEIGHT AND DIMENSION					
Product codes	W:	D:	H:	Kg	
ST625/7	183 cm	85 cm	10 cm	4 kg	100 kg
ST625/3		85 cm	12,5 cm	5,3 kg	120 kg
ST625/4	190 cm	85 cm	14 cm	5,7 kg	150 kg
ST625/5		120 cm	14 cm	7,9 kg	150 kg

Mattress covers

Polyester+polyurethane cover, elastic, perspiring, waterproof, anti-bacterial, washable at 95°, zipper on 3 sides.

Fire resistant

Cod. STA110/1 190 x 85 x 14h cm	Cod. STA110/3 63 x 85 x 12,5h cm	Cod. STA110/5 63 x 120 x 14h cm
Cod. STA110/2 190 x 120 x 14h cm	Cod. STA110/4 63 x 85 x 14h cm	Cod. STA110/6 190 x 85 x 12,5h cm

Polyester cover, elastic, perspiring, warm washable, zipper on 3 sides.

Non fire resistant

Cod. STA100/1 190 x 85 x 14h cm	Cod. STA100/3 63 x 85 x 12,5h cm	Cod. STA100/5 63 x 120 x 14h cm
Cod. STA100/2 190 x 120 x 14h cm	Cod. STA100/4 63 x 85 x 14h cm	Cod. STA100/6 190 x 85 x 12,5h cm

- EN** Expanded polyurethane mattress - FIRE RESISTANT
F Matelas en polyuréthane expansé - IGNIFUGE
ES Colchón de poliuretano expandido - IGNIFUGO
P Colchão de poliuretano expandido - RESISTENTE AO FOGO

**LATEX
FREE**

1 section 190x85 cm - Without cover

Cod. ST725/6


190x85 cm
h 10 cm

Cod. ST725/1

190x85 cm
h 14 cm

Cod. ST725/2

190x120 cm
h 14 cm



3 sections - Without cover

**D30
Kg/m³**

Cod. ST725/3


63x85 cm
h 12,5 cm

Cod. ST725/4

63x85 cm
h 14 cm

Cod. ST725/5

63x120 cm
h 14 cm



Technical features

WEIGHT AND DIMENSION					
Product codes	W:	D:	H:	Kg	Icon
ST725/6		85 cm	10 cm	4,5 kg	100 kg
ST725/1	190 cm	85 cm	14 cm	5,8 kg	150 kg
ST725/2		120 cm	14 cm	8,1 kg	150 kg

WEIGHT AND DIMENSION					
Product codes	W:	D:	H:	Kg	Icon
ST725/3		85 cm	12,5 cm	5,5 kg	120 kg
ST725/4	190 cm	85 cm	14 cm	5,8 kg	150 kg
ST725/5		120 cm	14 cm	8,1 kg	150 kg

Mattress covers

Polyester+polyurethane cover, elastic, perspiring, waterproof, anti-bacterial, washable at 95°, zipper on 3 sides.

Fire resistant

Cod. STA110/1 190 x 85 x 14h cm
Cod. STA110/3 63 x 85 x 12,5h cm
Cod. STA110/5 63 x 120 x 14h cm

Cod. STA110/2 190 x 120 x 14h cm
Cod. STA110/4 63 x 85x 14h cm
Cod. STA110/6 190 x 85 x 12,5h cm

Polyester cover, elastic, perspiring, warm washable, zipper on 3 sides.

Non fire resistant

Cod. STA100/1 190 x 85 x 14h cm
Cod. STA100/4 63 x 85 x 14h cm
Cod. STA100/7 190 x 85 x 10h cm

Cod. STA100/2 190 x 120 x 14h cm
Cod. STA100/5 63 x 120 x 14h cm
Cod. STA100/3 63 x 85 x 12,5h cm
Cod. STA100/6 190 x 85 x 12,5h cm

- EN Expanded polyurethane mattress - FIRE RESISTANT
- F Matelas en polyuréthane expansé - IGNIFUGE
- ES Colchón de poliuretano expandido - IGNIFUGO
- P Colchão de poliuretano expandido - RESISTENTE AO FOGO


LATEX
FREE

1 section - Without cover

Cod. **ST728/1**

190x85 cm
h 14 cm

D30
Kg/m³



Technical features

WEIGHT AND DIMENSION				
W:	D:	H:	Kg	
190 cm	85 cm	14 cm	6,6 kg	150 kg

Mattress covers

Polyester+polyurethane cover, elastic, perspiring, waterproof, anti-bacterial, washable at 95°, zipper on 3 sides.

Fire resistant

Cod. **STA110/1**

190 x 85 x 14h cm

Polyester cover, elastic, perspiring, warm washable, zipper on 3 sides.

Non fire resistant

Cod. **STA100/1**

190 x 85 x 14h cm

1 section - Diversified discharge - Without cover

Cod. **ST732/1**

h 14 cm

35 cm

D30
Kg/m³

D60
Kg/m³

Fire resistant **Class 1 IM**

D50
Kg/m³

D40
Kg/m³

95 cm

65 cm



Shell
height
H 8 cm
Internal
width 68 cm

Technical features

WEIGHT AND DIMENSION				
W:	D:	H:	Kg	
190 cm	85 cm	14 cm	8,5 kg	150 kg

Mattress covers

Polyester+polyurethane cover, elastic, perspiring, waterproof, anti-bacterial, washable at 95°, zipper on 3 sides.

Fire resistant

Cod. **STA110/1**

190 x 85 x 14h cm

Polyester cover, elastic, perspiring, warm washable, zipper on 3 sides.

Non fire resistant

Cod. **STA100/1**

190 x 85 x 14h cm

EN Ventilated expanded polyurethane mattress - FIRE RESISTANT
F Matelas en polyuréthane expansé ventilé- IGNIFUGE
ES Colchón de poliuretano expandido ventilado - IGNIFUGO
P Colchão de poliuretano expandido ventilado - RESISTENTE AO FOGO

LATEX
FREE


1 section - Without cover

Cod. **ST729/1**

h 14 cm

D30
Kg/m³

Suitable for 1 and 2
junctures beds



It can be used on both sides

Fire resistant **Class 1 IM**


1 section 190x120 cm - Egg-shaped processing - Without cover

Cod. **ST729/2**

h 14 cm

D30
Kg/m³

Suitable for 1 and 2
junctures beds



It can be used on both sides

Fire resistant **Class 1 IM**

Technical features

WEIGHT AND DIMENSION					
Product codes	W:	D:	H:	Kg	
ST729/1		85 cm		6,4 kg	
ST729/2	190 cm	120 cm	14 cm	9,6 kg	150 kg

Mattress covers

Polyester+polyurethane cover, elastic, perspiring, waterproof, anti-bacterial, washable at 95°, zipper on 3 sides.

Fire resistant

Cod. **STA110/1**

190 x 85 x 14h cm

Polyester cover, elastic, perspiring, warm washable, zipper on 3 sides.

Non fire resistant

Cod. **STA100/1**

190 x 85 x 14h cm

- EN** Leveling unit in polyurethane
- F** Élément de nivelage en polyurethane
- ES** Unidad de nivelación en poliuretano
- P** Unidade de nivelamento em poliuretano

Removable cover with zipper on 2 sides

Cod. **ST740**

h 4 cm

Cod. **ST742**

h 6 cm



D21
Kg/m³

Technical features

DIMENSION			
Product code	W:	D:	H:
ST740	190 cm	80 cm	4 cm
ST742			6 cm

- EN** Silicone cotton wool mattress
- F** Matelas en fibre creuse siliconée
- ES** Colchón en fibra hueca siliconada
- P** Colchão em fibra oca siliconada

17
DEN

Cover not removable-1 section

Cod. **ST680**

h 11,5 cm



Fire resistant cover Class 1 IM

Replaceable cylinders

17
DEN

Cod. **ST682**

h 13 cm



Fire resistant cover Class 1 IM

Technical features

The silicone cotton wool is a resilient material. It easily goes back to its previous shape even after a big pressure, keeping softness and elasticity. The silicon cotton wool insulates from hot and cold and it's highly breathable.

WEIGHT AND DIMENSION					
Product code	W:	D:	H:	Kg	
ST680	200 cm	87 cm	11,5 cm	6,1 kg	100 kg*
ST682	196 cm	88 cm	13 cm	7,8 kg	

* Without support mattress - 120 kg with leveling unit

- EN** Polyester mattresses cover
- F** Housse pour matelas en polyester
- ES** Funda para colchón en poliéster
- P** Capa para colchão em poliéster

Two-way stretch - Perspiring - Zipper on 3 sides

Series STA110

Polyester 42%/polyurethane 58%, waterproof, antibacterial, washable at 95°

Series STA100

Washable with hot water



Fire resistant **Class 1 IM**

Technical features

WEIGHT AND DIMENSION NON FIRE RESISTANT COVER				
Product codes	↔ W:	↗ D:	↕ H:	⚖ Kg
STA100/1	190 cm	85 cm	14 cm	575*
STA100/2		120 cm		770*
STA100/3	63 cm	85 cm	12,5 cm	230*
STA100/4			14 cm	230*
STA100/5	190 cm	120 cm		300*
STA100/6			12,5 cm	565*
STA100/7 ignifugo		85 cm	10 cm	530*

WEIGHT AND DIMENSION FIRE RESISTANT COVER				
Product codes	↔ W:	↗ D:	↕ H:	⚖ Kg
STA110/1	190 cm	85 cm	14 cm	555*
STA110/2		120 cm		745*
STA110/3	63 cm	85 cm	12,5 cm	225*
STA110/4			14 cm	425*
STA110/5	190 cm	120 cm		555*
STA110/6		85 cm	12,5 cm	545*

*Weight can change ± 10 g

*Weight can change ± 10 g

- EN** Expanded polyurethane pillow - HR21
- F** Coussin en polyuréthane expansé - HR21
- ES** Almohada de poliuretano expandido - HR21
- P** Almofada de poliuretano expandido - HR21

Perforated anti-suffocation - Antimycotic perspiring, non-deformable, antibacterial


Cod. ST745

With Trevira cover



Cod. ST746

With politex cover, polyurethane coated



D21
Kg/m³

Fire resistant **Class 1 IM**

Technical features

DIMENSION		
↔ W:	↗ D:	↕ H:
70 cm	40 cm	9 cm


- EN** PVC air cells cushion
- F** Coussin en PVC à bulles d'air
- ES** Cojín de PVC con burbujas de aire
- P** Almofada de célula de ar em PVC

**LATEX
FREE**

Height 6 cm


Series **ST85x/1**

1 section



Series **ST85x/2**


2 sections



Height 10 cm


Series **ST85x/1**

1 section



Series **ST85x/2**

2 sections



Equipped with pump and elastic,
antibacterial, fire-retardant
and non-slip cover

It guarantees a perfect weight distribution, exploiting to the utmost pressure relief in every position. It adapts itself to the individual shapes of the patient and allows the full immersion of the ischials.

Spare parts



PU+Nylon cover for 1/2 sections cushions

Height 6 cm

Cod. **ST785/6**
36 x 36 x 6h cm

Cod. **ST786/6**
40 x 40 x 6h cm

Cod. **ST787/6**
46 x 40 x 6h cm

Cod. **ST788/6**
50 x 46 x 6h cm

Height 10 cm

Cod. **ST785/10**
36 x 36 x 10h cm

Cod. **ST786/10**
40 x 40 x 10h cm

Cod. **ST787/10**
46 x 40 x 10h cm

Cod. **ST788/10**
50 x 46 x 10h cm

ACCESSORIES INCLUDED



Cod. **ST786** Pump



Cover (see spare parts)

Technical features

Product codes	ST850/1 ST850/2	ST851/1 ST851/2	ST852/1 ST852/2	ST853/1 ST853/2	ST855/1 ST855/2	ST856/1 ST856/2	ST857/1 ST857/2	ST858/1 ST858/2
SPECIFICATIONS								
Height	6 cm				10 cm			
WEIGHT AND DIMENSION								
 W:	36 cm	40 cm	46 cm	50 cm	36 cm	40 cm	46 cm	50 cm
 D:			40 cm	46 cm			40 cm	46 cm
	130 kg				130 kg			

- EN

F

ES

P
- PU air cells cushion
Coussin en PU à bulles d'air
Cojín de PU con burbujas de aire
Almofada de célula de ar em PU


LATEX
FREE

Height 5 cm

- Series **ST86x/1**

1 section
- Series **ST86x/2**

2 sections



Equipped with pump and elastic,
antibacterial, fire-retardant
and non-slip cover

It guarantees a perfect weight distribution, exploiting to the utmost pressure relief in every position. It adapts itself to the individual shapes of the patient and allows the full immersion of the ischials.

ACCESSORIES INCLUDED



Cod. **ST786**
Pump



Cushion cover
for 1/2 sections

- Cod. **STA860**
Only for ST860/*
Cod. **STA861**
Only for ST861/*
Cod. **STA862**
Only for ST862/*
Cod. **STA863**
Only for ST863/*

Technical features

Product codes	ST860/1	ST861/1	ST862/1	ST863/1	ST860/2	ST861/2	ST862/2	ST863/2
SPECIFICATIONS								
Sections	1				2			
WEIGHT AND DIMENSION								
 W:	35 cm	41 cm	47 cm	4,7 cm	35 cm	41 cm	47 cm	4,7 cm
 D:	41 cm		41 cm		41 cm		41 cm	
 H:	5 cm				5 cm			
	130 kg				130 kg			

- EN** Memory foam and gel cushion
- F** Coussin à mémoire de forme et gel
- ES** Cojín en memory foam y gel
- P** Almofada em memory foam e gel

Series **ST711**



Equipped with PU cover
removable by zipper on 3 sides,
non-slip fabric

Technical features

WEIGHT AND DIMENSION			
Product codes	↔ W:	↗ D:	↕ H:
ST711/1	40 cm	40 cm	7 cm
ST711/2	43 cm	43 cm	7 cm
ST711/3	46 cm	40 cm	7 cm
ST711/4	50 cm	40 cm	7 cm
ST711/5	50 cm	46 cm	7 cm

Front side Memory Foam to make the seat more comfortable, density 620g. Gel layer on the seat to help relieve pressure from the back.

- EN** Self-mouldable fluid cushion
- F** Coussin fluide à rétention de forme
- ES** Cojín con fluidos auto-modelante
- P** Almofada com fluido automodelante

Series **ST719**
Preformed, firm base



Microfibre cover
anti-slip tissue included

Technical features

WEIGHT AND DIMENSION					
Product codes	↔ W:	↗ D:	↕ H:	👤	⚖ Kg
ST719/1	38 cm				2,5 kg
ST719/2	40 cm				2,5 kg
ST719/3	40 cm	45 cm			2,9 kg
ST719/4	42 cm			90 kg	2,8 kg
ST719/5	44 cm	42 cm	6,5 cm		2,8 kg
ST719/6	45 cm	40 cm			2,9 kg
ST719/7	45 cm			110 kg	3 kg
ST719/8	45 cm	50 cm			3,3 kg
ST719/9	50 cm	45 cm		130 kg	3,3 kg

- EN** Fluid gel silicone cushions
- F** Coussins en gel fluide de silicone
- ES** Cojines en gel fluido de silicona
- P** Almofadas em gel fluido de silicone

Series **ST712**



Hightex cover
removable by included zipper

Cod. **ST713**

With central hole



Politex cover
removable by included zipper

In fluid gel and polyurethane, with removable protective cover. It can be washed.

Technical features


WEIGHT AND DIMENSION					
Product codes	W:	D:	H:		
ST712/40	40 cm			100 kg	4 kg
ST712/42	42 cm		4 cm	120 kg	4,3 kg
ST712/45	45 cm				4,7 kg

WEIGHT AND DIMENSION					
Product codes	W:	D:	H:		
	42 cm	42 cm	4 cm	110 kg	3,5 kg

- EN** Compact viscoelastic cushion
- F** Coussin en viscoélastique compact
- ES** Cojín en viscoelástico compacto
- P** Almofada em visco-elástico compacto

Viscosoft - machine washable

Series **ST716**



Expanded polyurethane


Upper surface in Hightex, microfibre 100% polyester. Non-slip lower surface.

Technical features

WEIGHT AND DIMENSION					
Product codes	W:	D:	H:		
ST716/40	40 cm	40 cm			
ST716/43	43 cm	43 cm	4,5 cm		1,8 kg
ST716/46	46 cm	46 cm			

- EN** Perforated cushion in viscoelastic foam
- F** Coussin en mousse viscoélastique
- ES** Cojín perforado en goma viscoelástica
- P** Almofada em espuma viscoelástica

Series **ST708**




Technical features

WEIGHT AND DIMENSION				
Product codes	W:	D:	H:	kg
ST708/40	40 cm		70 cm	2,5 kg
ST708/42	42 cm			3 kg
ST708/44	44 cm			3,5 kg
ST708/46	46 cm			
ST708/48	48 cm			4 kg
ST708/50	50 cm			4,5 kg

- EN** Multi-layer anatomic cushion with rigid base
- F** Coussin multicouche anatomique à base rigide
- ES** Cojín anatómico multiestrato con base rígida
- P** Almofada anatômica multi-estrados com base rígida

Series **ST709**



Technical features

WEIGHT AND DIMENSION				
Product codes	W:	D:	H:	kg
ST709/40	40 cm		9-7,5 cm	0,7 kg
ST709/42	42 cm			0,8 kg
ST709/44	44 cm			0,9 kg
ST709/46	46 cm			1 kg
ST709/48	48 cm			1,05 kg
ST709/50	50 cm			1,1 kg

- EN PVC water cushions K80
- F Coussins à eau en PVC K80
- ES Cojines de agua en PVC K80
- P Almofadas de água em PVC K80

Cod. **ST327**

With
central
hole



Cod. **ST328**



Electro-welded PVC. Filling tube included- Washable with soap.

Technical features

SPECIFICATIONS		WEIGHT AND DIMENSION			
Thickness	0,4 - 1 cm	Product codes	W:	H:	
		ST327	45 cm	50 cm	90 kg
		ST328			450 g

- EN Natural fleece
- F Peau de mouton naturelle
- ES Piel natural
- P Pele de cordeiro natural

Cod. **ST630**



Technical features

DIMENSION	
W:	90-100 cm*

*The measures could be a bit different from what indicated in the catalogue

- EN** Silicone cotton cushions
- F** Coussins en fibre creuse en silicone
- ES** Cojines en fibra hueca siliconada
- P** Almofadas em fibra oca siliconada

17
DEN

Cod. ST602
Cotton cover



Cod. ST607
3 elements set: cushion, back and armrests removable with zipper



Technical features

WEIGHT AND DIMENSION			
W:	D:	H:	Kg
43 cm	43 cm	11 cm	540 g

WEIGHT AND DIMENSION				
Product codes	W:	D:	H:	Kg
ST607 seat	43 cm	43 cm	-	640 g
ST607 backrest	45 cm	60 cm	-	600 g

- EN** Heel, elbow guard and leg in silicone cotton wool
- F** Talonnière, coudière et pied en fibre creuse en silicone
- ES** Talonera, codera, pata en fibra hueca siliconada
- P** Tornozeleira, cotoveleira, perna em fibra oca siliconada

Cod. ST692
Elbow guard



Cod. ST690
Heel guard



Cod. ST694
Leg



The silicone cotton wool is a resilient material. It easily goes back to its previous shape even after a big pressure, keeping softness and elasticity. The silicon cotton wool insulates from hot and cold and it's highly breathable.

Technical features

DIMENSION						
Product codes	W:	D:	H:	minimum circumference	maximum circumference	Kg
ST690	31 cm	35 cm	10 cm	-	-	130 g
ST692	31 cm	32 cm	4 cm	32 cm	45 cm	120 g
ST694	38 cm	40 cm	6 cm	47 cm	80 cm	270 g

- EN Silicone cotton cushions
- F Coussins en fibre creuse en silicone
- ES Cojines en fibra hueca siliconada
- P Almofadas em fibra oca siliconada

17
DEN

Series **ST600**
Cotton cover



Series **ST601**
3D removable
and perspiring cover



Technical features

WEIGHT AND DIMENSION				
Product codes	↔ W:	↗ D:	↕ H:	⚖ Kg
ST600/38	38 cm	38 cm	10 cm	460 g
ST600/40	40 cm	40 cm		480 g
ST600/43	43 cm	43 cm		520 g
ST600/45	45 cm	45 cm		590 g
ST600/48	48 cm	48 cm		720 g
ST600/50	50 cm	50 cm		790 g

WEIGHT AND DIMENSION				
Product codes	↔ W:	↗ D:	↕ H:	⚖ Kg
ST601/38	38 cm	38 cm	12 cm	470 g
ST601/40	40 cm	40 cm		570 g
ST601/43	43 cm	43 cm		660 g
ST601/45	45 cm	45 cm		750 g
ST601/48	48 cm	48 cm		830 g
ST601/50	50 cm	50 cm		950 g

Backrest - 4 sections

Cod. **ST605**
Cotton cover



Cod. **ST606**
3D perspiring cover



The silicone cotton wool is a resilient material. It easily goes back to its previous shape even after a big pressure, keeping softness and elasticity. The silicon cotton wool insulates from hot and cold and it's highly breathable.

Technical features

WEIGHT AND DIMENSION			
↔ W:	↗ D:	↕ H:	⚖ Kg
60 cm	44 cm	15 cm	620 g

WEIGHT AND DIMENSION			
↔ W:	↗ D:	↕ H:	⚖ Kg
60 cm	44 cm	12 cm	560 g