







Prevention Cardiovascular

Blood pressure monitors, EN
stethoscopes professional and for homecare

Tensiomètres, stéthoscopes professionnels F
et pour les soins à domicile

Tensiómetros, estetoscopios profesionales ES
y para atención domiciliaria

Esfigmomanómetros, estetoscópios profissionais P
e para atendimento domiciliar



LOGIKO®

- EN Automatic blood pressure monitors
 F Tensiomètres automatiques digitales
 ES Tensiómetros digitales automáticos
 P Esfigmomanômetros automáticos digitais

Display LCD 3"

Cod. **DM590**



CE
0197

LATEX
FREE

2x150
Memory

300 memories
in 2 groups

SYS
/mmHg

Systolic
pressure

DIA
/mmHg

Diastolic
pressure

IHB

Arrhythmia
detection

WHO

WHO
classification

PUL
/min

Pulse rate/
minute

USB

USB-C port for
charging

Cuff leak
indicator

Arm movement
indicator

WEIGHT AND DIMENSIONS

W:

8 cm

D:

15 cm

H:

4,6 cm

Kg

155 g
(without batteries)

Bag included

Display LCD 4"

Cod. **DM591**



CE
0197

LATEX
FREE

2x150
Memory

300 memories
in 2 groups

SYS
/mmHg

Systolic
pressure

DIA
/mmHg

Diastolic
pressure

IHB

Arrhythmia
detection

WHO

WHO
classification

PUL
/min

Pulse rate/
minute

USB

USB-C port for
charging

Cuff leak
indicator

Arm movement
indicator

WEIGHT AND DIMENSIONS

W:

8 cm

D:

15 cm

H:

4,6 cm

Kg

213 g
(without batteries)

Bag included

Technical features

Product codes	DM590	DM591
SPECIFICATIONS		
Display dimension	6,6 x 4,3 cm	8,3 x 5,3 cm
Power source	3 AAA batteries Or external power supply with USB-C cable (optional)	
Measurement method	Oscillometric	
Pressure measurement range	0-300 mmHg	
Pulse measurement range	30 to 180 Beats/Minute	
Measurement accuracy	+/- 5%	
Pressurization	Automatic	
Cuff dimensions	22 - 36cm - circumference	

Optional accessories



Cod. **DR262**

Anatomic obese cuff
22x42 cm



Cod. **DR261**

Anatomic children cuff
16x24 cm

Cod. **DR264**

Power adapter with
USB-C cable
(not shown)

Spare parts



Cod. **DR260**

Anatomic adults cuff
22x36 cm

EN Automatic blood pressure monitors
F Tensiomètres automatiques digitales
ES Tensiómetros digitales automáticos
P Esfigmomanômetros automáticos digitais

Display LCD 4,8" - Backlight

Cod. **DM592S** *Standard*

Cod. **DM592P** *Italian speaking*



300 memories
in 2 groups



Systolic
pressure



Diastolic
pressure



Arrhythmia
detection



WHO
classification



Pulse rate/
minute



USB-C port for
charging



Cuff leak
indicator



Arm movement
indicator



Bag included

WEIGHT AND DIMENSIONS



W:



D:



H:



319 g
(without batteries)

10,8 cm

15 cm

6,5 cm

Display LCD 2" - Backlight - Wrist type

Cod. **DM595**



300 memories
in 2 groups



Systolic
pressure



Diastolic
pressure



Arrhythmia
detection



WHO
classification



Pulse rate/
minute



Arm movement
indicator



Clamshell
container

WEIGHT AND DIMENSIONS



D:



W:



H:



67 g
(without batteries)

8,4 cm

6,2 cm

2,4 cm

Technical features

Product codes	DM592 DM592P	DM595
SPECIFICATIONS		
Display dimension	9,4 x 9,1 cm	3,2 x 4 cm
Power source	3 AAA batteries Or external power supply with USB-C cable (optional)	2 AAA batteries 1,5 V
Measurement method	Oscillometric	
Pressure measurement range	0-300 mmHg	
Pulse measurement range	30 to 180 Beats/Minute	
Measurement accuracy	+/- 5%	
Pressurization	Oscillometric	

Optional accessories only for DM592S/P



Cod. **DR262**
Anatomic obese cuff
22x42 cm



Cod. **DR261**
Anatomic children cuff
16x24 cm

Cod. **DR264**
Power adapter with
USB-C cable
(not shown)



Cod. **DR260**
Anatomic adults cuff
22x36 cm



Cod. **DR263**
Wrist cuff for
DM595

- EN** One-hand aneroid sphygmomanometers
- F** Tensiomètres anéroïdes mano-poire
- ES** Tensiómetros aneroides palmares
- P** Esfigmomanômetros aneróides palmares

Rotating head for ambidextrous

Cod. DM343
2 tubes

Button release valve

CE 0123 LATEX FREE

Light alloy gauge

Cod. DM348

Light alloy gauge


Bag included

Technical features

Product codes	DM343		DM348		
SPECIFICATIONS					
Manometer			Ø 67 mm		
Dial			Ø 57 mm		
Scale	0-300 mmHg - Graduated each 2mmHg / Smaller notch each 10 units/ bigger notch each 20 units				
Deflation time	From 260 mmHg to 15 mmHg - 10 seconds				
Floating zero	The needle is not fixed on zero but it can oscillate				
Cuff	Nylon velcro cuff with metal ring				
Bulb	PVC				
Air regulation	Button valve		Screw valve		
WEIGHT AND DIMENSION					
	 W:	 D:	 H:		
DM343	18 cm	11 cm	6 cm	606 g	24 pcs
DM348				510 g	

- EN One-hand aneroid sphygmomanometers
- F Tensiomètres anéroïdes mano-poire
- ES Tensiómetros aneroides palmares
- P Esfigmomanômetros aneróides palmares

Big gauge



Technical features

Product codes		DM345		DM346	
SPECIFICATIONS					
Manometer		Ø 65 mm			
Dial		Ø 60 mm			
Scale		0-300 mmHg - Graduated each 2mmHg / Smaller notch each 10 units/ bigger notch each 20 units			
Deflation time		From 260 mmHg to 15 mmHg - 10 seconds			
Floating zero		The needle is not fixed on zero but it can oscillate			
Cuff		Nylon velcro cuff with metal ring			
Bulb		PVC			
Air regulation		Screw valve			
WEIGHT AND DIMENSION					
 W:		 D:		 H:	
 Kg					
DM345		18 cm		391 g	
DM346		11 cm		469 g	
				24 pcs	

- EN One-hand aneroid sphygmomanometers
- F Tensiomètres anéroïdes mano-poire
- ES Tensiómetros aneroides palmares
- P Esfigmomanômetros aneróides palmares

Shockproof gauge

Cod. **DM347**



3 cuffs kit

Cod. **DM342**



Technical features

Product codes	DM347			DM342	
SPECIFICATIONS					
Manometer	Ø 65 mm			Ø 60 mm	
Dial	Ø 57 mm				
Scale	0-300 mmHg - Graduated each 2mmHg / Smaller notch each 10 units/ bigger notch each 20 units				
Deflation time	from 260mmHg to 15 mmHg - 10 seconds				
Floating zero	The needle is not fixed on zero but it can oscillate				
Cuff	Nylon velcro cuff with metal ring				
Bulb	PVC				
Air regulation	Screw valve				
WEIGHT AND DIMENSION					
	 W:	 D:	 H:		 pcs
DM347	18 cm	11 cm	6 cm	350 g	24
DM342	25,5 cm	20 cm	8 cm	986 g	20

- EN Aneroid sphygmomanometer
F Tensiomètre anéroïde
ES Tensiómetro aneroide
P Esfigmomanômetro aneróide

Standard gauge

Cod. **DM330**

Light-alloy Bluee
painted gauge



Series **DM350**

Matched colour cuff
and bag

Light-alloy black
painted gauge



CE
0123

LATEX
FREE

Cod. **DM333**

Light-alloy Bluee
painted gauge



Bag included

With stethoscope

Series **DM353**

Matched colour
cuff, stethoscope
and bag

Light-alloy black
painted gauge



Bag included

With stethoscope

Technical features

Product codes	DM330	DM333	DM350*	DM353*		
SPECIFICHE TECNICHE						
Manometer	Ø 50 mm					
Dial	Ø 45 mm					
Scale	0-300 mmHg - Graduated each 2mmHg / Smaller notch each 10 units/ bigger notch each 20 units					
Deflation time	from 260mmHg to 15 mmHg - 10 seconds					
Floating zero	the needle is not fixed on zero but it can oscillate					
Cuff	Nylon velcro cuff with metal ring					
Bulb	PVC					
Air regulation	Screw valve					
WEIGHT AND DIMENSION						
	Colours	 W:	 D:	 H:	 Kg	 pcs
DM330	-	16 cm	11 cm	5 cm	397 g	24
DM333	-	18 cm	D: 11 cm	6 cm	474 g	24
DM350A	 Blue	23 cm	14 cm	6 cm	448 g	50
DM350F	 Green					
DM350R	 Red					
DM353A	 Blue	23 cm	14 cm	6 cm	520 g	50
DM353F	 Green					
DM353R	 Red					

EN	Aneroid sphygmomanometer
F	Tensiomètre anéroïde
ES	Tensiómetro aneroide
P	Esfigmomanômetro aneróide

Desk and wall type

Cod. **DM360**


Plastic case for cuff



Stand type

Cod. **DM365**

Plastic case for cuff



Technical features

Product codes	DM360	DM365
SPECIFICATIONS		
Manometer	17 x 17 cm	
Dial	14,5 x 14,5 cm	
Scale	0-300 mmHg - Graduated each 2mmHg / Smaller notch each 10 units/ bigger notch each 20 units	
Deflation time	From 260mmHg to 15 mmHg - 10 seconds	
Floating zero	The needle is not fixed on zero but it can oscillate	
Cuff	Nylon velcro cuff with metal ring	
Bulb	PVC	
Air regulation	Screw valve	
WEIGHT AND DIMENSION		
	725 g	1850 g

EN Spare parts for sphygmomanometers
F Pièces de rechange pour tensiomètres
ES Repuestos para tensiómetros
P Peças de reposição para esfigmomanômetros

LATEX
FREE

Cuffs for aneroid sphygmomanometers

Velcro-fastening	Description	Without bladder	With single inner tube bladder	With 2 inner tube bladder
Without D-ring				
	Thigh type W: 80x21 cm - Ø 42-57 cm	DR126	DR1438	DR125
	Obese people W: 60x18 cm - Ø 32-47 cm	DR123	DR1435	DR1425
	Adult W: 51x14 cm - Ø 26-36 cm	DR120B	DR1433	DR1423
 Hook fastening	Adult W: 50x14 cm - Ø 26-38 cm	-	-	DR1426
	Teenager W: 48x10 cm - Ø 24-32 cm	DR119	DR1432	DR1422
	Children W: 38x6,5 cm - Ø 13-26 cm	DR118	DR1431	DR1421
	Newborn W: 22x4,5 cm - Ø 7-13 cm	DR117	DR1430	DR1420
With D-ring				
	Adult W: 48,3x14 cm - Ø 26-36 cm	DR121B	DR1434	DR1424
 With stethoscope	Adult W: 48,3x14 cm - Ø 26-36 cm	DR122	DR1437	DR1427

PVC bladders



Cod. DR1414 Obese
2 tubes 30-15 cm



Cod. DR1413 Adult
2 tubes 22-12 cm



Cod. DR1400 Adult
1 tube 22-12 cm

LATEX
FREE

Cuffs for digital sphygmomanometers



Cod. DR115
25,8-13 cm

LATEX
FREE

Pvc bulbs



Cod. DR302 Blue colour. Bulb with valve and air release tap



Cod. DR301 Blue colour. Bulb with rear valve



Cod. DR341
Bulb with rear valve for DM348 - DM343



Cod. DR343 Black colour. Bulb with valve and air release tap



Cod. DR182
Plastic conic joint



Cod. DR1394
Pouch with zip

Joint and pouch

Valves, taps and tubes



Cod. DR380
Air release tap



Cod. DR450
Rear valve for bulb



Cod. DR432B
PVC tube 4x8mm x 50cm
Cod. DR432N
Latex free rubber tube 4x8mm x 1 mt



Cod. DR435
Spiral rubber tube 120 cm



Cod. DR515 Ø 45 mm
Cod. DR516 Ø 57 mm
Cod. DR517 Ø 60 mm
Lens

Manometers and lens



Cod. DR232
Blue manometer



Cod. DR233
Black manometer

EN Stethoscopes
F Stéthoscopes
ES Estetoscopios
P Estetoscópios

Aluminium flat head

Series **DM130**



Aluminium binaural headset. PVC tube Ø 5 mm, 60 cm length.

Technical features

Product codes	Colours
DM130G	Grey
DM130N	Black
DM130B	Blue
DM130L	Lilac
DM130R	Red
DM130S	Pink
DM130V	Green
SPECIFICATIONS	
Head	ø 4,5 cm x 1 cm H
	100 pcs

Anodized zinc anatomic head

Series **DM545**



With accessories

Technical features

Product codes	Colours
DM545N	Black
DM545B	Blue
DM545R	Red
SPECIFICATIONS	
Head Ø	4,6 cm
	25 pcs

Copper binaural headset with spring inside the tube. PVC coloured tube Ø 5 mm, 60 cm length. Soft ear tips. Nonchill rim.

Double head, anodized aluminium, rotating - Adult

Series **DM500**



Technical features

Product codes	Colours
DM500G	Grey
DM500N	Black
DM500B	Blue
DM500R	Red
SPECIFICATIONS	
Big head	ø 4,5 x 2 H cm
Small head	ø 3,1 x 2 H cm
	100 pcs

Aluminium binaural headset. PVC tube Ø 5 mm, 60 cm length.

- EN Stainless steel stethoscopes
- F Stéthoscopes en acier inox
- ES Estetoscopios acero inoxidable
- P Estetoscópio em aço inoxidável

Pediatric - Double rotating head

Series **DM540**



Technical features



Product codes	Colours
DM540N	Black
DM540B	Blue
DM540R	Red
SPECIFICATIONS	
Big head	ø 4 x 2 H cm
Small head	ø 2,6 x 2 H cm
	25 pcs

Binaural headset with spring inside the tube. PVC coloured tube Ø 5 mm, 60 cm length. Nonchill rim on both sides. Soft ear tips.

Adult - Double rotating head

Cod. **DM530B**



Technical features



Colour	Blue
SPECIFICATIONS	
Big head	ø 4,6 x 3,3 H cm
Small head	ø 3,6 x 3,3 H cm
	25 pcs

Binaural headset with spring inside the tube. PVC coloured tube Ø 5 mm, 60 cm length. Nonchill rim on both sides. Soft ear tips.

Cardiological - Double rotating head

Cod. **DM535B**



Technical features



Colour	Blue
SPECIFICATIONS	
Big head	ø 4,7 x 2,3 H cm
Small head	ø 3,6 x 2,3 H cm
	25 pcs

Binaural headset with spring inside the tube. Nonchill rim on both sides. Soft ear tips.

EN Stethoscopes
F Stéthoscopes
ES Estetoscopios
P Estetoscópios

Rappaport - Zinc double head

Cod. **DM561B**



With accessories



Technical features

Colour ■ Blue

SPECIFICATIONS

Big head $\varnothing$ 4,5 x 3,6 H cm

Small head $\varnothing$ 3,1 x 3,6 H cm



25 pcs

Double tube. Rotating heads. With accessories: 3 bells in different sizes, 2 soft ear tips, 2 rigid ear tips, 2 membranes.

Spare parts for stethoscopes

Ear tips



Cod. **DR350 (single)**
PVC Black
mushroom-shaped
ear tips



Cod. **DR351 (single)**
PVC White rigid ear
tips




Cod. **DR352 (single)**
PVC Black rigid ear
tips



Cod. **DR355 (single)**
PVC Black soft ear
tips



Cod. **DR391**
Kit for Rappaport type



Cod. **DR110**
Binaural headset
with ear tips (only for
DM130x - DM500x)



Cod. **DR241**
Spare membrane
 $\varnothing$ 45 mm

Binaural headset and membrane


Heads



Cod. **DR426**
Head for Rappaport
type stethoscopes



Cod. **DR420**
Flat stethoscope head



Cod. **DR422**
Head for double-head

Y-tubes for stethoscopes



Cod. **DR434B** Blue
Cod. **DR434G** Grey
Cod. **DR434L** Lilac
Cod. **DR434N** Black
Cod. **DR434S** Pink
Cod. **DR434R** Red
Cod. **DR434V** Green



Perfect Aneroid

Cod. **DME361** Without stethoscope - Cod. ERKA® - 201.20482

Cod. **DME363** With stethoscope - Cod. ERKA® - 205.00982



Kobold

Cod. **DME365B** Blue - Cod. ERKA® - 225.20493

Cod. **DME365N** Black - Cod. ERKA® - 223.20493

Cod. **DME365R** Red - Cod. ERKA® - 224.20493

